

AGA CoStays

Complete Final API & Entities Document

Multi-Branch Hotel + Restaurant Management System


Generated On: 2026-07-08 14:15:34

This is a complete fresh document for AGA CoStays. It includes all requested information: Root Admin, Manager, branch/location-based access, location-based room pricing, hotel photos, room photos, restaurant dish photos, customer booking, food ordering, payments, billing, feedback, attendance, payroll/salary, reports, analytics, notifications, and all database entities.

1. System Overview

- Hotel brand name: AGA CoStays.
- System type: Multi-branch hotel chain platform across metropolitan cities.
- Frontend: React responsive web app.
- Backend: REST API services/microservices.
- Database: MySQL or PostgreSQL relational database.
- Authentication: JWT Bearer Token.
- Authorization: Role-Based Access Control with branch-level restrictions.
- Core modules: Website, Cities, Hotel Branches, Rooms, Room Photos, Location-Based Pricing, Booking, Restaurant, Dish Photos, Food Ordering, Payments, Billing, Feedback, Attendance, Payroll, Reports and Analytics.

2. Final Role Hierarchy



3. Role Responsibilities

Role	Responsibility
ROOT_ADMIN	Full platform owner. Can access all website settings, all branches, all users, all business modules, audit logs and backups.
MANAGER	Business operations admin under Root Admin. Replaces old ADMIN role. Manages branches, staff, rooms, prices, bookings, restaurant, payroll and reports.
CUSTOMER	Registers, views city/branch hotels, room photos, dish photos, books rooms, orders food, pays bills and submits feedback.
RECEPTIONIST	Branch-level staff. Manages assigned branch bookings, check-in/checkout, room photos/descriptions/status, customer support, attendance and branch reports.
RESTAURANT_ADMIN	Branch restaurant admin. Manages assigned branch dishes, dish photos, food orders, chef/serving assignments and restaurant reports.
CHEF	Assigned branch kitchen staff. Prepares food orders and updates preparation status.
SERVING_STAFF	Assigned branch delivery staff. Picks up prepared food and delivers to customer room.
HOUSEKEEPING_STAFF	Assigned branch housekeeping staff. Cleans rooms/washrooms and updates

4. Global Authorization Rules

- ROOT_ADMIN can access everything across the whole website/platform.
- MANAGER can access business modules for all assigned branches or all branches depending on access_level.
- MANAGER cannot access root-level secrets/settings such as payment gateway keys, email/SMS credentials, backups, and root audit controls unless Root Admin grants permission.
- RECEPTIONIST can access only the hotel branch where they are assigned.
- RESTAURANT_ADMIN can access only the restaurant of their assigned hotel branch.
- CHEF, SERVING_STAFF and HOUSEKEEPING_STAFF can access only tasks/orders/attendance for their assigned branch.
- CUSTOMER can browse public city/branch/hotel/room/restaurant information, but can access only their own bookings, orders, payments, bills and feedback.
- Every API containing branchId must validate requested branchId against logged-in staff assignedBranchId unless the user is MANAGER or ROOT_ADMIN.
- Old ADMIN naming is fully replaced by MANAGER. Old /api/admin routes are now /api/manager routes.

5. Constants / Enums

Role Values:

ROOT_ADMIN, MANAGER, CUSTOMER, RECEPTIONIST, RESTAURANT_ADMIN, CHEF, SERVING_STAFF, HOUSEKEEPING_STAFF

Default Base Room Prices:

NORMAL = 800 INR/day

DELUXE = 1600 INR/day

LUXURY = 2500 INR/day

RoomStatus:

AVAILABLE, BOOKED, OCCUPIED, CLEANING, MAINTENANCE

BookingStatus:

PENDING, APPROVED, REJECTED, CHECKED_IN, CHECKED_OUT, CANCELLED

FoodOrderStatus:

PLACED, ACCEPTED, PREPARING, READY_FOR_DELIVERY, OUT_FOR_DELIVERY, DELIVERED, CANCELLED, REJECTED

PaymentStatus:

PENDING, SUCCESS, FAILED, REFUNDED, PAY_AT_CHECKOUT

AttendanceStatus:

PRESENT, ABSENT, HALF_DAY, ON_LEAVE, WEEK_OFF, HOLIDAY

PayrollStatus:

GENERATED, PENDING, PROCESSING, PAID, FAILED, ON_HOLD, CANCELLED

PaymentMode:

BANK_TRANSFER, UPI, CASH, CHEQUE

FoodType:

VEG, NON_VEG, EGG, VEGAN

MenuCategory:

STARTER, MAIN_COURSE, RICE, BIRYANI, BREADS, DESSERT, BEVERAGE, SNACKS, BREAKFAST, LUNCH, DINNER

Department:

HOTEL_FRONT_DESK, RESTAURANT_KITCHEN, RESTAURANT_SERVICE, HOUSEKEEPING, ADMINISTRATION

Shift:

MORNING, EVENING, NIGHT

6. Location-Based Room Pricing

- Room prices are branch/location-specific.
- Default base prices exist for each room type, but Managers can update current prices based on location, season, demand or hotel policy.
- Customers always see currentPricePerDay for the selected branch.
- Booking amount must be calculated using currentPricePerDay, not basePricePerDay.
- Existing confirmed bookings must not be affected by future price changes.
- Every price change must be stored in room_price_history.
- ROOT_ADMIN can update room prices for any branch.
- MANAGER can update room prices for assigned/all managed branches.
- RECEPTIONIST cannot update room prices by default.

7. Public / Auth APIs

Method	Endpoint	Access	Purpose
POST	/api/auth/register	Public/CUSTOMER	Customer self-registration
POST	/api/auth/login	All roles	Login and receive JWT token
POST	/api/auth/logout	All authenticated roles	Logout current session
POST	/api/auth/forgot-password	Public	Send password reset link
POST	/api/auth/reset-password	Public	Reset password using token

8. ROOT_ADMIN APIs

Method	Endpoint	Access	Purpose
POST	/api/root-admin/auth/login	ROOT_ADMIN	Root Admin login
POST	/api/root-admin/auth/logout	ROOT_ADMIN	Root Admin logout
PUT	/api/root-admin/change-password	ROOT_ADMIN	Change Root Admin password
POST	/api/root-admin/managers	ROOT_ADMIN	Create Manager
GET	/api/root-admin/managers	ROOT_ADMIN	Get all Managers
GET	/api/root-admin/managers/{managerId}	ROOT_ADMIN	Get Manager by ID
PUT	/api/root-admin/managers/{managerId}	ROOT_ADMIN	Update Manager
PUT	/api/root-admin/managers/{managerId}/status	ROOT_ADMIN	Activate/deactivate Manager
DELETE	/api/root-admin/managers/{managerId}	ROOT_ADMIN	Delete Manager
POST	/api/root-admin/roles	ROOT_ADMIN	Create role
GET	/api/root-admin/roles	ROOT_ADMIN	Get roles
PUT	/api/root-admin/roles/{roleId}	ROOT_ADMIN	Update role
DELETE	/api/root-admin/roles/{roleId}	ROOT_ADMIN	Delete role
POST	/api/root-admin/roles/{roleId}/permissions	ROOT_ADMIN	Assign permissions
GET	/api/root-admin/roles/{roleId}/permissions	ROOT_ADMIN	Get role permissions
GET	/api/root-admin/website/settings	ROOT_ADMIN	Get website settings
PUT	/api/root-admin/website/settings	ROOT_ADMIN	Update website settings
PUT	/api/root-admin/website/booking-status	ROOT_ADMIN	Enable/disable booking
PUT	/api/root-admin/website/restaurant-ordering-status	ROOT_ADMIN	Enable/disable restaurant ordering
PUT	/api/root-admin/website/maintenance-mode	ROOT_ADMIN	Enable/disable maintenance mode
POST	/api/root-admin/website/banners	ROOT_ADMIN	Add website banner
GET	/api/website/banners	Public, ROOT_ADMIN	Get website banners
PUT	/api/root-admin/website/banners/{bannerId}	ROOT_ADMIN	Update banner
DELETE	/api/root-admin/website/banners/{bannerId}	ROOT_ADMIN	Delete banner
PUT	/api/root-admin/website/about-us	ROOT_ADMIN	Update About Us
PUT	/api/root-admin/website/terms-and-conditions	ROOT_ADMIN	Update Terms and Conditions
PUT	/api/root-admin/website/privacy-policy	ROOT_ADMIN	Update Privacy Policy
GET	/api/root-admin/hotel-branches	ROOT_ADMIN	Get all branches
GET	/api/root-admin/hotel-branches/{branchId}/complete-details	ROOT_ADMIN	Get complete branch details
PUT	/api/root-admin/hotel-branches/{branchId}/status	ROOT_ADMIN	Activate/deactivate branch
GET	/api/root-admin/dashboard	ROOT_ADMIN	Root dashboard
GET	/api/root-admin/analytics/website	ROOT_ADMIN	Website analytics
GET	/api/root-admin/analytics/branches/performance	ROOT_ADMIN	Branch performance
GET	/api/root-admin/analytics/cities/performance	ROOT_ADMIN	City performance

GET	/api/root-admin/analytics/customers/growth	ROOT_ADMIN	Customer growth
GET	/api/root-admin/analytics/revenue	ROOT_ADMIN	Revenue analytics
GET	/api/root-admin/settings/payment-gateway	ROOT_ADMIN	Get payment gateway settings
PUT	/api/root-admin/settings/payment-gateway	ROOT_ADMIN	Update payment gateway settings
GET	/api/root-admin/settings/email	ROOT_ADMIN	Get email settings
PUT	/api/root-admin/settings/email	ROOT_ADMIN	Update email settings
GET	/api/root-admin/settings/sms	ROOT_ADMIN	Get SMS settings
PUT	/api/root-admin/settings/sms	ROOT_ADMIN	Update SMS settings
GET	/api/root-admin/audit-logs	ROOT_ADMIN	Get audit logs
GET	/api/root-admin/audit-logs/{auditLogId}	ROOT_ADMIN	Get audit log by ID
GET	/api/root-admin/export/customers	ROOT_ADMIN	Export customers
GET	/api/root-admin/export/bookings	ROOT_ADMIN	Export bookings
GET	/api/root-admin/export/revenue	ROOT_ADMIN	Export revenue
GET	/api/root-admin/export/payroll	ROOT_ADMIN	Export payroll
POST	/api/root-admin/backups	ROOT_ADMIN	Create backup
GET	/api/root-admin/backups	ROOT_ADMIN	Get backups
GET	/api/root-admin/backups/{backupId}/download	ROOT_ADMIN	Download backup

9. MANAGER APIs

Method	Endpoint	Access	Purpose
POST	/api/manager/roles	MANAGER	Create staff role
GET	/api/manager/roles	MANAGER	Get roles
GET	/api/manager/roles/{roleId}	MANAGER	Get role by ID
PUT	/api/manager/roles/{roleId}	MANAGER	Update role
DELETE	/api/manager/roles/{roleId}	MANAGER	Delete role
POST	/api/manager/staff	MANAGER	Create staff
GET	/api/manager/staff	MANAGER	Get all staff
GET	/api/manager/staff/{staffId}	MANAGER	Get staff by ID
PUT	/api/manager/staff/{staffId}	MANAGER	Update staff
PUT	/api/manager/staff/{staffId}/assign-role	MANAGER	Assign role
PUT	/api/manager/staff/{staffId}/status	MANAGER	Activate/deactivate staff
DELETE	/api/manager/staff/{staffId}	MANAGER	Delete staff
GET	/api/manager/customers	MANAGER	Get customers
GET	/api/manager/customers/{customerId}	MANAGER	Get customer by ID
PUT	/api/manager/customers/{customerId}/status	MANAGER	Activate/deactivate customer
POST	/api/manager/cities	MANAGER	Add city
PUT	/api/manager/cities/{cityId}	MANAGER	Update city
DELETE	/api/manager/cities/{cityId}	MANAGER	Deactivate city
POST	/api/manager/hotel-branches	MANAGER	Add branch
PUT	/api/manager/hotel-branches/{branchId}	MANAGER	Update branch
DELETE	/api/manager/hotel-branches/{branchId}	MANAGER	Deactivate branch
POST	/api/manager/hotel-branches/{branchId}/photos	MANAGER	Upload branch photos
PUT	/api/manager/hotel-branches/{branchId}/photos/{photoId}	MANAGER	Update branch photo
PUT	/api/manager/hotel-branches/{branchId}/photos/{photoId}/replace	MANAGER	Replace branch photo
PUT	/api/manager/hotel-branches/{branchId}/photos/{photoId}/primary	MANAGER	Set primary branch photo
DELETE	/api/manager/hotel-branches/{branchId}/photos/{photoId}	MANAGER	Delete branch photo
POST	/api/manager/hotel-branches/{branchId}/staff	MANAGER	Assign staff to branch
PUT	/api/manager/staff/{staffId}/transfer-branch	MANAGER	Transfer staff branch
DELETE	/api/manager/hotel-branches/{branchId}/staff/{staffId}	MANAGER	Remove staff from branch
PUT	/api/manager/hotel-branches/{branchId}/rooms/{roomId}/price	MANAGER, ROOT_ADMIN	Update one room price
PUT	/api/manager/hotel-branches/{branchId}/room-types/{roomType}/price	MANAGER, ROOT_ADMIN	Bulk update room type price by branch
GET	/api/manager/hotel-branches/{branchId}/rooms/{roomId}/price-history	MANAGER, ROOT_ADMIN	View room price history
GET	/api/manager/analytics/branches/dashboard	MANAGER	All branch dashboard
GET	/api/manager/analytics/branches/revenue	MANAGER	Branch revenue
GET	/api/manager/analytics/branches/occupancy	MANAGER	Branch occupancy
GET	/api/manager/analytics/branches/attendance	MANAGER	Branch attendance

10. City, Branch and Staff Branch APIs

Method	Endpoint	Access	Purpose
GET	/api/cities	Public, CUSTOMER, MANAGER, ROOT_ADMIN	Get active cities

GET	/api/hotel-branches	Public, CUSTOMER, MANAGER, ROOT_ADMIN	Get active hotel branches
GET	/api/hotel-branches/city/{cityId}	Public, CUSTOMER, MANAGER, ROOT_ADMIN	Get branches by city
GET	/api/hotel-branches/{branchId}	Public, CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Get branch details
GET	/api/hotel-branches/{branchId}/photos	Public, CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Get branch photos
GET	/api/hotel-branches/{branchId}/receptionists	CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Get branch receptionist contacts
GET	/api/hotel-branches/{branchId}/emergency-contacts	CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Get branch emergency contacts
GET	/api/staff/my-branch	Branch Staff	Get assigned branch

11. Branch Room and Room Photo APIs

Method	Endpoint	Access	Purpose
POST	/api/hotel-branches/{branchId}/rooms	Assigned RECEPTIONIST, MANAGER	Add room to branch
GET	/api/hotel-branches/{branchId}/rooms	CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Get rooms by branch with prices/photos
GET	/api/hotel-branches/{branchId}/rooms/{roomId}	CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Get room details
GET	/api/hotel-branches/{branchId}/rooms/availability	CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Check availability
PUT	/api/hotel-branches/{branchId}/rooms/{roomId}	Assigned RECEPTIONIST, MANAGER	Update room details except price
PUT	/api/hotel-branches/{branchId}/rooms/{roomId}/description	Assigned RECEPTIONIST, MANAGER	Update room description
PUT	/api/hotel-branches/{branchId}/rooms/{roomId}/status	Assigned RECEPTIONIST, HOUSEKEEPING_STAFF, MANAGER	Update room status
POST	/api/hotel-branches/{branchId}/rooms/{roomId}/photos	Assigned RECEPTIONIST, MANAGER	Upload room photos
GET	/api/hotel-branches/{branchId}/rooms/{roomId}/photos	CUSTOMER, Assigned Staff, MANAGER, ROOT_ADMIN	Get room photos
PUT	/api/hotel-branches/{branchId}/rooms/{roomId}/photos/{photoId}	Assigned RECEPTIONIST, MANAGER	Update room photo
PUT	/api/hotel-branches/{branchId}/rooms/{roomId}/photos/{photoId}/replace	Assigned RECEPTIONIST, MANAGER	Replace room photo
PUT	/api/hotel-branches/{branchId}/rooms/{roomId}/photos/{photoId}/primary	Assigned RECEPTIONIST, MANAGER	Set primary room photo
DELETE	/api/hotel-branches/{branchId}/rooms/{roomId}/photos/{photoId}	Assigned RECEPTIONIST, MANAGER	Delete room photo

12. Branch Booking APIs

Method	Endpoint	Access	Purpose
POST	/api/hotel-branches/{branchId}/bookings	CUSTOMER	Create booking in selected branch
POST	/api/hotel-branches/{branchId}/bookings/customer/{customerId}	Assigned RECEPTIONIST, MANAGER	Create booking for customer
GET	/api/bookings/my-bookings	CUSTOMER	Get own bookings
GET	/api/hotel-branches/{branchId}/bookings	Assigned RECEPTIONIST, MANAGER	Get branch bookings
GET	/api/hotel-branches/{branchId}/bookings/{bookingId}	CUSTOMER own, Assigned RECEPTIONIST, MANAGER	Get booking details
PUT	/api/hotel-branches/{branchId}/bookings/{bookingId}/approve	Assigned RECEPTIONIST, MANAGER	Approve booking
PUT	/api/hotel-branches/{branchId}/bookings/{bookingId}/reject	Assigned RECEPTIONIST, MANAGER	Reject booking
PUT	/api/bookings/{bookingId}/cancel	CUSTOMER own, Assigned RECEPTIONIST, MANAGER	Cancel booking
PUT	/api/hotel-branches/{branchId}/bookings/{bookingId}/check-in	Assigned RECEPTIONIST, MANAGER	Check in customer
PUT	/api/hotel-branches/{branchId}/bookings/{bookingId}/check-out	Assigned RECEPTIONIST, MANAGER	Checkout customer

13. Branch Restaurant, Dish Photo and Food Order APIs

Method	Endpoint	Access	Purpose
GET	/api/hotel-branches/{branchId}/restaurant	CUSTOMER, Assigned Staff, MANAGER	Get branch restaurant details
POST	/api/hotel-branches/{branchId}/restaurant/menu	Assigned RESTAURANT_ADMIN, MANAGER	Add dish
GET	/api/hotel-branches/{branchId}/restaurant/menu	CUSTOMER, Assigned Staff, MANAGER	Get dishes with photos
GET	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}	CUSTOMER, Assigned Staff, MANAGER	Get dish details
PUT	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}	Assigned RESTAURANT_ADMIN, MANAGER	Update dish
DELETE	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}	Assigned RESTAURANT_ADMIN, MANAGER	Delete/soft delete dish
PUT	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/availability	Assigned RESTAURANT_ADMIN, MANAGER	Update dish availability
POST	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/photos	Assigned RESTAURANT_ADMIN, MANAGER	Upload dish photos

		MANAGER	
GET	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/photos	CUSTOMER, Assigned Staff, MANAGER	Get dish photos
PUT	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/photos/{photoId}	Assigned RESTAURANT_ADMIN, MANAGER	Update dish photo
PUT	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/photos/{photoId}/replace	Assigned RESTAURANT_ADMIN, MANAGER	Replace dish photo
PUT	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/photos/{photoId}/primary	Assigned RESTAURANT_ADMIN, MANAGER	Set primary dish photo
DELETE	/api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/photos/{photoId}	Assigned RESTAURANT_ADMIN, MANAGER	Delete dish photo
POST	/api/hotel-branches/{branchId}/restaurant/orders	CUSTOMER	Place food order from room
POST	/api/hotel-branches/{branchId}/restaurant/orders/customer/{customerId}	Assigned RECEPTIONIST, MANAGER	Place food order for customer
GET	/api/restaurant/orders/my-orders	CUSTOMER	Get own food orders
GET	/api/hotel-branches/{branchId}/restaurant/orders	Assigned RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Get branch food orders
GET	/api/restaurant/orders/{orderId}	CUSTOMER own, Assigned Staff, MANAGER	Get food order details
PUT	/api/hotel-branches/{branchId}/restaurant/orders/{orderId}/accept	Assigned RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Accept order
PUT	/api/hotel-branches/{branchId}/restaurant/orders/{orderId}/reject	Assigned RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Reject order
PUT	/api/restaurant/orders/{orderId}/cancel	CUSTOMER own, Assigned Staff, MANAGER	Cancel order
PUT	/api/hotel-branches/{branchId}/restaurant/orders/{orderId}/assign-chef	Assigned RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Assign same-branch chef
PUT	/api/hotel-branches/{branchId}/restaurant/orders/{orderId}/assign-serving-staff	Assigned RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Assign same-branch serving staff

14. Chef, Serving Staff and Housekeeping APIs

Method	Endpoint	Access	Purpose
GET	/api/staff/my-branch/restaurant/kitchen/orders	CHEF	Get assigned branch kitchen orders
PUT	/api/staff/my-branch/restaurant/kitchen/orders/{orderId}/start-preparing	CHEF	Start preparing food
PUT	/api/staff/my-branch/restaurant/kitchen/orders/{orderId}/mark-ready	CHEF	Mark food ready
PUT	/api/staff/my-branch/restaurant/kitchen/orders/{orderId}/notes	CHEF	Add kitchen notes
GET	/api/staff/my-branch/restaurant/serving/orders/my-orders	SERVING_STAFF	Get assigned delivery orders
PUT	/api/staff/my-branch/restaurant/serving/orders/{orderId}/pickup	SERVING_STAFF	Pick up food
PUT	/api/staff/my-branch/restaurant/serving/orders/{orderId}/delivered	SERVING_STAFF	Mark delivered
POST	/api/staff/my-branch/restaurant/serving/orders/{orderId}/issue	SERVING_STAFF	Report delivery issue
GET	/api/staff/my-branch/housekeeping/tasks/my-tasks	HOUSEKEEPING_STAFF	Get assigned cleaning tasks
PUT	/api/staff/my-branch/housekeeping/tasks/{taskId}/status	HOUSEKEEPING_STAFF	Update cleaning status
POST	/api/hotel-branches/{branchId}/housekeeping/tasks	Assigned RECEPTIONIST, MANAGER	Create branch cleaning task
GET	/api/hotel-branches/{branchId}/housekeeping/tasks	Assigned RECEPTIONIST, MANAGER	Get branch cleaning tasks

15. Attendance APIs

Method	Endpoint	Access	Purpose
POST	/api/staff/my-branch/attendance/check-in	Branch Staff	Staff branch check-in
POST	/api/staff/my-branch/attendance/check-out	Branch Staff	Staff branch check-out
POST	/api/attendance/mark	MANAGER, Assigned RECEPTIONIST	Mark attendance manually
POST	/api/attendance/mark-absent	MANAGER, Assigned RECEPTIONIST	Mark staff absent
GET	/api/hotel-branches/{branchId}/attendance/today/working	MANAGER, Assigned RECEPTIONIST	Get working staff by branch
GET	/api/hotel-branches/{branchId}/attendance/today/absent	MANAGER, Assigned RECEPTIONIST	Get absent staff by branch
GET	/api/hotel-branches/{branchId}/attendance/monthly	MANAGER, Assigned RECEPTIONIST	Get monthly attendance by branch
GET	/api/attendance/staff/{staffId}	Own Staff, MANAGER, Assigned RECEPTIONIST	Get staff attendance
GET	/api/attendance/staff/{staffId}/monthly	Own Staff, MANAGER, Assigned RECEPTIONIST	Get staff monthly attendance
PUT	/api/attendance/{attendanceId}	MANAGER, Assigned RECEPTIONIST	Update attendance record
DELETE	/api/attendance/{attendanceId}	MANAGER	Delete attendance record

16. Payment APIs

Method	Endpoint	Access	Purpose
--------	----------	--------	---------

POST	/api/payments/create	CUSTOMER, RECEPTIONIST, MANAGER	Create payment for booking/food/final bill
POST	/api/payments/verify	CUSTOMER, RECEPTIONIST, MANAGER	Verify payment
GET	/api/payments/my-payments	CUSTOMER	Get own payments
GET	/api/payments/{paymentId}	CUSTOMER own, RECEPTIONIST, MANAGER	Get payment by ID
GET	/api/payments/booking/{bookingId}	CUSTOMER own, RECEPTIONIST, MANAGER	Get booking payments
POST	/api/payments/{paymentId}/refund	MANAGER	Refund payment
POST	/api/payments/webhook	Payment Gateway/System	Payment webhook
POST	/api/restaurant/payments/create	CUSTOMER, RECEPTIONIST, MANAGER	Create food order payment
POST	/api/restaurant/payments/verify	CUSTOMER, RECEPTIONIST, MANAGER	Verify food payment
GET	/api/restaurant/payments/order/{orderId}	CUSTOMER own, RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Get food order payment
POST	/api/restaurant/orders/{orderId}/add-to-final-bill	CUSTOMER, RECEPTIONIST, MANAGER	Add food order to checkout bill

17. Billing and Feedback APIs

Method	Endpoint	Access	Purpose
GET	/api/billing/final-bill/{bookingId}	RECEPTIONIST, MANAGER	Generate final bill
GET	/api/billing/my-bill/{bookingId}	CUSTOMER own	Customer view final bill
POST	/api/billing/final-bill/{bookingId}/pay	CUSTOMER, RECEPTIONIST, MANAGER	Pay final bill
GET	/api/billing/final-bill/{bookingId}/invoice	CUSTOMER own, RECEPTIONIST, MANAGER	Download invoice
POST	/api/feedback	CUSTOMER	Submit hotel and restaurant feedback
GET	/api/feedback/my-feedback	CUSTOMER	Get own feedback
GET	/api/feedback	MANAGER	Get all feedback
GET	/api/feedback/booking/{bookingId}	RECEPTIONIST, MANAGER	Get feedback by booking
POST	/api/restaurant/feedback	CUSTOMER	Submit restaurant feedback
GET	/api/restaurant/feedback/my-feedback	CUSTOMER	Get own restaurant feedback
GET	/api/restaurant/feedback	RESTAURANT_ADMIN, RECEPTIONIST, MANAGER	Get restaurant feedback
GET	/api/restaurant/feedback/order/{orderId}	RESTAURANT_ADMIN, RECEPTIONIST, MANAGER	Get feedback by order

18. Payroll / Salary APIs

Payroll APIs are accessible only by MANAGER and ROOT_ADMIN. Staff and customers cannot access payroll APIs.

Method	Endpoint	Access	Purpose
POST	/api/manager/payroll/salary-structures	MANAGER	Create salary structure
GET	/api/manager/payroll/salary-structures	MANAGER	Get salary structures
GET	/api/manager/payroll/salary-structures/role/{roleName}	MANAGER	Get salary by role
PUT	/api/manager/payroll/salary-structures/{salaryStructureId}	MANAGER	Update salary structure
DELETE	/api/manager/payroll/salary-structures/{salaryStructureId}	MANAGER	Deactivate salary structure
POST	/api/manager/payroll/staff/{staffId}/bank-account	MANAGER	Add staff bank account
GET	/api/manager/payroll/staff/{staffId}/bank-account	MANAGER	Get bank account
PUT	/api/manager/payroll/staff/{staffId}/bank-account	MANAGER	Update bank account
DELETE	/api/manager/payroll/staff/{staffId}/bank-account	MANAGER	Deactivate bank account
POST	/api/manager/payroll/generate	MANAGER	Generate monthly payroll
POST	/api/manager/payroll/staff/{staffId}/generate	MANAGER	Generate payroll for staff
GET	/api/manager/payroll	MANAGER	Get monthly payroll
GET	/api/manager/payroll/{payrollId}	MANAGER	Get payroll by ID
GET	/api/manager/payroll/staff/{staffId}	MANAGER	Get payroll by staff
PUT	/api/manager/payroll/{payrollId}	MANAGER	Update payroll before payment
POST	/api/manager/payroll/credit-salaries	MANAGER	Credit salaries to all staff
POST	/api/manager/payroll/staff/{staffId}/credit-salary	MANAGER	Credit salary to one staff
GET	/api/manager/payroll/{payrollId}/payment-status	MANAGER	Get salary payment status
POST	/api/manager/payroll/{payrollId}/retry-payment	MANAGER	Retry failed salary payment
POST	/api/manager/payroll/{payrollId}/salary-slip	MANAGER	Generate salary slip
GET	/api/manager/payroll/{payrollId}/salary-slip	MANAGER	Download salary slip
POST	/api/manager/payroll/{payrollId}/send-salary-slip-email	MANAGER, SYSTEM	Send salary slip email
GET	/api/manager/payroll/reports/monthly-summary	MANAGER	Monthly payroll summary
GET	/api/manager/payroll/reports/by-role	MANAGER	Payroll by role
GET	/api/manager/payroll/reports/by-	MANAGER	Payroll by department

	department		
GET	/api/manager/payroll/reports/payments	MANAGER	Salary payment report
POST	/api/manager/hotel-branches/{branchId}/payroll/generate	MANAGER	Generate branch payroll
POST	/api/manager/hotel-branches/{branchId}/payroll/credit-salaries	MANAGER	Credit branch salaries
GET	/api/manager/hotel-branches/{branchId}/payroll	MANAGER	Get branch payroll
GET	/api/manager/payroll/reports/branch-wise-summary	MANAGER	Branch-wise payroll summary

19. Notification and Email APIs

Method	Endpoint	Access	Purpose
POST	/api/notifications/booking-confirmation-email	SYSTEM, RECEPTIONIST, MANAGER	Send booking confirmation email
GET	/api/notifications/booking/{bookingId}/email-preview	CUSTOMER own, RECEPTIONIST, MANAGER	Preview booking email
POST	/api/notifications/booking/{bookingId}/resend-email	CUSTOMER own, RECEPTIONIST, MANAGER	Resend booking email
POST	/api/notifications/checkout-reminder/schedule	SYSTEM	Schedule checkout reminder 3 hours before checkout
POST	/api/notifications/checkout-reminder/send	SYSTEM	Send checkout reminder
GET	/api/notifications/checkout-reminder/booking/{bookingId}	CUSTOMER own	Get checkout reminder details
POST	/api/notifications/feedback-email	SYSTEM, RECEPTIONIST, MANAGER	Send feedback email after checkout
POST	/api/notifications/payment-confirmation	SYSTEM	Send payment confirmation email
POST	/api/restaurant/notifications/order-confirmation-email	SYSTEM	Send food order confirmation email
POST	/api/restaurant/notifications/food-delivered	SYSTEM	Send food delivered notification
POST	/api/manager/payroll/notifications/salary-credited	SYSTEM, MANAGER	Send salary credited notification
GET	/api/notifications/my-notifications	CUSTOMER	Get customer notifications
PUT	/api/notifications/{notificationId}/read	CUSTOMER	Mark notification as read

20. Reports and Analytics APIs

Method	Endpoint	Access	Purpose
GET	/api/hotel-branches/{branchId}/analytics/hotel/dashboard	Assigned RECEPTIONIST, MANAGER	Branch hotel dashboard
GET	/api/hotel-branches/{branchId}/analytics/hotel/occupancy	Assigned RECEPTIONIST, MANAGER	Branch occupancy
GET	/api/hotel-branches/{branchId}/analytics/hotel/bookings	Assigned RECEPTIONIST, MANAGER	Branch booking analytics
GET	/api/hotel-branches/{branchId}/analytics/restaurant/dashboard	Assigned RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Branch restaurant dashboard
GET	/api/hotel-branches/{branchId}/analytics/restaurant/sales	Assigned RECEPTIONIST, RESTAURANT_ADMIN, MANAGER	Branch restaurant sales
GET	/api/hotel-branches/{branchId}/analytics/overall/revenue	Assigned RECEPTIONIST, MANAGER	Branch overall revenue
GET	/api/manager/analytics/branches/dashboard	MANAGER	All manager branches dashboard
GET	/api/manager/analytics/branches/revenue	MANAGER	Branch-wise revenue comparison
GET	/api/manager/analytics/branches/occupancy	MANAGER	Branch-wise occupancy
GET	/api/manager/analytics/branches/attendance	MANAGER	Branch-wise attendance
GET	/api/root-admin/analytics/website	ROOT_ADMIN	Entire website analytics
GET	/api/root-admin/analytics/revenue	ROOT_ADMIN	Entire platform revenue analytics

21. Important Request / Response Samples

21.1 Root Admin Creates Manager

Method & Endpoint: POST /api/root-admin/managers

Access: ROOT_ADMIN

Purpose: Create Manager under Root Admin.

Request Body / Form Data:

```
{
  "fullName": "Hotel Manager",
  "email": "manager@agacostays.com",
  "phone": "9876543210",
```

```
"password": "Manager@123",
"roleName": "MANAGER",
"accessLevel": "ALL_BRANCHES"
}
```

21.2 Manager Adds Hotel Branch

Method & Endpoint: POST /api/manager/hotel-branches

Access: MANAGER

Purpose: Add AGA CoStays branch in a city.

Request Body / Form Data:

```
{
  "cityId": 1,
  "branchName": "AGA CoStays Bengaluru",
  "address": "MG Road, Bengaluru, Karnataka",
  "landmark": "Near Metro Station",
  "latitude": 12.9716,
  "longitude": 77.5946,
  "phone": "9876543210",
  "email": "bengaluru@agacostays.com",
  "description": "Premium AGA CoStays hotel located in Bengaluru city center",
  "status": "ACTIVE"
}
```

21.3 Manager Updates Room Price By Location

Method & Endpoint: PUT /api/manager/hotel-branches/{branchId}/rooms/{roomId}/price

Access: MANAGER, ROOT_ADMIN

Purpose: Update current price for one room in a branch.

Request Body / Form Data:

```
{
  "newPricePerDay": 1800,
  "effectiveFrom": "2026-07-10",
  "reason": "Updated price based on Bengaluru location demand"
}
```

Sample Response:

```
{
  "status": "success",
  "message": "Room price updated successfully",
  "branchId": 1,
  "roomId": 2,
  "oldPricePerDay": 1600,
  "newPricePerDay": 1800,
  "effectiveFrom": "2026-07-10"
}
```

21.4 Bulk Update Room Type Price By Branch

Method & Endpoint: PUT /api/manager/hotel-branches/{branchId}/room-types/{roomType}/price

Access: MANAGER, ROOT_ADMIN

Purpose: Update all rooms of same room type in one branch.

Request Body / Form Data:

```
{
  "newPricePerDay": 1800,
  "effectiveFrom": "2026-07-10",
  "reason": "Location-based price update for Bengaluru branch"
}
```

Sample Response:

```
{
  "status": "success",
  "message": "Room type price updated successfully for branch",
  "branchId": 1,
  "roomType": "DELUXE",
  "updatedRoomsCount": 12,
  "newPricePerDay": 1800
}
```

21.5 Customer Views Branch Rooms With Location Price

Method & Endpoint: GET /api/hotel-branches/{branchId}/rooms

Access: CUSTOMER

Purpose: Customer sees current branch-based price.

Sample Response:

```
[
  {
    "roomId": 2,
    "branchId": 1,
    "branchName": "AGA CoStays Bengaluru",
    "roomNumber": "B201",
    "roomType": "DELUXE",
    "basePricePerDay": 1600,
    "currentPricePerDay": 1800,
    "description": "Semi luxury room with bed, washroom, kitchen, AC, TV and fridge",
    "status": "AVAILABLE",
    "primaryPhotoUrl": "https://agacostays.com/uploads/rooms/b201/photo1.jpg"
  }
]
```

21.6 Customer Books Branch Room

Method & Endpoint: POST /api/hotel-branches/{branchId}/bookings

Access: CUSTOMER

Purpose: Booking should use currentPricePerDay.

Request Body / Form Data:

```
{
  "roomId": 2,
  "checkInDate": "2026-07-15",
  "checkOutDate": "2026-07-18",
  "checkInTime": "12:00",
  "checkOutTime": "11:00",
  "numberOfGuests": 2
}
```

Sample Response:

```
{
  "status": "success",
  "bookingId": 501,
}
```

```
"branchId": 1,
"branchName": "AGA CoStays Bengaluru",
"roomNumber": "B201",
"roomType": "DELUXE",
"pricePerDay": 1800,
"numberOfDays": 3,
"totalAmount": 5400,
"bookingStatus": "PENDING",
"paymentStatus": "PENDING",
"emailStatus": "BOOKING_EMAIL_SENT"
}
```

21.7 Receptionist Uploads Room Photos

Method & Endpoint: POST /api/hotel-branches/{branchId}/rooms/{roomId}/photos

Access: Assigned RECEPTIONIST, MANAGER

Purpose: Upload branch room photos.

Request Body / Form Data:

```
Content-Type: multipart/form-data
photos: file[]
caption: Deluxe room front view
isPrimary: true
```

21.8 Restaurant Admin Uploads Dish Photos

Method & Endpoint: POST /api/hotel-branches/{branchId}/restaurant/menu/{menuItemId}/photos

Access: Assigned RESTAURANT_ADMIN, MANAGER

Purpose: Upload dish photos.

Request Body / Form Data:

```
Content-Type: multipart/form-data
photos: file[]
caption: Paneer Butter Masala dish photo
isPrimary: true
```

21.9 Customer Places Food Order

Method & Endpoint: POST /api/hotel-branches/{branchId}/restaurant/orders

Access: CUSTOMER

Purpose: Place food order from booked room.

Request Body / Form Data:

```
{
  "bookingId": 501,
  "roomId": 2,
  "items": [
    { "menuItemId": 1, "quantity": 2 },
    { "menuItemId": 2, "quantity": 1 }
  ],
  "deliveryType": "ROOM_DELIVERY",
  "paymentMode": "ONLINE"
}
```

21.10 Manager Creates Salary Structure

Method & Endpoint: POST /api/manager/payroll/salary-structures

Access: MANAGER

Purpose: Create salary structure based on role.

Request Body / Form Data:

```
{
  "roleName": "CHEF",
  "basicSalary": 25000,
  "hra": 5000,
  "allowances": 3000,
  "deductions": 1000,
  "currency": "INR",
  "effectiveFrom": "2026-07-01"
}
```

22. Database Entities / Tables

roles

Allowed role_name values: ROOT_ADMIN, MANAGER, CUSTOMER, RECEPTIONIST, RESTAURANT_ADMIN, CHEF, SERVING_STAFF, HOUSEKEEPING_STAFF.

```
role_id
role_name
description
created_at
updated_at
```

users

```
user_id
full_name
email
phone
password_hash
role_id
user_type
status
created_at
updated_at
```

root_admin_profiles

```
root_admin_id
user_id
full_name
email
phone
status
created_at
updated_at
```

manager_profiles

Replaces old admin_profiles.

```
manager_id
user_id
full_name
email
phone
access_level
status
```

created_by_root_admin
created_at
updated_at

permissions

permission_id
permission_code
permission_name
description
module_name
created_at
updated_at

role_permissions

role_permission_id
role_id
permission_id
created_by
created_at

cities

city_id
city_name
state
country
status
created_at
updated_at

hotel_branches

branch_id
city_id
branch_name
address
landmark
latitude
longitude
phone
email
description
status
created_by
created_at
updated_at

hotel_branch_photos

photo_id
branch_id
photo_url
caption
is_primary
uploaded_by
created_at
updated_at

staff

staff_id
user_id
department
shift
joining_date
status

created_at
updated_at

staff_branch_mapping

Controls branch-level access for receptionist, restaurant admin, chef, serving staff and housekeeping staff.

mapping_id
staff_id
branch_id
role_id
department
shift
assigned_from
assigned_to
status
created_by
created_at
updated_at

customers

customer_id
user_id
address
status
created_at
updated_at

rooms

Use current_price_per_day for customer display and booking calculation.

room_id
branch_id
room_number
room_type
base_price_per_day
current_price_per_day
description
floor
status
created_by
updated_by
created_at
updated_at

room_price_history

Stores room price changes by Manager/Root Admin.

price_history_id
room_id
branch_id
old_price
new_price
changed_by
changed_by_role
change_reason
effective_from
created_at

room_photos

photo_id
branch_id
room_id
photo_url

caption
is_primary
uploaded_by
created_at
updated_at

bookings

price_per_day_at_booking freezes the room price used for that booking.

booking_id
branch_id
customer_id
room_id
check_in_date
check_out_date
check_in_time
check_out_time
number_of_guests
number_of_days
price_per_day_at_booking
room_charges
booking_status
payment_status
created_at
updated_at

restaurants

restaurant_id
branch_id
restaurant_name
description
opening_time
closing_time
status
created_at
updated_at

restaurant_menu

menu_item_id
branch_id
restaurant_id
item_name
category
description
price
availability
food_type
preparation_time_minutes
created_by
created_at
updated_at

restaurant_menu_photos

photo_id
branch_id
restaurant_id
menu_item_id
photo_url
caption
is_primary
uploaded_by
created_at
updated_at

restaurant_orders

order_id
branch_id
restaurant_id
booking_id
customer_id
room_id
room_number
order_amount
delivery_type
order_status
payment_status
assigned_chef_id
assigned_serving_staff_id
ordered_at
updated_at

restaurant_order_items

order_item_id
order_id
menu_item_id
quantity
price
total_amount

payments

payment_id
branch_id
payment_for
reference_id
customer_id
amount
currency
payment_method
payment_status
gateway_order_id
gateway_payment_id
gateway_signature
paid_at
created_at

billing

bill_id
branch_id
booking_id
customer_id
room_charges
restaurant_charges
tax_amount
discount
final_amount
payment_status
invoice_url
created_at

feedback

feedback_id
branch_id
booking_id
customer_id
hotel_rating
hotel_comments
restaurant_rating

restaurant_comments
created_at

restaurant_feedback

feedback_id
branch_id
booking_id
order_id
customer_id
food_rating
taste_rating
delivery_rating
comments
created_at

housekeeping_tasks

task_id
branch_id
room_id
task_type
description
assigned_to
cleaning_date
status
created_by
created_at
updated_at

attendance

attendance_id
branch_id
staff_id
attendance_date
status
check_in_time
check_out_time
worked_hours
remarks
marked_by
created_at
updated_at

receptionist_contacts

contact_id
branch_id
staff_id
phone
alternate_phone
email
shift
available_from
available_to
purpose
is_emergency_contact
status
created_at
updated_at

customer_support_requests

request_id
branch_id
customer_id
booking_id
request_type

subject
description
priority
status
assigned_to
created_at
updated_at

notification_logs

notification_id
branch_id
customer_id
booking_id
notification_type
title
message
email_to
email_status
is_read
sent_at
created_at

checkout_reminders

reminder_id
branch_id
booking_id
customer_id
checkout_date
checkout_time
reminder_before_hours
scheduled_time
sent_time
status
created_at
updated_at

salary_structures

salary_structure_id
role_id
role_name
basic_salary
hra
allowances
deductions
monthly_gross_salary
monthly_net_salary
currency
effective_from
status
created_by
created_at
updated_at

staff_bank_accounts

bank_account_id
staff_id
account_holder_name
bank_name
account_number
ifsc_code
branch_name
account_type
status
created_by

created_at
updated_at

payroll

payroll_id
branch_id
staff_id
role_id
department
month
year
total_working_days
present_days
absent_days
half_days
leave_days
basic_salary
hra
allowances
bonus
gross_salary
attendance_deduction
other_deductions
net_salary
payment_status
payment_mode
transaction_id
paid_at
remarks
generated_by
created_at
updated_at

payroll_payment_batches

payment_batch_id
branch_id
month
year
total_staff
total_amount
payment_mode
status
created_by
created_at
completed_at

salary_slips

salary_slip_id
payroll_id
staff_id
month
year
salary_slip_url
generated_at
sent_email_status
created_at

website_settings

setting_id
website_name
support_email
support_phone
default_currency
booking_enabled
restaurant_ordering_enabled

maintenance_mode
maintenance_message
updated_by
updated_at

website_banners

banner_id
title
subtitle
image_url
redirect_url
display_order
status
created_by
created_at
updated_at

website_pages

page_type values: ABOUT_US, TERMS_AND_CONDITIONS, PRIVACY_POLICY, CONTACT_US, FAQ.

page_id
page_type
title
content
status
updated_by
created_at
updated_at

payment_gateway_settings

Secrets must be encrypted and never returned in plain response.

gateway_setting_id
gateway_name
key_id
encrypted_key_secret
encrypted_webhook_secret
status
created_by
updated_by
created_at
updated_at

email_settings

email_setting_id
provider
host
port
username
encrypted_password
from_email
status
created_by
updated_by
created_at
updated_at

sms_settings

sms_setting_id
provider
api_key_encrypted
sender_id
status
created_by

updated_by
created_at
updated_at

audit_logs

audit_log_id
user_id
role_name
module_name
action
description
old_value
new_value
ip_address
user_agent
created_at

system_backups

backup_id
backup_type
backup_file_url
backup_status
remarks
created_by
created_at
completed_at

23. Entity Relationship Summary

- users.role_id references roles.role_id.
- root_admin_profiles.user_id references users.user_id.
- manager_profiles.user_id references users.user_id.
- staff.user_id references users.user_id.
- customers.user_id references users.user_id.
- hotel_branches.city_id references cities.city_id.
- hotel_branch_photos.branch_id references hotel_branches.branch_id.
- staff_branch_mapping maps each staff member to a branch and controls branch-level access.
- rooms.branch_id references hotel_branches.branch_id.
- room_photos reference branch_id and room_id.
- room_price_history references branch_id and room_id.
- bookings reference branch_id, customer_id and room_id.
- bookings.price_per_day_at_booking stores the exact price used during booking.
- restaurants.branch_id references hotel_branches.branch_id.
- restaurant_menu references branch_id and restaurant_id.
- restaurant_menu_photos references branch_id, restaurant_id and menu_item_id.
- restaurant_orders reference branch_id, restaurant_id, booking_id, customer_id and room_id.
- restaurant_order_items reference restaurant_orders and restaurant_menu.
- payments reference booking, restaurant order or final bill using payment_for and reference_id.
- billing references branch_id and booking_id.
- attendance references branch_id and staff_id.
- payroll references branch_id, staff_id and role_id.
- notification_logs and checkout_reminders reference branch_id, booking_id and customer_id.

24. Customer Location-Based Flow

- Customer opens AGA CoStays application.
- Customer views metropolitan cities.
- Customer selects a city such as Bengaluru, Chennai, Mumbai, Hyderabad, Delhi or Pune.
- Application shows AGA CoStays hotel branches in that city.
- Customer selects one hotel branch.
- Application shows hotel photos, address, map coordinates, receptionist contacts, emergency contacts, rooms, current location-based prices, room photos, room descriptions, restaurant menu and dish photos.
- Customer books a room in that selected branch.
- Booking uses `currentPricePerDay` and stores `price_per_day_at_booking`.
- System sends booking email with branch, room, price, payment and receptionist details.
- Customer checks in at selected branch.
- Customer orders food from the restaurant of the same branch.
- Chef prepares food and serving staff delivers to room.
- System sends checkout reminder email 3 hours before checkout.
- Final bill includes room charges plus restaurant charges.
- Customer pays final bill and checks out.
- System sends feedback email and customer submits hotel and restaurant feedback.

25. Backend Middleware Authorization Logic

```
if role == ROOT_ADMIN:
    allow all actions across all branches and website root modules

elif role == MANAGER:
    allow business modules for assigned branches or all branches based on access_level
    deny root-level website secrets/settings unless explicit permission is granted

elif role in [RECEPTIONIST, RESTAURANT_ADMIN, CHEF, SERVING_STAFF, HOUSEKEEPING_STAFF]:
    allow only if requested branchId == loggedInUser.assignedBranchId

elif role == CUSTOMER:
    allow public branch/hotel/room/restaurant browsing
    allow booking/order/payment/bill/feedback only if loggedInCustomerId owns the resource

else:
    deny access
```

26. Booking Email Required Fields

- Customer Name
- Booking ID
- Hotel Branch Name
- City
- Hotel Address
- Google Map Location or Latitude/Longitude
- Receptionist Contact Number
- Emergency Contact Number
- Room Number
- Room Type
- Room Photos
- Room Description

- Price Per Day Used For Booking
- Check-in Date and Time
- Checkout Date and Time
- Payment Status
- Payment Link if pending
- Total Booking Amount

27. API Prefix Summary

Root Admin:

/api/root-admin/...

Manager:

/api/manager/...

Public / Customer browsing:

/api/cities

/api/hotel-branches

/api/hotel-branches/{branchId}/...

Branch rooms:

/api/hotel-branches/{branchId}/rooms

/api/hotel-branches/{branchId}/rooms/{roomId}/photos

Manager room pricing:

/api/manager/hotel-branches/{branchId}/rooms/{roomId}/price

/api/manager/hotel-branches/{branchId}/room-types/{roomType}/price

/api/manager/hotel-branches/{branchId}/rooms/{roomId}/price-history

Branch restaurant:

/api/hotel-branches/{branchId}/restaurant

/api/hotel-branches/{branchId}/restaurant/menu

/api/hotel-branches/{branchId}/restaurant/orders

Staff own branch:

/api/staff/my-branch/...

Customer:

/api/customers/...

/api/bookings/my-bookings

/api/restaurant/orders/my-orders

/api/payments/my-payments

Payroll:

/api/manager/payroll/...

/api/manager/hotel-branches/{branchId}/payroll/...

Analytics:

/api/root-admin/analytics/...

/api/manager/analytics/...

/api/hotel-branches/{branchId}/analytics/...