

# **Digital Signal Processing**



## G V V Sharma\*

1

1

2

2

3

4

1	<b>Software Installation</b>
2	Digital Filter
3	Difference Equation

**CONTENTS** 

- 4 Z-transform
- 5 Impulse Response
- 6 DFT and FFT
- 7 Exercises 4

Abstract—This manual provides a simple introduction to digital signal processing.

## 1 Software Installation

Run the following commands

sudo apt-get update sudo apt-get install libffi-dev libsndfile1 sudo pip install pysoundfile

#### 2 DIGITAL FILTER

2.1 Download the sound file from

wget https://raw.githubusercontent.com/ gadepall/ EE1310/master/filter/codes/Sound\_Noise.wav

2.2 You will find a spectrogram at https://academo.org/demos/spectrum-analyzer. Upload the sound file that you downloaded in Problem 2.1 in the spectrogram and play.

\*The author is with the Department of Electrical Engineering, Indian Institute of Technology, Hyderabad 502285 India e-mail: gadepall@iith.ac.in. All content in the manuscript is released under GNU GPL. Free to use for anything.

Observe the spectrogram. What do you find? **Solution:** There are a lot of yellow lines between 440 Hz to 5.1 KHz. These represent the synthesizer key tones. Also, the key strokes are audible along with background noise.

2.3 Write the python code for removal of out of band noise and execute the code.

#### **Solution:**

import soundfile as sf
from scipy import signal

#read .wav file
input\_signal,fs = sf.read('Sound\_Noise.wav'
)

#sampling frequency of Input signal
sampl\_freq=fs

#order of the filter order=4

#cutoff frquency 4kHz cutoff\_freq=4000.0

#digital frequency Wn=2\*cutoff\_freq/sampl\_freq

# b and a are numerator and denominator
polynomials respectively

b a = signal butter(order Wn 'low')

b, a = signal.butter(order,Wn, 'low')

#write the output signal into .wav file
sf.write('Sound\_With\_ReducedNoise.wav',
 output\_signal, fs)

2.4 The output of the python script

in Problem 2.3 is the audio file Sound\_With\_ReducedNoise.wav. Play the file in the spectrogram in Problem 2.2. What do you observe?

**Solution:** The key strokes as well as background noise is subdued in the audio. Also, the signal is blank for frequencies above 5.1 kHz.

#### 3 DIFFERENCE EQUATION

3.1 Let

$$x(n) = \left\{ 1, 2, 3, 4, 2, 1 \right\} \tag{3.1}$$

Sketch x(n).

3.2 Let

$$y(n) + \frac{1}{2}y(n-1) = x(n) + x(n-2),$$
  
$$y(n) = 0, n < 0 \quad (3.2)$$

Sketch y(n).

**Solution:** The following code yields Fig. 3.2.

wget https://github.com/gadepall/EE1310/raw/master/filter/codes/xnyn.py




Fig. 3.2

# 4 Z-TRANSFORM

4.1 The Z-transform of x(n) is defined as

$$X(z) = \mathbb{Z}\{x(n)\} = \sum_{n=-\infty}^{\infty} x(n)z^{-n}$$
 (4.1)

Show that

$$Z{x(n-1)} = z^{-1}X(z)$$
 (4.2)

and find

$$\mathcal{Z}\{x(n-k)\}\tag{4.3}$$

**Solution:** From (4.1),

$$Z\{x(n-k)\} = \sum_{n=-\infty}^{\infty} x(n-1)z^{-n}$$

$$= \sum_{n=-\infty}^{\infty} x(n)z^{-n-1} = z^{-1} \sum_{n=-\infty}^{\infty} x(n)z^{-n}$$
(4.4)
$$(4.5)$$

resulting in (4.2). Similarly, it can be shown that

$$Z\{x(n-k)\} = z^{-k}X(z)$$
 (4.6)

4.2 Find

$$H(z) = \frac{Y(z)}{X(z)} \tag{4.7}$$

from (7.1) assuming that the Z-transform is a linear operation.

**Solution:** Applying (4.6) in (7.1),

$$Y(z) + \frac{1}{2}z^{-1}Y(z) = X(z) + z^{-2}X(z)$$
 (4.8)

$$\implies \frac{Y(z)}{X(z)} = \frac{1 + z^{-2}}{1 + \frac{1}{2}z^{-1}} \tag{4.9}$$

4.3 Find the Z transform of

$$\delta(n) = \begin{cases} 1 & n = 0 \\ 0 & \text{otherwise} \end{cases}$$
 (4.10)

and show that the Z-transform of

$$u(n) = \begin{cases} 1 & n \ge 0 \\ 0 & \text{otherwise} \end{cases}$$
 (4.11)

is

$$U(z) = \frac{1}{1 - z^{-1}}, \quad |z| > 1 \tag{4.12}$$

**Solution:** It is easy to show that

$$\delta(n) \stackrel{\mathcal{Z}}{\rightleftharpoons} 1 \tag{4.13}$$

and from (4.11),

$$U(z) = \sum_{n=0}^{\infty} z^{-n}$$
 (4.14)

$$= \frac{1}{1 - z^{-1}}, \quad |z| > 1 \tag{4.15}$$

using the fomula for the sum of an infinite geometric progression.

4.4 Show that

$$a^n u(n) \stackrel{\mathcal{Z}}{\rightleftharpoons} \frac{1}{1 - az^{-1}} \quad |z| > |a| \tag{4.16}$$

4.5 Let

$$H(e^{j\omega}) = H(z = e^{j\omega}).$$
 (4.17)

Plot  $|H(e^{j\omega})|$ . Comment.  $H(e^{j\omega})$  is known as the *Discret Time Fourier Transform* (DTFT) of x(n).

**Solution:** The following code plots Fig. 4.5.

wget https://raw.githubusercontent.com/ gadepall/EE1310/master/**filter**/codes/dtft. py




Fig. 4.5:  $|H(e^{j\omega})|$ 

## 5 IMPULSE RESPONSE

5.1 Find an expression for h(n) using H(z), given that

$$h(n) \stackrel{\mathcal{Z}}{\rightleftharpoons} H(z)$$
 (5.1)

and there is a one to one relationship between h(n) and H(z). h(n) is known as the *impulse response* of the system defined by (7.1).

**Solution:** From (4.9),

$$H(z) = \frac{1}{1 + \frac{1}{2}z^{-1}} + \frac{z^{-2}}{1 + \frac{1}{2}z^{-1}}$$
 (5.2)

$$\implies h(n) = \left(-\frac{1}{2}\right)^n u(n) + \left(-\frac{1}{2}\right)^{n-2} u(n-2) \tag{5.3}$$

using (4.16) and (4.6).

5.2 Sketch h(n). Is it bounded? Convergent? **Solution:** The following code plots Fig. 5.2.

wget https://raw.githubusercontent.com/gadepall/EE1310/master/filter/codes/hn.py




Fig. 5.2: h(n) as the inverse of H(z)

5.3 The system with h(n) is defined to be stable if

$$\sum_{n=-\infty}^{\infty} h(n) < \infty \tag{5.4}$$

Is the system defined by (7.1) stable for the impulse response in (5.1)?

5.4 Compute and sketch h(n) using

$$h(n) + \frac{1}{2}h(n-1) = \delta(n) + \delta(n-2),$$
 (5.5)

This is the definition of h(n).

**Solution:** The following code plots Fig. 5.4. Note that this is the same as Fig. 5.2.

wget https://raw.githubusercontent.com/ gadepall/EE1310/master/**filter**/codes/hndef .py

5.5 Compute

$$y(n) = x(n) * h(n) = \sum_{n=-\infty}^{\infty} x(k)h(n-k)$$
 (5.6)

Comment. The operation in (5.6) is known as *convolution*.

**Solution:** The following code plots Fig. 5.5. Note that this is the same as y(n) in Fig. 3.2.




Fig. 5.4: h(n) from the definition

wget https://raw.githubusercontent.com/ gadepall/EE1310/master/filter/codes/ ynconv.py




Fig. 5.5: y(n) from the definition of convolution

#### 5.6 Show that

$$y(n) = \sum_{n = -\infty}^{\infty} x(n - k)h(k)$$
 (5.7)

## 6 DFT AND FFT

#### 6.1 Compute

$$X(k) \stackrel{\triangle}{=} \sum_{n=0}^{N-1} x(n)e^{-j2\pi kn/N}, \quad k = 0, 1, \dots, N-1$$
(6.1)

and H(k) using h(n).

6.2 Compute

$$Y(k) = X(k)H(k) \tag{6.2}$$

6.3 Compute

$$y(n) = \frac{1}{N} \sum_{k=0}^{N-1} Y(k) \cdot e^{j2\pi kn/N}, \quad n = 0, 1, \dots, N-1$$
(6.3)

**Solution:** The following code plots Fig. 5.5. Note that this is the same as y(n) in Fig. 3.2.

wget https://raw.githubusercontent.com/ gadepall/EE1310/master/filter/codes/yndft. py




Fig. 6.3: y(n) from the DFT

- 6.4 Repeat the previous exercise by computing X(k), H(k) and y(n) through FFT and IFFT.
- 6.5 Wherever possible, express all the above equations as matrix equations.

#### 7 Exercises

Answer the following questions by looking at the python code in Problem 2.3.

# 7.1 The command

in Problem 2.3 is executed through the following difference equation

$$\sum_{m=0}^{M} a(m) y(n-m) = \sum_{k=0}^{N} b(k) x(n-k) \quad (7.1)$$

- where the input signal is x(n) and the output signal is y(n) with initial values all 0. Replace **signal.filtfilt** with your own routine and verify.
- 7.2 Repeat all the exercises in the previous sections for the above a and b.
- 7.3 What is the sampling frequency of the input signal?
  - **Solution:** Sampling frequency(fs)=44.1kHZ.
- 7.4 What is type, order and cutoff-frequency of the above butterworth filter
  - **Solution:** The given butterworth filter is low pass with order=2 and cutoff-frequency=4kHz.
- 7.5 Modifying the code with different input parameters and to get the best possible output.