

Problem 1.5.6

Darisy Sreetej

August 28, 2025

1 Problem

2 Solution

- Section Formula
- Obtaining k Value
- Obtaining Point
- Plot

3 C Code

4 Python Code

Problem Statement

The point which divides the line segment joining the points $(7, -6)$ and $(3, 4)$ in the ratio $1 : 2$ is

Variable	Description
x	x coordinate of P
y	y coordinate of P

Table: Variables given

Section Formula

Formula:

$$\mathbf{P} = \frac{k(\mathbf{B}) + (\mathbf{A})}{k + 1} \quad (3.1)$$

Where:

'k' is the ratio in which the point divides the line segment

$$\mathbf{A} = \begin{pmatrix} 7 \\ -6 \end{pmatrix} \quad \mathbf{B} = \begin{pmatrix} 3 \\ 4 \end{pmatrix} \quad (3.2)$$

Obtaining k Value

According to the problem , The point **P** divides the line segment joining **A** and **B** in the ratio 1 : 2

Hence , $k=2$


Obtaining Point

$$\mathbf{P} = \frac{2\mathbf{B} + \mathbf{A}}{3} = \frac{2\begin{pmatrix} 7 \\ -6 \end{pmatrix} + \begin{pmatrix} 3 \\ 4 \end{pmatrix}}{3} = \frac{\begin{pmatrix} 17 \\ -8 \end{pmatrix}}{3} \quad (3.3)$$

$$\mathbf{P} = \begin{pmatrix} \frac{17}{3} \\ \frac{-8}{3} \end{pmatrix} \quad (3.4)$$

Hence the coordinates of \mathbf{P} are $(\frac{17}{3}, \frac{-8}{3})$

Plot



C Code for generating points on line

```
#include <stdio.h>

//Store the given values as global constants
const int Ax = 7, Ay = -6;
const int bx = 3 , By =4 ;
const int m =1,n=2;

// Function to compute the dividing point
void get_dividing_point(float *Px, float *Py)
{
    *Px=(n*Ax + m*Bx)/(float)(m+n);
    *Py=(n*Ay + m*By)/(float)(m+n);
}

//Function to print stored values
```


C Code for generating points on line

```
void print_values()
{
    printf("Point A = (%d,%d)\n",Ax,Ay);
    printf("Point B = (%d,%d)\n",Bx,By);
    printf("Ratio m;n = %d:%d\n",m,n);
}
```

Python Code for Plotting

```
import sys
import math
sys.path.insert(0, '/home/darisy-sreetej/Downloads/codes/CoordGeo
    ')

import numpy as np
import numpy.linalg as LA
import matplotlib.pyplot as plt
import matplotlib.image as mpimg

# local imports
from line.funcs import *
from triangle.funcs import *

# Points A and B
A = np.array([7, -6])
B = np.array([3, 4])
```

Python Code for Plotting

```
# Ratio m:n = 1:2
m, n = 1, 2

# Section formula in vector form:  $P = (nA + mB) / (m+n)$ 
P = (n*A + m*B) / (m+n)

# Generate line coordinates for plotting
line_AB = line_gen(A, B)

# Plotting
plt.plot(line_AB[0,:], line_AB[1:], label="Line AB") # Line AB
plt.scatter(A[0], A[1], color='red', label='A(7,-6)')
plt.scatter(B[0], B[1], color='blue', label='B(3,4)')
plt.scatter(P[0], P[1], color='green', label=f'P({P[0]:.2f},{P[1]:.2f})')

# Add text labels
plt.text(A[0], A[1], ' A(7,-6)', fontsize=10)
```

Python Code for Plotting

```
plt.text(B[0], B[1], ' B(3,4)', fontsize=10)
plt.text(P[0], P[1], f' P({P[0]:.2f},{P[1]:.2f})', fontsize=10)

# Formatting
plt.xlabel('x-axis')
plt.ylabel('y-axis')
plt.legend()
plt.grid(True)
plt.axis('equal')
plt.title("Point dividing AB in ratio 1:2")
plt.savefig("../figs/plot.png")
plt.show()
```