

GATE 2024 - General Aptitude & Ecology (EY)

ee25btech11005-Aditya Mishra

August 24, 2025

General Aptitude

Q.1 to Q.5 carry one mark each.

1. If '→' denotes increasing order of intensity, then the meaning of the words [simmer → seethe → smolder] is analogous to [break → raze → _____]. Which one of the given options is appropriate to fill the blank? (GATE EY 2024)

(a) obfuscate	(c) fracture
(b) obliterate	(d) fissure
2. In a locality, the houses are numbered in the following way: The house-numbers on one side of a road are consecutive odd integers starting from 301, while the house-numbers on the other side of the road are consecutive even numbers starting from 302. The total number of houses is the same on both sides of the road. If the difference of the sum of the house-numbers between the two sides of the road is 27, then the number of houses on each side of the road is (GATE EY 2024)

(a) 27	(c) 54
(b) 52	(d) 26
3. For $p \neq 1, q \neq 1, \left(\frac{p}{q}\right)^{p-q} = \left(\frac{q}{p}\right)^{q-p}$. Then (GATE EY 2024)

(a) $p + q = 0$	(c) $\sqrt{q} = \sqrt{p}$
(b) $p - q = -1$	(d) $\sqrt[3]{q} = \sqrt[3]{p}$
4. Which one of the given options is a possible value of x in the following sequence? 3, 7, 15, x , 63, 127, 255 (GATE EY 2024)

(a) 35	(c) 45
(b) 40	(d) 31
5. On a given day, how many times will the second-hand and the minute-hand of a clock cross each other during the clock time 12:05:00 hours to 12:55:00 hours? (GATE EY 2024)

(a) 50	(c) 55
(b) 49	(d) 1

Q.6 to Q.10 carry two marks each.

6. In the given text, the blanks are numbered (i)-(iv). Select the best match for all the blanks.
- From the ancient Athenian arena to the modern Olympic stadiums, athletics (i) the potential for a spectacle. The crowd (ii) with bated breath as the Olympian artist twists his body, stretching the javelin behind him. Twelve strides in, he begins to cross-step. Six cross-steps (iii) in an abrupt stop on his left foot. As his body (iv) like a door turning on a hinge, the javelin is launched skyward at a precise angle. (GATE EY 2024)
- (a) (i) hold (ii) waits (iii) culminates (iv) pivot
 (b) (i) holds (ii) wait (iii) culminates (iv) pivot
 (c) (i) holds (ii) waits (iii) culminate (iv) pivots
 (d) (i) hold (ii) wait (iii) culminate (iv) pivots
7. Three distinct sets of indistinguishable twins are to be seated at a circular table that has 8 identical chairs. Unique seating arrangements are defined by the relative positions of the people. How many unique seating arrangements are possible such that each person is sitting next to their twin? (GATE EY 2024)
- (a) 12 (c) 10
 (b) 14 (d) 28
8. The chart given below compares the Installed Capacity (MW) of four power generation technologies, T1, T2, T3, and T4, and their Electricity Generation (MWh) in a time of 1000 hours (h).




Figure 8: Question 8: Comparison of Installed Capacity and Electricity Generation for four power technologies.

The Capacity Factor of a power generation technology is:

$$\text{Capacity Factor} = \frac{\text{Electricity Generation (MWh)}}{\text{Installed Capacity (MW)} \times 1000(\text{h})}$$

Which one of the given technologies has the highest Capacity Factor? (GATE EY 2024)

- (a) T1 (c) T3
 (b) T2 (d) T4
9. In the 4×4 array shown below, each cell of the first three columns has either a cross (X) or a number, as per the given rule. Rule: The number in a cell represents the count of crosses around its immediate neighboring cells (left, right, top, bottom, diagonals). As per this rule, the maximum number of crosses possible in the empty column is (GATE EY 2024)
- (a) 0 (c) 2
 (b) 1 (d) 3

1	1	2	
2	X	3	
2	X	4	
1	2	X	

Figure 9: Question 9: A 4x4 array with crosses and numbers in the first three columns.

10. During a half-moon phase, the Earth-Moon-Sun form a right triangle. If the Moon-Earth-Sun angle at this half-moon phase is measured to be 89.85° , the ratio of the Earth-Sun and Earth-Moon distances is closest to (GATE EY 2024)
- (a) 328 (c) 238
(b) 382 (d) 283

END OF GENERAL APTITUDE

Ecology and Evolution (EY)**Q.11 to Q.35 carry one mark each.**

11. The molecular clock model assumes that mutation rates are (GATE EY 2024)
- (a) equal for all genes. (c) variable across geographical regions.
(b) constant for a gene. (d) variable across geological time.
12. The intermediate disturbance hypothesis states that species diversity is highest at intermediate levels of disturbance. This is because (GATE EY 2024)
- (a) common species are not affected by disturbance.
(b) a few species are able to survive in high disturbance.
(c) there is competitive exclusion in low disturbance.
(d) rare species are able to survive in high disturbance.
13. A few years ago, a very small population of zebrafish became isolated by a newly built dam. As a result, which statement is most likely to be true about this population of zebrafish now? (GATE EY 2024)
- (a) Genetic variability is low.
(b) Fixation of genotypes due to drift is low.
(c) Inbreeding is low.
(d) Mutation rate is high.
14. A researcher measures the tree heights of all individuals of a species in a forest. Which one of the following is NOT a measure of variability in the sample? (GATE EY 2024)
- (a) Standard deviation (c) Median
(b) Standard error (d) Variance
15. Individual lizards were repeatedly presented with a predator model. Over successive trials, they showed a reduction in the duration of their alarm response. Which one of the following is this an example of? (GATE EY 2024)
- (a) Imitation (c) Habituation
(b) Imprinting (d) Sensitisation
16. Among the following vertebrate classes, biparental care is most common in (GATE EY 2024)
- (a) amphibians. (c) fishes.
(b) birds. (d) mammals.
17. Based on paleontological evidence, eukaryotic organisms are estimated to have first evolved (GATE EY 2024)
- (a) more than 750 million years ago.
(b) 750 to 500 million years ago.
(c) 500 to 250 million years ago.

- (d) 65 million years ago.
18. In a population, there are two morphs, A and B , which reproduce at equal rates. A mutates to B with probability p_1 , and B mutates to A with probability p_2 such that $p_1 \gg p_2$ (that is, p_1 is much greater than p_2). Over time, which one of the following statements would be true about this population? (GATE EY 2024)
- (a) Both morphs A and B will become equally abundant.
 - (b) Morph A will dominate the population.
 - (c) Morph B will dominate the population.
 - (d) Both morphs A and B will go extinct.
19. Terrestrial plants conduct gas exchange through stomata. Having only few stomata on the leaf surface is a common adaptation to which one of the following conditions? (GATE EY 2024)
- (a) High aridity
 - (b) High pH
 - (c) Low UV radiation
 - (d) Low soil nitrogen
20. Which one of the following is a result of antagonistic coevolution? (GATE EY 2024)
- (a) Convergent evolution of bird wings and bat wings
 - (b) Adaptive radiation of beak shape in Darwin's finches
 - (c) Caterpillars that feed on chemically-defended host plants
 - (d) Specialised morphology of orchid flowers for pollination
21. A classical metapopulation at equilibrium is made up of local populations with (GATE EY 2024)
- (a) no dispersal between them.
 - (b) no local colonisation or extinction.
 - (c) weak dispersal between them.
 - (d) panmictically breeding individuals across populations.
22. Which one of the following theories is supported by the distribution patterns of extinct flora such as *Glossopteris* across South America, Africa and Australia, and extant marsupial mammals across South America and Australia? (GATE EY 2024)
- (a) Darwin's theory of natural selection
 - (b) Wegener's theory of continental drift
 - (c) Levins' theory of metapopulations
 - (d) MacArthur and Wilson's theory of island biogeography
23. In linear regression, mean squared regression (effect variance) divided by mean squared error (error variance) is called the (GATE EY 2024)
- (a) p-value.
 - (b) F-statistic.
 - (c) t-statistic.
 - (d) R-squared value.
24. The figure shows the time-series of atmospheric CO₂ concentration on Earth (graph not-to-scale). Which one of the factors given is the primary reason for the sudden increase in atmospheric CO₂ concentration after 1950? (GATE EY 2024)




Figure 24: Question 24: Time-series of atmospheric CO₂ concentration over the last 800,000 years.

- (a) Overfishing
 (b) An increase in Arctic sea ice melting
 (c) An increase in fossil fuel burning
 (d) Volcanic eruptions
25. The population size at which net recruitment is the highest is also when the greatest amount can be harvested, while ensuring the long-term survival of the population. The amount harvested at this population size is known as (GATE EY 2024)
- (a) carrying capacity. (c) maximum survival density.
 (b) maximum sustainable yield. (d) optimal recruitment.
26. The variance in male mating success is V_m and that of females is V_f . Assuming that the sex ratio is 1 : 1, in which one of the following mating systems is V_m/V_f expected to be the greatest? (GATE EY 2024)
- (a) Monogamy (c) Polyandry
 (b) Random mating (d) Polygyny
27. Some air-breathing marine vertebrates such as whales, seals and marine turtles possess adaptations for long, deep dives. Which one or more of the following is/are examples of such adaptations? (GATE EY 2024)
- (a) Tolerance to hypoxia (c) High levels of haemoglobin
 (b) Slow heart rate (d) Salt tolerance
28. Which one or more of the following statements about evolution is/are true? (GATE EY 2024)
- (a) Evolution is change that is heritable across generations.
 (b) Evolution occurs at the level of populations, not species.
 (c) Evolution is a change in gene frequencies through time.
 (d) Evolution occurs through natural selection, but not sexual selection.
29. Which one or more of the following mammal species is/are endemic to India? (GATE EY 2024)
- (a) One-horned rhinoceros (c) Bengal tiger
 (b) Lion-tailed macaque (d) Cheetah
30. Under which one or more of the following conditions can altruism evolve in animal societies? (GATE EY 2024)
- (a) Individuals in a group are closely related to each other.

- (b) Individuals live in a high resource, low risk environment.
 - (c) Individuals in a group mutually help each other at different times.
 - (d) Mating opportunities are equally distributed among individuals.
31. Two species of fruit bats (Species 1 and Species 2) eat fruits of varying sizes. The curves shown represent the ecological niche for these two species. If the curves for both species were to completely overlap, which one or more of the statements given would be correct? (GATE EY 2024)




Figure 31: Question 31: Ecological niches of two fruit bat species based on fruit size and fitness.

- (a) There will be no resource competition between Species 1 and Species 2.
 - (b) One of the species may become extinct due to competitive exclusion.
 - (c) There will be little competition between Species 1 and Species 2.
 - (d) The two species will use identical resources.
32. During the process of succession in a community, species that are good colonisers are gradually replaced by species that are good competitors. Which one or more of the following statements is/are consistent with this pattern? (GATE EY 2024)
- (a) Initially, there is great resource limitation.
 - (b) Keystone species must establish first to facilitate the later establishment of higher trophic level species.
 - (c) Trees are the climax stage of terrestrial communities and generally have low competitive ability, but high dispersal ability.
 - (d) For many taxa, there is a tradeoff between dispersal ability and local competitive ability.
33. An ornamental shrub species was brought from Japan in the early 1800s to India, where it was planted frequently in gardens and parks. The species persisted for many decades without spreading, and then began to spread invasively fifty years ago. Which one or more of the following processes could have led to it becoming invasive? (GATE EY 2024)

- (a) Evolutionary adaptation to the environment
 (b) Open niches due to recent habitat degradation
 (c) Climate change
 (d) Recent introduction of a specialized herbivore of this shrub species
34. Male voles pair with either a single female (monogamous) or with two females (polygynous) during a given breeding season. The probability of a male being polygynous in a breeding season is 0.2. The reproductive success (number of offspring) of monogamous males is 2, and of polygynous males is 3. A male's expected reproductive success in a breeding season is _____. (Round off to one decimal place) (GATE EY 2024)
35. Consider a randomly breeding population of squirrels with two morphs – white striped and brown striped. In a population, 16% are white striped individuals, while the rest are all brown striped. The trait for stripes is governed by one gene where the allele for brown stripes is dominant. Assuming Hardy-Weinberg equilibrium, the frequency of the allele for white stripes would be _____. (Round off to two decimal places) (GATE EY 2024)

Q.36 to Q.65 carry two marks each.

36. Observations of algal species showed that their diversity was higher in pools where there were grazing snails compared to pools without snails. Which one of the following statements best explains this result? (GATE EY 2024)
- (a) Snails feed preferentially on the more abundant algal species.
 (b) Snails avoid feeding on algal species.
 (c) Snails feed only on the less abundant algal species.
 (d) Snails feed equally on all the algal species irrespective of algal abundance.
37. Which two of the following processes can result in a decline in heterozygosity in populations?
 I) inbreeding; II) genetic drift; III) mutation; IV) random mating (GATE EY 2024)
- (a) I and II (c) I and III
 (b) II and III (d) II and IV
38. Given below is a table with ecological observations and processes.

Ecological observations	Processes
P) Bright spotted pigmentation in guppy males in low predation habitats	I) Kin selection
Q) Vampire bats share blood meals	II) Sexual selection
R) Cooperative breeding in African weaver birds	III) Reciprocal altruism

Select the option that best matches each ecological observation with its corresponding process. (GATE EY 2024)

- (a) P-III, Q-I, R-II (c) P-I, Q-III, R-II
 (b) P-II, Q-III, R-I (d) P-II, Q-I, R-III
39. An ecologist must determine whether (i) the means of two independent samples differ, and (ii) there is an association between two continuous variables. Assuming that all samples are normally distributed, which one of the following options represents the most appropriate statistical tests for (i) and (ii), respectively? (GATE EY 2024)

- (a) (i) Spearman's correlation; (ii) Shapiro-Wilk test
 (b) (i) Wilcoxon's matched pairs signed rank test; (ii) chi-squared test
 (c) (i) t-test; (ii) Pearson's correlation
 (d) (i) Kendall's test of concordance; (ii) Kolmogorov-Smirnov test
40. Males of the swordtail fish *Xiphophorus helleri* possess long tails, while those of *X. maculatus* do not. Females of *X. helleri* prefer males with longer tails. Interestingly, experimental studies show that females of *X. maculatus* prefer *X. maculatus* males with attached artificial long tails over those without. If the long-tailed *Xiphophorus* species evolved from ancestors that lacked a long tail, which one of the following processes best explains the evolution of the observed preference among *X. maculatus* females? (GATE EY 2024)
- (a) Kin selection (c) Group selection
 (b) Sensory bias (d) Runaway selection
41. Which one of the options given best matches vector to disease?
- | Vector | Disease |
|-----------------|----------------------------|
| I. Fleas | P. Kyasanur Forest Disease |
| II. Ticks | Q. Dengue |
| III. Mosquitoes | R. Plague |
- (GATE EY 2024)
- (a) I-R; II-P; III-Q (c) I-R; II-Q; III-P
 (b) I-P; II-R; III-Q (d) I-P; II-Q; III-R
42. Optimal foraging theory predicts whether a foraging animal will be risk-prone, risk-averse or risk-insensitive depending on a utility function that describes the value of each additional food item to the animal. Risk-prone foraging is expected when the utility increases disproportionately with each additional food item encountered. Which one of the graphs shown depicts a scenario where risk-prone foraging would be expected? (GATE EY 2024)




Figure 42: Question 42: Four graphs (P, Q, R, S) showing different utility functions for foraging.

- (a) P (b) Q (c) R (d) S
43. There are two species, X and Y , with abundances x and y , respectively. Species X has growth rate α , and species Y has growth rate β . Assume that the sum of the species abundances is constant over time, i.e., $x + y = 1$. Let x and y follow the rate equations:

$$\frac{dx}{dt} = \alpha x - \phi x,$$

$$\frac{dy}{dt} = \beta y - \phi y,$$

where ϕ is the average species fitness. Which one of the following options correctly represents the expression for ϕ ? (GATE EY 2024)

- (a) $\alpha x^2 + \beta y^2$ (c) $\frac{\alpha x + \beta y}{x^2 + y^2}$
 (b) $\alpha x + \beta y$ (d) $\frac{1}{\alpha x + \beta y}$

44. The graphs shown represent the relationship between population size (N) and population growth rate ($\frac{dN}{dt}$). Which one of the following growth curves represents a density-dependent population that experiences a strong Allee effect? (GATE EY 2024)




Figure 44: Question 44: Four graphs (P, Q, R, S) showing the relationship between population size (N) and population growth rate (dN/dt).

- (a) P (b) Q (c) R (d) S
45. The abundance (X) of a plant species with respect to the anthropogenic stressor habitat destruction (h) is shown. The solid and the dashed curves represent stable and unstable population equilibrium abundances, respectively. In the absence of any stochasticity, and with increasing values of h , what is the value of h at which a sudden population collapse would occur? (GATE EY 2024)




Figure 45: Question 45: Relationship between plant species abundance (X) and habitat destruction (h), showing stable and unstable equilibria.

- (a) 2.5 (b) 2 (c) 4 (d) 3
46. Consider the graph shown, where S is species richness and A is area. S and A are log-transformed and the slope is not equal to 1. The relationship between untransformed S and A follows a/an (GATE EY 2024)
- (a) linear relationship.
 (b) power law.





Figure 46: Question 46: Log-log plot of species richness (S) versus area (A).

- (c) exponential relationship.
 (d) Michaelis-Menten function.
47. The graph shows the rank-abundance relationships for species in three communities, P, Q and R. Which one of the following statements is true with respect to the evenness of the three communities? (GATE EY 2024)



- (a) $P > Q > R$
 (b) $Q > P > R$
 (c) $R > Q > P$
 (d) $R > P > Q$
48. The graph shows bird species richness in a large contiguous forest patch and a small adjacent forest fragment, before and soon after the large contiguous forest patch was replaced by an oil palm plantation. Which one of the following options best explains the pattern shown? (GATE EY 2024)
- (a) The contiguous forest is a sink and the forest fragment is a source for bird species.
 (b) The forest fragment has higher species richness than the contiguous forest.
 (c) The bird community in the forest fragment is geographically closed.
 (d) The contiguous forest was contributing to forest fragment species richness via dispersal.




Figure 48: Question 48: Bird species richness before and after habitat conversion in a contiguous forest and a forest fragment.

49. Honey bees are haplodiploid, which means that the relatedness is, on average, expected to be 0.35 between (GATE EY 2024)

- (a) brother-brother pairs with the same parents.
- (b) brother-sister pairs with the same parents.
- (c) mated female-male pair.
- (d) sister-sister pairs with the same parents.

50. Match the mollusc taxa to their respective orders.

Mollusc taxa	Order
I. Cone snails	P. Bivalve
II. Octopuses	Q. Gastropod
III. Giant clams	R. Cephalopod
IV. Squids	

(GATE EY 2024)

- (a) I-P; II-Q; III-R; IV-Q
 - (b) I-Q; II-R; III-P; IV-R
 - (c) I-P; II-R; III-P; IV-Q
 - (d) I-P; II-P; III-R; IV-Q
51. A terrestrial species P is found in both India and West Africa and nowhere else, while a marine species Q is found in the Arabian Sea and the Bay of Bengal. The two species have similar generation times. An ecologist builds haplotype networks based on DNA sequences from these species, where each circle represents one haplotype and each dash (-) represents a mutation. Which one of the following inferences is best supported by the haplotype networks shown? (GATE EY 2024)
- (a) P has high dispersal ability; Q has low dispersal ability.
 - (b) Q has high dispersal ability; P has low dispersal ability.
 - (c) P and Q have equal dispersal abilities.
 - (d) The genetic structure is not influenced by dispersal ability.




Figure 51: Question 51: Haplotype networks for a terrestrial species (P) and a marine species (Q).

52. Grey langurs found in the southern Western Ghats (SWG) and grey langurs in Sri Lanka (SL) look very similar. Nilgiri langurs (found in SWG) and purple faced langurs (found in SL) also look similar. If allopatry played a role in the early diversification of this group (at point x in the tree), which one of the phylogenetic trees is most likely to be correct? (GATE EY 2024)




Figure 52: Question 52: Four possible phylogenetic trees (P, Q, R, S) for langur species from the southern Western Ghats (SWG) and Sri Lanka (SL).

- (a) P (c) R
(b) Q (d) S
53. Two bird species, A and B, are found on a single mountainside. A is a low-elevation species, found between 500 m and 1500 m Above Sea Level (ASL), while B is a high-elevation species, found between 1000 m and 2000 m ASL. At 1250 m ASL, species A and B have very different bill morphologies, but the bill morphology of species A at 500 m is very similar to the bill morphology of species B at 2000 m ASL. Which one or more of the following explain(s) the difference in bill morphology at 1250 m ASL? (GATE EY 2024)
- (a) Competitive exclusion (c) Convergent evolution
(b) Character displacement (d) Allopatric speciation
54. Which one or more of the following is/are greenhouse gas(es)? (GATE EY 2024)

- (a) Methane (c) Sulphur dioxide
(b) Water vapour (d) Nitrous oxide

55. Males of the Indian robin in two populations sing songs of different lengths. Which one or more of the options given is/are an ultimate (not proximate) explanation(s) of the difference in song length between the two populations? (GATE EY 2024)

- (a) Females prefer to mate with males that sing longer songs in one population but not in the other.
(b) The two populations have different forms of the gene that determines song duration.
(c) The two populations differ in hormone levels that activate the start and end of singing behaviour.
(d) Differences between populations in food availability during development affect neural circuitry that is involved in song production.

56. Female *Anopheles* mosquitoes bite humans to get blood. Researchers performed an experiment to study whether females use temperature or scent cues, or both, when locating human hosts. They presented female mosquitoes with membranes kept at different temperatures. Some membranes also had human scent applied to them. The response to each treatment was measured as the percentage of females that landed on the membrane (50 females for each treatment). The table shows the treatments and the corresponding responses.

Temperature and scent	Response
Ambient air temperature (25 °C); with human scent	90%
Ambient air temperature (25 °C); without human scent	0%
Human body temperature (37 °C); with human scent	90%
Human body temperature (37 °C); without human scent	90%

Which one or more of the following inferences is/are supported by these results? (GATE EY 2024)

- (a) Human scent cues are necessary to locate human hosts.
(b) Human scent cues are sufficient to locate human hosts.
(c) Human body temperature cues are necessary to locate human hosts.
(d) Human body temperature cues are sufficient to locate human hosts.

57. A phylogenetic tree for the evolution of two pigmentation traits in species of fish is shown for clades X, Y and Z. Genes A and/or B, if mutated, can cause dark pigmentation in the body. Which one or more of the following statements is/are correct? (GATE EY 2024)

- (a) The character state "pigmentation" is homologous in species 1 and 3.
(b) The character state "pigmentation" is homologous between species 1 and 4.
(c) The character state "pigmentation" is not homologous for species 6 and 7.
(d) The character state "pigmentation" is not homologous between species 2 and 6.

58. In conservation biology, which one or more of the following is/are used to calculate the effective population size, N_e ? (GATE EY 2024)

- (a) the population size required to avoid local extinction in the next 1000 years.




Figure 57: Question 57: Phylogenetic tree showing the evolution of pigmentation in three clades of fish.

- (b) the carrying capacity of the environment.
 (c) the sum of the sizes of all connected populations in a metapopulation.
 (d) the number of breeding males and females.
59. In the foodweb diagrams shown, R represents the primary producer, C1 and C2 represent intermediate consumers, and P represents the top predator. Which one or more of these diagrams show(s) intraguild predation?
 (GATE EY 2024)




Figure 59: Question 59: Four food web diagrams (E, F, G, H) showing different trophic interactions.

- (a) E
 (b) F
 (c) G
 (d) H
60. You are a plant ecologist studying a plant in the genus *Veronica*. You notice that, at open rocky sites, *Veronica* grows as a creeper spreading low to the ground, whereas in grasslands, the stem stands upright. You collect seeds from multiple populations in each habitat type and grow them under uniform conditions in a greenhouse. You find that all the plants grown in the greenhouse have stems that stand upright. Which one or more of the following explanations best support(s) your observations?
 (GATE EY 2024)
- (a) The different morphologies in the natural habitat types are due to phenotypic plasticity.
 (b) Inbreeding depression has led to the creeping form in the rocky sites.
 (c) High gene flow between populations has restricted local adaptation in the two environments.

- (d) The morphological differences between populations demonstrates that growth form is a poly-genic trait.
61. One hypothesis for why the tropics have far greater species richness than higher latitudes is that the tropics are relatively aseasonal. Low seasonality can encourage high species richness through which one or more of the following mechanisms? (GATE EY 2024)
- Numerous resources are consistently available throughout the year, allowing different species to specialize on different resources, thereby minimizing competition and allowing co-existence.
 - Low seasonality is associated with lower rates of predation, allowing large populations to thrive.
 - Low seasonality is associated with more stable populations that are less vulnerable to demographic stochasticity and extinction.
 - Low seasonality is associated with longer generation times, which enhances species richness.
62. The figure illustrates the soil zinc tolerance of the grass species *Anthoxanthum* along a transect from inside a mine to the middle of a pasture outside the mine. Which one or more of the following processes explain(s) the observed pattern of zinc tolerance in this grass species?(GATE EY 2024)




Figure 62: Question 62: Zinc tolerance of grass species along a transect from a mine to a pasture.

- Genetic drift
 - Local adaptation
 - Coevolution
 - Introgression
63. In a forest, there are tigers, hare, and deer. On a given day, the probability of a tiger hunting a hare is 0.35, a deer is 0.25, and either a hare or a deer is 0.55. The probability of a tiger hunting both a hare and a deer on a given day is _____. (Round off to two decimal places). (GATE EY 2024)
64. Consider a discrete random variable X that takes values from the set $S = \{0, 1, 2, 3\}$, being the number of individuals of a species within a habitat. Consider the probability distribution of X with $Pr(X = 0) = 0.15$, $Pr(X = 1) = 0.25$ and $Pr(X = 3) = 0.5$, where Pr denotes probability. The value of $Pr(X = 2)$ is _____. (Round off to two decimal places) (GATE EY 2024)

65. There are nine species of *Impatiens* (balsams) found in laterite plateaus of the northern Western Ghats, each with a distinct colour. If a plateau has exactly 6 species, then the number of possible colour combinations in the plateau is _____. (Answer in integer) (GATE EY 2024)

END OF QUESTION PAPER