

GATE 2011

CY: CHEMISTRY

AI25BTECH11008 - Chiruvella Harshith Sharan

- 1) Jahn-Teller distortion of $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ acts to (GATE CY 2011)
 - a) raise symmetry
 - b) remove an electronic degeneracy
 - c) cause loss of H_2O ligand
 - d) promote a d-electron to an antibonding molecular orbital
- 2) Among the following, the group of molecules that undergoes rapid hydrolysis is (GATE CY 2011)
 - a) SF_6 , Al_2Cl_6 , SiMe_4
 - b) BCl_3 , SF_6 , SiCl_4
 - c) BCl_3 , SiCl_4 , PCl_5
 - d) SF_6 , Al_2Cl_6 , SiCl_4
- 3) The reaction of solid XeF_2 with AsF_5 in 1:1 ratio affords (GATE CY 2011)
 - a) XeF_4 and AsF_3
 - b) XeF_6 and AsF_3
 - $\text{XeF}^+ [\text{AsF}_6]^-$
 - $\text{Xe}_2\text{F}_3^+ [\text{AsF}_6]^-$
- 4) A well known naturally occurring organometallic compound is (GATE CY 2011)
 - a) vitamin B_{12} coenzyme
 - b) chlorophyll
 - c) cytochrome P-450
 - d) myoglobin
- 5) The complex that exists as a pair of enantiomers is (GATE CY 2011)
 - a) $\text{trans}[\text{Co}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_2\text{Cl}_2]^+$
 - b) $\text{cis}[\text{Co}(\text{NH}_3)_4\text{Cl}_2]^+$
 - (C) $[\text{Pt}(\text{PPh}_3)(\text{Cl})(\text{Br})(\text{CH}_3)]^-$
 - (D) $[\text{Co}(\text{H}_2\text{NCH}_2\text{CH}_2\text{NH}_2)_3]^{3+}$
- 6) The region of electromagnetic spectrum employed in the electron spin resonance (ESR) spectroscopy is (GATE CY 2011)
 - a) radiowave
 - b) microwave
 - c) infrared
 - d) visible
- 7) The red color of oxyhaemoglobin is mainly due to the (GATE CY 2011)
 - a) d-d transition
 - b) metal to ligand charge transfer transition
 - c) ligand to metal charge transfer transition
 - d) intraligand $\pi\text{-}\pi^*$ transition
- 8) The band structure in an n-type semiconductor is (GATE CY 2011)




Fig. 1.

- a) I
b) II

- c) III
d) IV

9) In the following reaction

(GATE CY 2011)





Fig. 2.

The major product [X] is:



[H]

Fig. 3.

10) In the following reaction sequence:

(GATE CY 2011)






Fig. 4.

- 11) The sequence of an mRNA molecule produced from a DNA template strand with the composition 5'-AGCTCACACT-3' is **(GATE CY 2011)**
- a) 5'-AGGUUAGGCU-3' c) 5'-AGTGTAGCT-3'
b) 5'-UCGAUGUGA-3' d) 5'-TCGATGTGA-3'
- 12) For a given first order reaction, the reactant reduces to $1/4^{\text{th}}$ its initial value in 10 minutes. The rate constant of the reaction is **(GATE CY 2011)**
- a) 0.1386 min^{-1} c) $0.1386 \text{ mol L}^{-1} \text{ min}^{-1}$
b) 0.0693 min^{-1} d) $0.0693 \text{ mol L}^{-1} \text{ min}^{-1}$
- 13) The freezing point constant for water is $1.86 \text{ K (mol kg}^{-1})^{-1}$. The change in freezing point when 0.01 mol glucose is added to 1 kg water is **(GATE CY 2011)**
- a) 1.86 K c) 0.186 K
b) -1.86 K d) -0.0186 K
- 14) On the pressure-temperature diagram for a one-component system, the point where the solid-liquid and the liquid-gas curves intersect is **(GATE CY 2011)**
- a) triple point c) melting point
b) critical point d) boiling point
- 15) The wave function for a Harmonic oscillator described by $Nx \exp(-\alpha x^2/2)$ has **(GATE CY 2011)**
- a) one maximum only c) two maxima, one minimum only
b) one maximum, one minimum only d) two maxima, two minima only
- 16) If an arbitrary wave function is used to calculate the energy of a quantum mechanical system, the value calculated is never less than the true energy. The above statement relates to **(GATE CY 2011)**
- a) perturbation theory c) Heisenberg's uncertainty principle
b) variation principle d) quantization of energy
- 17) The point group symmetry of the given planar shape is **(GATE CY 2011)**
- 
- a) D_{3h} c) C_{3h}
b) C_1 d) C_{3v}
- 18) $\left(\frac{\partial G}{\partial P}\right)_T =$ **(GATE CY 2011)**

- a) V c) $-S$
 b) S d) $-V$

19)


(GATE CY 2011)



According to the Ehrenfest classification of phase transitions, the above diagram refers to

- a) Zeroth order phase transition c) Second order phase transition
 b) First order phase transition d) λ transition
- 20) According to conventional transition state theory, for elementary bimolecular reactions, the molar entropy of activation $\Delta S^{0\ddagger}$ is (GATE CY 2011)
 a) positive d) positive for endothermic and negative for exothermic reactions
 b) zero
 c) negative
- 21) The crystal field stabilization energy (CFSE) value for $[\text{Ti}(\text{H}_2\text{O})_6]^{3+}$ that has an absorption maximum at 492 nm is (GATE CY 2011)
 a) $20,325 \text{ cm}^{-1}$ c) $10,162 \text{ cm}^{-1}$
 b) $12,195 \text{ cm}^{-1}$ d) $8,130 \text{ cm}^{-1}$
- 22) For Et_2AlX ($\text{X} = \text{PPh}_2, \text{Ph}^-, \text{Cl}^-$ and F^-), the tendency towards dimeric structure follows the order (GATE CY 2011)
 a) $\text{PPh}_2 > \text{Cl}^- > \text{H}^- > \text{Ph}^-$ c) $\text{Ph}^- > \text{H}^- > \text{Cl}^- > \text{PPh}_2$
 b) $\text{Cl}^- > \text{PPh}_2 > \text{H}^- > \text{Ph}^-$ d) $\text{H}^- > \text{Ph}^- > \text{PPh}_2 > \text{Cl}^-$
- 23) In the isoelectronic series, VO_4^{3-} , CrO_4^{2-} and MnO_4^- , all members have intense charge transfer (CT) transitions. The **INCORRECT** statement is (GATE CY 2011)
 a) CT transitions are attributed to excitations of electrons from ligand (σ) to metal (e) c) The wavelengths of transitions increase in the order $\text{VO}_4^{3-} < \text{CrO}_4^{2-} < \text{MnO}_4^-$
 b) MnO_4^- exhibits charge transfer at shortest wavelength among the three d) The charge on metal nucleus increases in the order $\text{VO}_4^{3-} < \text{CrO}_4^{2-} < \text{MnO}_4^-$
- 24) The increasing order of wavelength of absorption for the complex ions: i) $[\text{Cr}(\text{NH}_3)_6]^{3+}$, ii) $[\text{CrCl}_6]^{3-}$, iii) $[\text{Cr}(\text{H}_2\text{O})_6]^{3+}$, iv) $[\text{Cr}(\text{CN})_6]^{3-}$, is (GATE CY 2011)

[H]



the major product [X] is




Fig. 6.

- 30) The most appropriate sequence of reactions for carrying out the following conversion (GATE CY 2011) is




is

- (A) (i) Peracid; (ii) H^+ ; (iii) Zn / dil. HCl
 (B) (i) Alkaline $KMnO_4$; (ii) $NaIO_4$; (iii) N_2H_4 / KOH
 (C) (i) Alkaline $KMnO_4$; (ii) H^+ ; (iii) Zn / dil. HCl
 (D) (i) O_3 / Me_2S ; (ii) NaOEt; (iii) N_2H_4 / KOH

Fig. 7.

- a) Peracid; (ii) H^+ ; (iii) Zn / dil. HCl c) (i) Alkaline $KMnO_4$; (ii) H^+ ; (iii) Zn / dil. HCl
 b) (i) Alkaline $KMnO_4$; (ii) $NaIO_4$; (iii) N_2H_4 /KOH d) (i) O_3 / Me_2S ; (ii) NaOEt; (iii) N_2H_4 /KOH

- 31) In the reaction (GATE CY 2011)
 Optically pure (+)-*trans*-2-acetoxycyclohexyl tosylate




The major product [X] is:

- a) racemic trans-1,2-cyclohexanediol diacetate c) racemic cis-1,2-cyclohexanediol diacetate
 b) optically active trans-1,2-cyclohexanediol diacetate d) optically active cis-1,2-cyclohexanediol diacetate

32) The activity of water at 11 bar and 298 K is (GATE CY 2011)

- a) 1.101 c) 0.998
 b) 1.007 d) 0.898

33) For the process (GATE CY 2011)



Assuming ideal gas behavior, the change in molar entropy is:

- a) $-27.57 \text{ J K}^{-1} \text{ mol}^{-1}$ c) $-24.20 \text{ J K}^{-1} \text{ mol}^{-1}$
 b) $+27.57 \text{ J K}^{-1} \text{ mol}^{-1}$ d) $+24.20 \text{ J K}^{-1} \text{ mol}^{-1}$

34) The wave function for a quantum mechanical particle in a 1-dimensional box of length 'a' is given by (GATE CY 2011)

$$\psi = A \sin\left(\frac{\pi x}{a}\right)$$

The value of 'A' for a box of length 200 nm is:

- a) $4 \times 10^4 \text{ (nm)}^{1/2}$ c) $\frac{\sqrt{2}}{10} \text{ (nm)}^{-1/2}$
 b) $10\sqrt{2} \text{ (nm)}^{1/2}$ d) $0.1 \text{ (nm)}^{-1/2}$


35) For 1 mole of a monoatomic ideal gas, the relation between pressure (p), volume (V) and average molecular kinetic energy (\bar{E}) is (GATE CY 2011)

- a) $p = \frac{N_A \bar{E}}{V}$ c) $p = \frac{2N_A \bar{E}}{3V}$
 b) $p = \frac{N_A \bar{E}}{3V}$ d) $p = \frac{2N_A \bar{E}}{3V}$

36) For a 1 molal aqueous NaCl solution, the mean ionic activity coefficient (γ_{\pm}) and the Debye-Hückel Limiting Law constant (A) are related as (GATE CY 2011)

- a) $\log \gamma_{\pm} = \sqrt{2}A$ c) $\gamma_{\pm} = 10^A$
 b) $\log \gamma_{\pm} = -\sqrt{2}A$ d) $\gamma_{\pm} = 10^{-A}$

37) For the concentration cell



The EMF (E) of the cell at a temperature (T) equals (GATE CY 2011)

- a) $2.303 \frac{RT}{F}$ c) $E_{\text{M}^{n+}/\text{M}}^{\circ} + 2.303 \frac{RT}{F}$
 b) $-2.303 \frac{RT}{F}$ d) $E_{\text{M}^{n+}/\text{M}}^{\circ} - 2.303 \frac{RT}{F}$

- 42) Under the steady state approximation for the intermediates, the rate of decomposition of ozone, $-\frac{d[\text{O}_3]}{dt}$, is (GATE CY 2011)
- a) $\frac{2k_1k_3[\text{O}_3]^2[\text{M}]}{k_2[\text{O}_2][\text{M}] + k_3[\text{O}_3]}$ c) $\frac{2k_2k_1[\text{O}_3][\text{M}]}{k_2[\text{O}_2][\text{M}] + k_3[\text{O}_3]}$
- b) $\frac{2k_1k_3[\text{O}_3]^2[\text{M}]}{k_2[\text{O}_2][\text{M}] - k_3[\text{O}_3]}$ d) $\frac{2k_2k_1[\text{O}_3][\text{M}]}{k_2[\text{O}_2][\text{M}] - k_3[\text{O}_3]}$
- 43) Assuming $k_3[\text{O}_3] \gg k_2[\text{O}_2][\text{M}]$, the activation energy of the overall reaction is (GATE CY 2011)
- a) $\frac{E_{a,1}E_{a,3}}{E_{a,2}}$ c) $E_{a,2}$
- b) $E_{a,3} + E_{a,1} - E_{a,2}$ d) $E_{a,1}$

Statement for Linked Answer Questions 54 and 55:

A ketone on treatment with bromine in methanol gives the corresponding monobromo compound [X] having molecular formula $\text{C}_5\text{H}_9\text{BrO}$. The compound [X] when treated with NaOMe in MeOH produces [Y] as the major product. The spectral data for compound [X] are: ^1H NMR : δ 1.17(d, 6H), 3.02(m, 1H), 4.10(s, 2H); ^{13}C NMR : δ 17, 37, 39, 210.

General Aptitude (GA) Questions

- 44) The question below consists of a pair of related words followed by four pairs of words. Select the pair that best expresses the relation in the original pair:
Gladiator : Arena (GATE CY 2011)
- a) dancer : stage c) teacher : classroom
- b) commuter : train d) lawyer : courtroom
- 45) Choose the most appropriate word from the options given below to complete the following sentence:
Under ethical guidelines recently adopted by the Indian Medical Association, human genes are to be manipulated only to correct diseases for which _____ treatments are unsatisfactory. (GATE CY 2011)
- a) similar c) uncommon
- b) most d) available
- 46) Choose the word from the options given below that is most nearly opposite in meaning to the given word:
Frequency (GATE CY 2011)
- a) periodicity c) gradualness
- b) rarity d) persistency
- 47) Choose the most appropriate word from the options given below to complete the following sentence:
It was her view that the country's problems had been _____ by foreign technocrats, so that to invite them to come back would be counter-productive. (GATE CY 2011)

- a) identified
b) ascertained
- c) exacerbated
d) analysed
- 48) There are two candidates P and Q in an election. During the campaign, 40% of the voters promised to vote for P, and rest for Q. However, on the day of election 15% of the voters went back on their promise to vote for P and instead voted for Q. 25% of the voters went back on their promise to vote for Q and instead voted for P. Suppose, P lost by 2 votes, then what was the total number of voters? **(GATE CY 2011)**
- a) 100
b) 110
- c) 90
d) 95
- 49) *The horses may be able to look unhurt but very important role in the field of medicine. Horses were injected with toxins of diseases until their blood built up immunities. Then a serum was made from their blood. Serum to fight with diphtheria and tetanus were developed this way.*
It can be inferred from the passage, that horses were **(GATE CY 2011)**
- a) identified as a disease carrier
b) given immunity to fatal diseases
- c) given diphtheria and tetanus
d) vaccinated successfully
- 50) The sum of n terms of the series $4 + 44 + 444 + \dots$ is **(GATE CY 2011)**
- a) $\frac{4}{81} [10^{n+1} - 9n - 1]$
b) $\frac{4}{81} [10^n - 9n - 1]$
- c) $\frac{4}{81} [10^{n+1} - 9n - 10]$
d) $\frac{4}{81} [10^n - 9n - 10]$
- 51) Given that $f(y) = \left\lfloor \frac{y}{x} \right\rfloor$, and q is any non-zero real number, the value of $|f(q) - f(-q)|$ is **(GATE CY 2011)**
- a) 0
b) -1
- c) 1
d) 2
- 52) Three friends, R, S and T shared toffee from a bowl. R took $\frac{1}{3}$ rd of the toffees, but returned four to the bowl. S took $\frac{1}{4}$ th of what was left but returned three to the bowl. T took half of the remainder but returned two back into the bowl. If the bowl had 17 toffees left, how many toffees were originally there in the bowl? **(GATE CY 2011)**
- a) 38
b) 31
- c) 48
d) 41
- 53) The fuel consumed by a motorcycle during a journey while traveling at various speeds is indicated in the graph below: **(GATE CY 2011)**
The distances covered during four laps of the journey are listed in the table below:

Lap	Distance (kilometres)	Average speed (km/h)
P	15	15
Q	75	45
R	40	75
S	10	10

From the given data, we can conclude that the fuel consumed per kilometre was least during the lap:

- a) P
- b) Q

- c) R
- d) S

END OF THE QUESTION PAPER