

GATE 2012 BT

EE25BTECH11014 - BHOOMIKA LOKESH

I. Q.1-Q.5 CARRY ONE MARK EACH

1) In mismatch correction repair, the parental DNA strand is distinguished from the daughter strand by

- a) acetylation b) phosphorylation c) methylation d) glycosylation

(GATE 2012 BT)

2) The basis for blue-white screening with pUC vectors is

- a) intraallelic comple- b) intergenic comple- c) intragenic suppres- d) extragenic suppres-
mentation mentation sion sion

(GATE 2012 BT)

3) Idiotypic determinants of an antibody are associated with the

- a) constant region of the heavy chains c) variable region
b) constant region of the light chains d) constant regions of light and heavy chains

(GATE 2012 BT)

4) Identification of blood groups involves

- a) precipitation b) neutralization c) opsonization d) agglutination

(GATE 2012 BT)

5) B-lymphocytes originate from the bone marrow whereas T-lymphocytes originate from

- a) thymus b) bone marrow c) spleen d) liver

(GATE 2012 BT)

6) A humanized antibody is one in which the

- a) heavy and light chains are from human from mouse
b) heavy chain is from human and light chain is from mouse d) CDRs are from mouse, and the rest is from human
c) light chain is from human and heavy chain is

(GATE 2012 BT)

7) Dimethyl sulfoxide (DMSO) is used as a cryopreservant for mammalian cell cultures because

- a) it is an organic solvent water
b) it easily penetrates cells d) it is also utilized as a nutrient
c) it protects cells by preventing crystallization of

(GATE 2012 BT)

8) Nude mice refers to

- a) mice without skin b) mice without thymus c) knockout mice d) transgenic mice

(GATE 2012 BT)

9) Heat inactivation of serum is done to inactivate

- a) prions b) mycoplasma c) complement d) pathogenic bacteria

(GATE 2012 BT)

10) Choose the correct signal transduction pathway.

- a) *Hormone* → *7TMreceptor* → *Gprotein* → *cAMP* → *PKA*
 b) *Hormone* → *Gprotein* → *7TMreceptor* → *cAMP* → *PKA*
 c) *Hormone* → *7TMreceptor* → *Gprotein* → *PKA* → *cAMP*
 d) *Hormone* → *7TMreceptor* → *cAMP* → *Gprotein* → *PKA*

(GATE 2012 BT)

11) A protein is phosphorylated at a serine residue. A phosphomimic mutant of the protein can be generated by substituting that serine with

- a) glycine b) alanine c) aspartate d) threonine

(GATE 2012 BT)

12) A truncated polypeptide is synthesized due to a nonsense mutation. Where would you introduce another mutation to obtain a full-length polypeptide?

- a) Ribosomal protein gene c) DNA repair gene
 b) Transfer RNA gene d) Ribosomal RNA gene

(GATE 2012 BT)

13) Protein-DNA interactions in vivo can be studied by

- a) gel shift assay c) chromatin immunoprecipitation assay
 b) Southern hybridization d) fluorescence in situ hybridization assay

(GATE 2012 BT)

14) The direction of shell coiling in the snail *Limnaea peregra* is a classic example of

- a) chromosomal inheritance c) chromosomal translocation
 b) extra-chromosomal inheritance d) homologous recombination

(GATE 2012 BT)

15) During photorespiration under low CO_2 and high O_2 levels, O_2 reacts with ribulose 1,5- bisphosphate to yield

- a) one molecule each of 3-phosphoglycerate and 2-phosphoglycolate
 b) two molecules of 3-phosphoglycerate
 c) two molecules of 2-phosphoglycolate
 d) one molecule each of 3-phosphoglycerate and glyoxylate

(GATE 2012 BT)

16) Which one of the following is **NOT** a protoplast fusion inducing agent?

- a) Inactivated Sendai virus c) Polyethylene glycol
 b) Ca^{2+} at alkaline pH d) Colchicine

(GATE 2012 BT)

17) The activity of an enzyme is expressed in International Units (IU). However, the S.I. unit for enzyme activity is Katal. One Katal is

- a) 1.66×10^4 IU b) 60 IU c) 610^7 IU d) 10^6 IU

(GATE 2012 BT)

18) Identify the statement that is NOT applicable to an enzyme catalyzed reaction.

- a) Enzyme catalysis involves propinquity effects
 b) The binding of substrate to the active site causes a strain in the substrate
 c) Enzymes do not accelerate the rate of reverse reaction
 d) Enzyme catalysis involves acid-base chemistry

(GATE 2012 BT)

19) An example of a derived protein structure database is

- a) Pfam b) SCOP c) GEO d) Prosite

(GATE 2012 BT)

20) An example of a program for constructing a phylogenetic tree is

- a) phylip b) phrap c) prodom d) PHDsec

(GATE 2012 BT)

21) Synteny refers to

- a) gene duplication from a common ancestor c) the extent of similarity between two sequences
 b) a tree representation of related sequences d) local conservation of gene order

(GATE 2012 BT)

22) While searching a database for similar sequences, E value does NOT depend on the

- a) sequence length
 b) number of sequences in the database
 c) scoring system
 d) probability from a normal distribution

(GATE 2012 BT)

23) In transmission electron microscopy, electron opacity is greatly enhanced by treating the specimen with

- a) ferrous ammonium sulfate c) sodium chloride
 b) uranium acetate d) basic fuchsin

(GATE 2012 BT)

24) The molarity of water in a water : ethanol mixture (15 : 85, v/v) is approximately

- a) 0.85 b) 5.55 c) 8.5 d) 55.5

(GATE 2012 BT)

25) The helix content of a protein can be determined using

- a) an infrared spectrometer
 b) a fluorescence spectrometer
 c) a circular dichroism spectrometer
 d) a UV-Visible spectrophotometer

(GATE 2012 BT)

II. Q. 26 TO Q. 55 CARRY TWO MARKS EACH.

26) Which one of the following DNA sequences carries an invert repeat?

- a) ATGAGCCCCGAGTA TACTCGGGGCTCAT
 b) ATGAGCCGAGCCTA ACTCGGCTCGGAT
 c) ATGAGCCGGCTCTA TACTCGGCCGAGAT
 d) ATGAGCCTATGGTA TACTCGGATACCAT

27) In zinc finger proteins, the amino acid residues that coordinate zinc are

- a) Cys and His b) Asp and Glu c) Arg and Lys d) Asp and Arg

(GATE 2012 BT)

28) Match the entries in Group I with those in Group II.

Group I	Group II
P. MTT 1.	Dihydrofolate reductase
Q. Annexin V	2. Succinate dehydrogenase
R. Methotrexate	3. Microtubules
S. Taxol	4. Phosphatidylserine

- a) P-3, Q-1, R-4, S-2 b) P-2, Q-4, R-1, S-3 c) P-2, Q-3, R-4, S-1 d) P-4, Q-2, R-1, S-3

(GATE 2012 BT)

29) In an exponentially growing batch culture of *Saccharomyces cerevisiae*, the cell density is 20 g l^{-1} (*DCW*), the specific growth rate (μ) is 0.4 h^{-1} and substrate uptake rate (μ) is $16 \text{ g l}^{-1} \text{ h}^{-1}$. The cell yield coefficient $Y_{x/s}$ will be

- a) 0.32 b) 0.64 c) 0.80 d) 0.50

(GATE 2012 BT)

30) A single base pair of DNA weighs 1.110^{-21} grams. How many picomoles of a plasmid vector of length 2750 bp are contained in $1 \mu\text{g}$ of purified DNA?

- a) 0.30 b) 0.55 c) 0.25 d) 0.91

(GATE 2012 BT)

31) Match the terms in Group I with the ploidy in Group II.

Group I	Group II
P. Disome	1. $2n + 1$
Q. Monosome	2. $2n - 1$
R. Nullisome	3. $n - 1$
S. Trisome	4. $n + 1$

- a) P-4, Q-2, R-3, S-1 c) P-2, Q-3, R-4, S-1
 b) P-4, Q-3, R-1, S-2 d) P-1, Q-4, R-3, S-2

(GATE 2012 BT)

32) What is the rank of the following matrix?

$$A = \begin{pmatrix} 5 & 3 & -1 \\ 6 & 2 & -4 \\ 14 & 10 & 0 \end{pmatrix}$$

33) Match the products in Group I with the applications in Group II.

Group I	Group II
P. Digoxin	1. Muscle relaxant
Q. Stevioside	2. Anti-cancer agent
R. Atropine	3. Cardiovascular disorder
S. Vinblastine	4. Sweetener

a) P-1, Q-4, R-3, S-2

c) P-3, Q-4, R-1, S-2

b) P-3, Q-2, R-1, S-4

d) P-2, Q-3, R-1, S-4

(GATE 2012 BT)

34) Determine the correctness or otherwise of the following Assertion (*a*) and Reason (*r*).

Assertion: The production of secondary metabolites in plant cell cultures is enhanced by the addition of elicitors.

Reason: Elicitors induce the expression of enzymes responsible for the biosynthesis of secondary metabolites.

a) Both (*a*) and (*r*) are true but (*r*) is not the correct reason for (*a*)

b) Both (*a*) and (*r*) are true and (*r*) is the correct reason for (*a*)

c) (*a*) is true but (*r*) is false

d) (*a*) is false but (*r*) is true

35) Determine the correctness or otherwise of the following Assertion (*a*) and Reason (*r*).

Assertion: Plants convert fatty acids into glucose.

Reason: Plants have peroxisomes.

a) Both (*a*) and (*r*) are true but (*r*) is not the correct reason for (*a*)

b) Both (*a*) and (*r*) are true and (*r*) is the correct reason for (*a*)

c) (*a*) is true but (*r*) is false

d) (*a*) is false but (*r*) is true

36) Determine the correctness or otherwise of the following Assertion (*a*) and Reason (*r*).

Assertion: In direct somatic embryogenesis, embryos are developed without going through callus formation.

Reason: This is possible due to the presence of pre-embryonically determined cells.

a) Both (*a*) and (*r*) are true but (*r*) is not the correct reason for (*a*)

b) (*a*) is false but (*r*) is true

c) (*a*) is true but (*r*) is false

d) Both (*a*) and (*r*) are true and (*r*) is the correct reason for (*a*)

37) Match the entries in Group I with the process parameters in Group II.

Group I	Group II
P. Clark electrode	1. Liquid level
Q. Redox probe	2. Dissolved oxygen concentration
R. Load cell	3. Vessel pressure
S. Diaphragm gauge	4. pH (anaerobic process)

- a) P-2, Q-1, R-3, S-4
b) P-4, Q-2, R-3, S-1

- c) P-2, Q-4, R-1, S-3
d) P-2, Q-1, R-4, S-3

(GATE 2012 BT)

38) Match the downstream processes in Group I with the products in Group II.

Group I
P. Solvent extraction
Q. Protein-A linked affinity chromatography
R. Extractive distillation
S. Salting out

Group II
1. Lactic acid
2. Penicillin
3. Monoclonal antibody
4. Lipase

- a) P-2, Q-3, R-1, S-4
b) P-4, Q-1, R-2, S-3

- c) P-4, Q-1, R-3, S-2
d) P-2, Q-4, R-1, S-3

(GATE 2012 BT)

39) Determine the correctness or otherwise of the following Assertion (*a*) and Reason (*r*).

Assertion: Cell mass yield of a methylotrophic yeast is more on methanol compared to glucose.

Reason: Methanol has a greater degree of reductance compared to glucose.

- a) Both (*a*) and (*r*) are correct and (*r*) is the correct reason for (*a*)
b) (*a*) is correct, (*r*) is false
c) (*a*) is false, (*r*) is correct
d) Both (*a*) and (*r*) are correct but (*r*) is not the correct reason for (*a*)

(GATE 2012 BT)

40) A disease is inherited by a child with a probability of $\frac{1}{4}$. In a family with two children, the probability that exactly one sibling is affected by this disease is

- a) $\frac{1}{4}$ b) $\frac{3}{8}$ c) $\frac{7}{16}$ d) $\frac{9}{16}$

(GATE 2012 BT)

41) Match the organisms in Group I with the entries in Group II.

Group I	Group II
P. Clostridium	1. Rods with teichoic acid in the cell wall
Q. Escherichia	2. Rods with endospores
R. Vibrio	3. Helical rods with flagella
S. Bacillus	4. Rods with LPS in the outer membrane
	5. Curved rods with polar flagella

- a) P-2, Q-4, R-5, S-1 b) P-2, Q-1, R-5, S-4 c) P-5, Q-4, R-2, S-3 d) P-3, Q-2, R-1, S-4

(GATE 2012 BT)

42) Match the entries in Group I with the methods of sterilization in Group II.

Group I	Group II
P. Serum	1. Autoclave
Q. Luria broth	2. Membrane filtration
R. Polypropylene tubes	3. UV irradiation
S. Biological safety cabinets	4. Gamma irradiation
	5. Dry heat

- a) P-5, Q-3, R-1, S-4 b) P-1, Q-4, R-5, S-3 c) P-2, Q-1, R-4, S-3 d) P-4, Q-1, R-3, S-5

(GATE 2012 BT)

- 43) Match the high energy compounds in Group I with the biosynthetic pathways for the molecules in Group II.

Group I	Group II
P. GTP	1. Fatty acid
Q. UTP	2. Phospholipid
R. CTP	3. Protein
S. Acyl coenzyme A	4. Peptidoglycan

- a) P-3, Q-2, R-4, S-1 b) P-2, Q-4, R-3, S-1 c) P-4, Q-3, R-1, S-2 d) P-3, Q-4, R-2, S-1

(GATE 2012 BT)

- 44) Match the vitamins in Group I with the processes/reactions in Group II.

Group I	Group II
P. Pantothenic acid	1. Electron transport
Q. Vitamin B2	2. Transfer of 1-C units
R. Vitamin B6	3. Decarboxylation
S. Folic acid	4. Fatty acid metabolism
	5. Hydrolysis

- a) P-5, Q-2, R-4, S-1 b) P-4, Q-1, R-3, S-2 c) P-4, Q-2, R-1, S-3 d) P-2, Q-1, R-3, S-5

(GATE 2012 BT)

- 45) Consider the data set 14, 18, 14, 14, 10, 29, 33, 31, 25. If you add 20 to each of the values, then





- a) both mean and variance change c) the mean is unchanged, variance changes
b) both mean and variance are unchanged d) the mean changes, the variance is unchanged

(GATE 2012 BT)

- 46) An enzymatic reaction is described by the following rate expression.

$$v = \frac{V_m S}{k_m + S + S^2/k_s}$$

Which one of the following curves represents this expression?



(GATE 2012 BT)

- 47) A bacterial culture (200 μ l containing 1.810^9 cells) was treated with an antibiotic Z (50 μ g per ml) for 4 h at 37°C. After this treatment, the culture was divided into two equal aliquots. Set A: 100 μ l was plated on Luria agar. Set B: 100 μ l was centrifuged, the cell pellet washed and plated on Luria

- 52) The molar concentration of the repressor in the cell is

- a) 0.1 nM
b) 1 nM
c) 10 nM
d) 100 nM

(GATE 2012 BT)

53) Therefore the lac-operon is

- a) repressed and can only be induced with lactose. d) expressed only when glucose and lactose are present.
b) repressed and cannot be induced with lactose.
c) not repressed.

(GATE 2012 BT)

Statement for Linked Answer Questions 54 and 55:

β Galactosidase bound to DEAE-cellulose is used to hydrolyze lactose to glucose and galactose in a plug flow bioreactor with a packed bed of volume 100 liters and a voidage (ϵ) of 0.55. The K'_m and $V'_m ax$ for the immobilized enzyme are 0.72 g l^{-1} and $18 \text{ g l}^{-1} \text{ h}^{-1}$, respectively. The lactose concentration in the feed stream is 20 g l^{-1} , and a fractional conversion of 0.90 is desired. Diffusional limitations may be ignored.

54) The residence time required for the steady state reactor operation will be

- a) 0.1 h b) 0.4 h c) 1.0 h d) 1.1 h

(GATE 2012 BT)

55) The feed flow rate required for the above bioconversion will be

- a) $50lh^{-1}$ b) $55lh^{-1}$ c) $137lh^{-1}$ d) $550lh^{-1}$

(GATE 2012 BT)

IV. GENERAL APTITUDE (GA) QUESTIONS

Q.56– Q. 60 carry one mark each.

56) The cost function for a product in a firm is given by $5q^2$, where q is the amount of production. The firm can sell the product at a market price of Rs.50 per unit. The number of units to be produced by the firm such that the profit is maximized is

- a) 5 b) 10 c) 15 d) 25

(GATE 2012 BT)

57) Choose the most appropriate alternative from the options given below to complete the following sentence:

Suresh's dog is the one_____ was hurt in the stampede.

- a) that b) which c) who d) whom

(GATE 2012 BT)

58) Choose the grammatically **INCORRECT** sentence:

- a) They gave us the money back less the service charges of Three Hundred rupees.
b) This country's expenditure is not less than that of Bangladesh.
c) The committee initially asked for a funding of Fifty Lakh rupees, but later settled for a lesser sum.
d) This country's expenditure on educational reforms is very less.

59) Which one of the following options is the closest in meaning to the word given below? **Mitigate**

- a) Diminish b) Divulge c) Dedicate d) Denote

(GATE 2012 BT)

- 60) Choose the most appropriate alternative from the options given below to complete the following sentence:

Despite several _____ the mission succeeded in its attempt to resolve the conflict.

- a) attempts b) setbacks c) meetings d) delegations

(GATE 2012 BT)

Q.61- Q. 65 carry two marks each.

- 61) **Wanted Temporary, Part-time persons for the post of Field Interviewer to conduct personal interviews to collect and collate economic data. Requirements: High School-pass, must be available for Day, Evening and Saturday work. Transportation paid, expenses reimbursed.**
Which one of the following is the best inference from the above advertisement?

- a) Gender-discriminatory c) Not designed to make the post attractive
b) Xenophobic d) Not gender-discriminatory

(GATE 2012 BT)

- 62) Given the sequence of terms, AD CG FK JP, the next term is

- a) OV c) PV
b) OW d) PW

(GATE 2012 BT)

- 63) Which of the following assertions are **CORRECT**?

P: Adding 7 to each entry in a list adds 7 to the mean of the list

Q: Adding 7 to each entry in a list adds 7 to the standard deviation of the list R: Doubling each entry in a list doubles the mean of the list

S: Doubling each entry in a list leaves the standard deviation of the list unchanged

- a) P, Q b) Q, R c) P, R d) R, S

(GATE 2012 BT)

- 64) An automobile plant contracted to buy shock absorbers from two suppliers X and Y. X supplies 60% and Y supplies 40% of the shock absorbers. All shock absorbers are subjected to a quality test. The ones that pass the quality test are considered reliable. Of X's shock absorbers, 96% are reliable. Of Y's shock absorbers, 72% are reliable.

The probability that a randomly chosen shock absorber, which is found to be reliable, is made by Y is

- a) 0.288 b) 0.334 c) 0.667 d) 0.720

(GATE 2012 BT)

- 65) A political party orders an arch for the entrance to the ground in which the annual convention is being held. The profile of the arch follows the equation $y = 2x - 0.1x^2$ where y is the height of the arch in meters. The maximum possible height of the arch is

a) 8 meters

b) 10 meters

c) 12 meters

d) 14 meters

(GATE 2012 BT)

END OF THE QUESTION PAPER