


LVV Operating Requirements Schedule

Chapter 11 LVV Certifier Error Recording & Reporting

Version 13 | Effective from 1 March 2026



Approval Record

Signed in accordance with clause 1.3(5) of the Low Volume Vehicle Code of LVVTA, on by:			
New Zealand Transport Agency		Low Volume Vehicle Technical Association	
Name	Signature	Name	Signature
	-----		-----

Amendment Record

Amendments details	Version #	Issue date	Effect date
• LVV ORS - Original Issue	Version 1	2001	2001
• LVV ORS – Amendment # 1	Version 2	1 August 2003	1 October 2003
• LVV ORS – Amendment # 2	Version 3	1 March 2005	1 April 2005
• LVV ORS – Amendment # 3	Version 4	1 February 2006	1 April 2006
• LVV ORS – Amendment # 4	Version 5	1 May 2007	1 July 2007
• LVV ORS – Amendment # 5	Version 6	1 March 2008	1 April 2008
• LVV ORS – Amendment # 6	Version 7	1 January 2010	1 February 2010
• LVV ORS – Amendment # 7	Version 8	1 March 2011	1 April 2011
• LVV ORS – Amendment # 8	Version 9	1 July 2016	1 July 2016
• LVV ORS – Amendment # 9	Version 10	1 October 2016	1 October 2016
• LVV ORS – Amendment # 10	Version 11	1 June 2017	1 June 2017
• LVV ORS Chapter 11 - Amendment # 11	Version 12	10 September 2025	1 October 2025
• LVV ORS Chapter 11 - Amendment # 12	Version 13	1 February 2026	1 March 2026
Note 1	The first ten amendment processes to the LVV ORS (Amendment #s 1-10), carried out between August 2003 and June 2017, were made to the complete ORS document. From Amendment # 11 (which is Version 12, issued 10 September 2025), amendments are carried out to individual chapters.		
Note 2	Text highlighted in grey shows amendments that have been made subsequent to the previous version of this chapter, and a grey vertical stroke to the left of the text denotes important new or changed information (which may include information which has been removed).		

About the LVV Operating Requirements Schedule

The LVV Operating Requirements Schedule (LVV ORS), and its sub-set of LVV ORS chapters (the chapters) set out the operational systems and processes which enables the LVV certification system to function effectively. Whereas the *Low Volume Vehicle Code* provides the legal platform upon which the LVV certification system operates, the LVV ORS provides robust operational systems and processes to ensure that LVV certification outcomes are consistent, fair, transparent, and of a high quality.

Author, Publisher, & Owner

This chapter is authored, published, and owned by the Low Volume Vehicle Technical Association Incorporated (LVVTA). LVVTA is an incorporated society established in 1992, that represents a group of specialist automotive organisations (in turn representing approximately 150,000 members) who are dedicated to ensuring that vehicles, when scratch-built or modified, meet the highest practicable safety standards.

The information in this chapter has stemmed from work undertaken by LVVTA founding member organisations that commenced in 1989 and has been progressively developed as an integral part of the New Zealand Government's land transport regulatory system, by agreement and in consultation with the New Zealand Transport Agency (NZTA).

As a result, the considerable experience in specialist certification management built up by LVVTA and the specialist automotive member groups over the past several decades can be of benefit to members of the New Zealand public who also wish to build or modify motor vehicles.

LVVTA's contact details are:

- Phone: +(00) 64 4 238 4343
- Email: info@lvvta.org.nz
- Postal address: P. O. Box 50-600, Porirua 5240, Wellington, New Zealand
- Website: www.lvvta.org.nz

Availability & Current Version

This chapter is printed and distributed by LVVTA, and is available to the public free of charge from the LVVTA website; www.lvvta.org.nz.

Note that printed copies of this chapter, like any other printed LVVTA documents, may have been superseded by a later version and become out of date.

Therefore, this and all other LVVTA documents should not be relied upon without first ensuring that the version number (on the right-hand side of the header above) is the current version – please visit the LVV ORS area of www.lvvta.org.nz to check that this chapter is in fact the latest version.

User's Feedback

This chapter is constantly undergoing an evolutionary development process in order to keep pace with changing trends and technology. To assist in this, LVVTA invites users of the chapter to engage in an ongoing consultation process with us by making submissions for any changes, additions, or clarifications which might improve the chapter, at any time.

Any submissions made via this rolling consultation process will be thoroughly considered, and incorporated, where appropriate, at the next available amendment opportunity.

Submissions should be made to submission@lvvta.org.nz, with the name of this chapter in the Subject line.

Legal Status & Copyright

This chapter is incorporated by reference, as an integral part of the *Low Volume Vehicle Code*, within *Land Transport Rule: Vehicle Standards Compliance 2002*.

The content of this chapter remains the property of LVVTA, and no part may be reproduced without LVVTA's written consent.

Disclaimer

LVVTA has made all reasonable efforts to provide sound and correct advice, based on the historical knowledge and best practice experiences of all parties involved in the development and production of this chapter.

However, no responsibility or liability is accepted by LVVTA for any error or omission, or any loss suffered by any person relying directly or indirectly on this chapter. Any person who builds or modifies a motor vehicle accepts that there may be some associated risks, and does so in the full knowledge of this, and accepts full responsibility for their own actions.

Contents

Subject		Page #
Purpose of this Chapter		5
Section 1 – Principles of Error Recording and Reporting		5
1.1	Introduction	5
1.2	Recording Errors	5
1.3	Reporting Errors	6
1.4	Positive effect of LVV CPRs	6
Section 2 – Error Reports		6
2.1	Introduction	6
2.2	Identifying and recording an Error	7
2.3	Determining Error type	7

2.4	Assigning Errors	7
2.5	Recording time when processing Error Reports	8
Section 3 – Error Report Summaries		8
3.1	Introduction	8
3.2	Monthly Error Report Summaries	9
3.3	Weighting and points conversion	9
3.4	Annual Error Report Summaries	9
3.5	Notification to LVV Certifiers	10
Section 4 – Error Reporting to NZTA		10
4.1	Introduction	10
4.2	LVV Certifier Performance Report	10
Section 5 – Intervention		11
5.1	Introduction	11
5.2	Referral for performance management	12
Terms & Definitions for Chapter 11		12
Appendix 1 – Sample LVV Certifier Performance Report		15

Chapter 11:

LVV Certifier Error Recording & Reporting

Purpose of this Chapter

The purpose of this LVV Operating Requirements Schedule chapter (the chapter) is to explain LVVTA's 'Error Recording' and 'Error Reporting' processes, in relation to the 'LVV File Review system' (otherwise known as desk-top auditing) which occurs prior to the activation of the LVV Electronic Data Plate (LVV EDP) fitted to a vehicle which has been LVV certified.

This chapter should be read in conjunction with *LVV ORS Chapter 9: Submission of LVV Certification Files*, *LVV ORS Chapter 10: LVV File Review System*, *LVV ORS Chapter 12: LVV Certification Plates & Labels*, and *LVV ORS Chapter 13: LVV Complaint & Performance Management*.

Italics are used throughout this chapter when referencing 'external documents' that are not part of this chapter.

Section 1 Principles of Error Recording and Reporting

1.1 Introduction

LVV ORS Chapter 10: LVV File Review System explains the desk-top auditing process (applied to the *LVV Certification Files* received from the LVV Certifiers) which is used to provide everyday-oversight of the decisions of the LVV Certifiers, and explains how LVVTA supports the LVV Certifiers through the associated coaching which goes hand-in-hand with the LVV File Review system.

The information gained through the application of the LVV File Review system has led to the establishment of 'Error Recording' and 'Error Reporting' systems.

If an LVV Certifier fails to meet a technical or operational requirement, this is referred to as an 'Error'. The Error Recording system, which has been in operation since 2010, records any Errors found within an *LVV Certification File* submitted by an LVV Certifier.

This system enables the tracking and measuring of each LVV Certifier's performance, from the perspective of a stand-alone performance, and also the LVV Certifier's performance in relation to other LVV Certifiers.

An associated Error Reporting system has been developed as a means of keeping the New Zealand Transport Agency (NZTA) informed of the performance of all LVV Certifiers.

There are four different types of Errors; 'Procedural', 'Technical Low', 'Technical Medium', and 'Technical High'. As the terms imply, some Errors are more serious than other Errors, and as with common sense and common law, some mistakes matter more than others.

1.2 Recording Errors

LVVTA records any Errors made by an LVV Certifier within an 'Error Report', and then the information from each Error Report is transferred into a '*Monthly Error Report Summary*'.

As part of the *Monthly Error Report Summary*, LVVTA formally notifies an LVV Certifier if an Error is recorded against them. In each case, the LVV Certifier is made aware of what the Error is, why it has been recorded, and is provided with the opportunity to discuss the matter with the LVVTA Certifier Support Officer and present their point of view if they disagree that an Error should be recorded.

An important part of the process is for LVVTA to work with the LVV Certifier in resolving the issue and upskilling the LVV Certifier for the future via 'coaching', as explained in *LVV ORS Chapter 10: LVV File Review System*.

1.3 Reporting Errors

The accumulating information from the *Monthly Error Report Summaries* track the performance progress of each LVV Certifier across a 12-month period, which, in turn, is collated each month into an LVVTA document called the '*LVV Certifier Performance Report*' – or '*LVV CPR*', as a relevant acronym for ensuring the health of the LVV certification system.

The *LVV CPR* is provided to NZTA every month, so that NZTA can maintain confidence that the LVV Certifiers are collectively working well, or where problems exist, NZTA can be made aware of such problems at an early stage.

1.4 Positive effect of LVV CPRs

The concept of recording Errors might sound like a negative process, but it can have quite the opposite effect. Certainly, if an LVV Certifier continues to make mistakes and doesn't learn from LVVTA's coaching process, or deliberately and knowingly chooses to LVV certify vehicles that are unsafe or non-compliant, the Error Recording & Reporting system will accumulate evidence against the LVV Certifier which NZTA will act upon.

Conversely however, the Error Recording & Reporting system can be a very effective tool in protecting an LVV Certifier who generally performs well.

LVVTA and NZTA recognise that as human beings, we can all make mistakes. If an LVV Certifier who normally performs well comes into question as a result of a mistake that might be made, the *Monthly Error Report Summary* will graphically and objectively demonstrate that, rather than being a poor-performing LVV Certifier, it's likely a case of a good LVV Certifier having a bad day.

LVVTA's processes also record and summarise complaints made to LVVTA about the performance of an LVV Certifier (usually in relation to service provision) by members of the public, and report on this aspect of LVV Certifier performance to NZTA.

Section 2 Error Reports

2.1 Introduction

By agreement between LVVTA and NZTA, LVVTA will keep records of any instances where an LVV Certifier has failed to meet a technical or procedural requirement identified during an LVV File Review, known as 'Error Recording'. LVV File Reviews are explained in *LVV ORS Chapter 10: LVV File Review System*.

Procedural Errors relate to filling out paperwork or following procedures, and are not usually safety related. Generally, they would not require remedial work to the vehicle being LVV certified.

However, over time, if Procedural Errors are shown to be disproportionate to the number of LVV certifications carried out by the LVV Certifier, this will need to be resolved.

A Technical Error may, depending on the Error type, have an effect on vehicle safety, and is a more serious type of Error.

An internal file is kept for each LVV Certifier, within which each Procedural Error or Technical Error identified is recorded, known as an Error Report.

2.2 Identifying and recording an Error

- 2.2(1) An LVV certification Error occurs when an LVV Certifier fails to meet a specified technical or procedural requirement, or has made a poor decision during an LVV certification inspection.
- 2.2(2) If LVVTA identifies, while carrying out an Administrative File Review or a Technical File Review of an *LVV Certification File*, that an Error has been made by an LVV Certifier, an Error Report will be opened, which will record all relevant information relating to the Error.

2.3 Determining Error type

- 2.3(1) LVVTA has developed over time, a bespoke 'LVVTA Error Rating Table' specific to LVV certification, to establish the level of risk to road safety associated with an Error identified during a File Review of an *LVV Certification File*, rated as either (see Table 11.1 – LVVTA Error Rating Table, and Notes 1 and 2 below).
- (a) a 'Procedural Error'; or
 - (b) a 'Technical Low Error'; or
 - (c) a 'Technical Medium Error'; or
 - (d) a 'Technical High Error'.

Table 11.1 - LVVTA Error Rating Table

Procedural	is where an LVV Certifier has failed to submit a required <i>LVV Base Form</i> or <i>LVV Inspection Form-set</i> , or where an LVV Certifier has failed to identify a modification.
Technical Low	is where a technical requirement has not been met, however, this will be unlikely to cause an accident or make the outcome of an accident worse.
Technical Medium	is where a technical requirement has not been met and may worsen the outcome of an accident, or where a safety-related requirement has not been met but is unlikely to cause a sudden and complete failure and will take some time, certain circumstances, fatigue, or loading to contribute to or cause a failure.
Technical High	is where a critical safety-related technical requirement has not been met, and may cause a sudden and complete failure which could cause a loss of directional control or braking control.
Note 1	A Procedural Error may, where an LVV Certifier has failed to identify a modification, be escalated to a Low, Medium, or High Technical Error, if there is a risk to vehicle safety as a result of not identifying the modification.
Note 2	A Procedural Error may be escalated to a Technical Low Error if the same Procedural Error is repeatedly made despite coaching by LVVTA.

2.4 Assigning Errors

- 2.4(1) After an Error Report is opened, LVVTA will:
- (a) record the Error, and the Error type, in the *LVVTA Online Error Tracking Form* (see Note 1 below); and
 - (b) at the first LVVTA-NZTA Technical Working Group meeting of the following month (see Notes 2 and 3 below):
 - (i) discuss each Error, taking into account all relevant factors including the complexity of the LVV certification, to confirm that the assigned Error type is fair; and

(ii) where considered necessary, apply *Table 13.1 - LVVTA Risk-assessment Matrix* to an Error, to identify any safety risk which has an 'extreme' risk rating (see Note 4 below); and

(iii) jointly agree each Error type, as specified in 2.3(1), and assign the Error to the LVV Certifier;

and

(c) give the LVV Certifier the opportunity to respond with any clarifying information, or to dispute the assigned Error type, in which case the assigned Error Type will be reconsidered (see Note 5); and

(d) once the outcome is finalised, enter each assigned Error and Error Type for the LVV Certifier into the *Monthly Error Report Summary*; and

(e) refer any Error identified as a safety risk which has an 'extreme' risk rating, as a formal complaint to NZTA (see Note 6 below).

Note 1 The *LVVTA Online Error Tracking Form* is an internal form used by LVVTA staff as part of the Error Recording and Error Reporting systems.

Note 2 Information about the LVVTA-NZTA Technical Working Group is provided in *LVV ORS Chapter 15: LVVTA Committees and Working Groups*, which is available to the public electronically, free of charge, from the LVVTA website www.lvvta.org.nz

Note 3 The involvement of NZTA at these regular LVVTA-NZTA Technical Working Group meetings ensures that NZTA is involved in the decisions relating to assigning Error types, and ensures that LVVTA's process is always fair and transparent.

Note 4 Information about the LVVTA Risk-assessment Matrix (primarily used for dealing with complaints about an LVV Certifier or an LVV certified vehicle) is provided in *LVV ORS Chapter 13: LVV Complaint & Performance Management*, which is available to the public electronically, free of charge, from the LVVTA website www.lvvta.org.nz

Note 5 The timeframe within which the LVV Certifier should respond is five working days from the date of communicating the Error to the LVV Certifier.

Note 6 LVVTA is required by its agreement with NZTA to refer any safety risk which has an 'extreme' risk rating to NZTA, as detailed in 'Section 11 – Escalation to NZTA' in *LVV ORS Chapter 13: LVV Complaint & Performance Management*, which is available to the public electronically, free of charge, from the LVVTA website www.lvvta.org.nz

2.5 Recording time when processing Error Reports

2.5(1) LVVTA will record the time taken to open and complete the Error Report, including the process of working with the LVV Certifier to oversee the remedial work when it is required to be undertaken on the vehicle being LVV certified (see Note 1 below).

Note 1 In most cases the LVV Certifier will accept when an Error has occurred and will work with LVVTA technical staff to ensure that minimal time is spent dealing with the issue. However this process can become much more difficult and time-consuming if the LVV Certifier chooses to engage in an unjustified debate, or proposes unacceptable solutions to the problems that have been raised, causing time delays, or added costs.

Section 3 Error Report Summaries

3.1 Introduction

An Error Recording system provides a very clear window into the overall performance of each LVV Certifier, and shows at a glance how each LVV Certifier is performing in relation to all other LVV Certifiers.

The Error Recording system is based on formulas which take into account many operational factors, so as to remove any potential for subjectivity to be applied when considering an LVV Certifier's performance. The system provides a transparent process of recording all LVV Certifiers' Errors in such a way that all LVV Certifiers are treated equally and fairly.

The process of recording Errors takes many factors into consideration, so as to provide a real-world indication of the level of safety risk presented by each LVV Certifier, and ensures a fair outcome each time an Error is assigned.

3.2 Monthly Error Report Summaries

- 3.2(1) The information recorded within each completed Error Report issued to each LVV Certifier, as specified in section 2, is entered into the Error Tracking system, which captures all Errors made by LVV Certifiers.
- 3.2(2) The information recorded within the Error Tracking system is, at the end of each month, collated into a *Monthly Error Report Summary*, which provides, via graphical representation, the number of Procedural Errors, Technical Low Errors, Technical Medium Errors, and Technical High Errors made by each LVV Certifier.

3.3 Weighting and points conversion

- 3.3(1) Within the *Monthly Error Report Summary*, to ensure that each LVV Certifier is assessed fairly in terms of the seriousness of Errors made, a mathematical weighting formula is applied to each Error, which will take into account (see Note 1 below):
- (a) the number of LVV certifications carried out by the LVV Certifier; and
 - (b) the seriousness of the Error made.

Note 1 Although not 'weighted', the complexity of the type of LVV certification being undertaken is also taken into account. This is because an LVV Certifier who engages in very complex and diverse LVV certification work has a greater opportunity for making an Error than an LVV Certifier who does comparatively straight-forward LVV certification work - and so the LVV Certifier who engages in the more complex aspects of LVV certification must not be disadvantaged for doing so.

- 3.3(2) To enable a clear comparison to be made between each LVV Certifier's ongoing performance, a points system is applied to each Error made by each LVV Certifier, by applying the following formula to the *Monthly Error Report Summary* (see Note 1 below):
- (a) eight Procedural Errors equal one point; and
 - (b) four Technical Low Errors equal one point; and
 - (c) two Technical Medium Errors equal one point; and
 - (d) one Technical High Error equals one point.

Note 1 The points recorded against an LVV Certifier under the system specified in 3.3(2) are divided by the number of certifications that the LVV Certifier has completed over the preceding 12-month period.

3.4 Annual Error Report Summaries

- 3.4(1) The information recorded in the *Monthly Error Report Summary* as specified in 3.2, and weighted and converted as specified in 3.3, is collated into a continuously updated and rolling *Annual Error Report Summary*, in order to provide an overall picture of each LVV Certifier's performance over the previous 12-month period.
- 3.4(2) The information contained in the *Annual Error Report Summary* will provide (see Note 1 below):

- (a) information about each LVV Certifier's performance in respect of Error volume and seriousness; and
- (b) information about each LVV Certifier's performance relative to all other LVV Certifiers; and
- (c) useful background information on an LVV Certifier's performance history and level of competence, to assist in the process of considering a complaint of a more serious nature; and
- (d) information to assist NZTA Certification Officers in the application of their NZTA Performance Review System assessments.

Note 1 By providing a longer-term record of an LVV Certifier's performance, the *Annual Error Report Summary* effectively creates a 'flattened curve', which is typically more representative of an LVV Certifier's overall performance and competence. Longer-term information like this can prevent a highly competent LVV Certifier who may have had a number of Errors recorded within a short space of time from featuring as a poor-performer.

3.5 Notification to LVV Certifiers

3.5(1) LVVTA will inform each LVV Certifier periodically, and upon request, of:

- (a) the total number of *Error Reports* that are on file for the LVV Certifier; and
- (b) where the LVV Certifier is positioned in relation to all other LVV Certifiers.

Section 4 Error Reporting to NZTA

4.1 Introduction

The information about Errors made by LVV Certifiers is, each month, presented to NZTA within a formal document known as the *Certifier Performance Report (LVV CPR)*. The monthly *LVV CPRs* are provided to specified NZTA management personnel, and to NZTA Certification Officers to support them in applying NZTA's Performance Review System to the LVV Certifiers.

4.2 LVV Certifier Performance Report

4.2(1) From the information recorded within the Error Tracking system, *Monthly Error Report Summaries*, and *Annual Error Report Summaries*, LVVTA will provide to NZTA, each month, an *LVV CPR* (see Note 1 below).

Note 1 A sample of the *LVV CPR* is provided in Appendix 1 at the back of this chapter.

4.2(2) The information contained within each *LVV CPR*, will include, for the preceding month (see Notes 1 and 2 below):

- (a) the number of LVV certifications carried out by each LVV Certifier; and
- (b) the number of Administrative File Reviews undertaken by LVVTA; and
- (c) the number of Technical File Reviews undertaken by LVVTA; and
- (d) the 'trigger' for each Technical File Review; and
- (e) the number of LVV certifications found to contain Errors; and

- (f) the breakdown of Procedural Errors, Technical Low Errors, Technical Medium Errors, and Technical High Errors recorded for each LVV Certifier; and
- (g) each LVV Certifier's individual performance; and
- (h) the overall performance of all LVV Certifiers; and
- (i) which LVV Certifiers consumed the most time in dealing with Errors.

Note 1 Information about Administrative File Reviews and Technical File Reviews, as referred to in 4.2(2)(b) and (c), can be found in *LVV ORS Chapter 10: LVV File Review System*, which is available to the public electronically, free of charge, from the LVVTA website www.lvvta.org.nz

Note 2 Information about 'triggers' for Technical File Reviews, as referred to in 4.2(2)(d), can be found in *LVV ORS Chapter 10: LVV File Review System*, which is available to the public electronically, free of charge, from the LVVTA website www.lvvta.org.nz

4.2(3) In addition to the monthly information contained within each *LVV CPR* for the preceding month as detailed in 4.2(2), the *LVV CPR* will also include, for the preceding 12-month period:

- (a) the number of LVV certifications carried out by each LVV Certifier; and
- (b) the number of LVV certifications found to contain Errors; and
- (c) each LVV Certifier's individual performance; and
- (d) the overall performance of all LVV Certifiers; and
- (e) which LVV Certifiers consumed the most time in dealing with Errors.

4.2(4) In addition to the information contained within each *LVV CPR* for the preceding month and preceding 12-month period as detailed in 4.2(2) and 4.2(3), the *LVV CPR* will also include:

- (a) all customer complaints about LVV Certifiers for the preceding month, including details and outcomes for each complaint; and
- (b) a rolling record of all customer complaints about LVV Certifiers for the preceding 12-month period; and
- (c) a rolling record of the types of customer complaints made against LVV Certifiers for the preceding 12-month period.

4.2(5) In addition to the information referred to in 4.2(2) to 4.2(4), LVVTA will, where an LVV Certifier presents an on-going risk to vehicle safety and to the reputation of the LVV certification system, make that information clear to NZTA within the *LVV CPR*.

Section 5 Intervention

5.1 Introduction

Where an LVV Certifier is making Errors on a regular basis, especially when the Errors introduce a high level of safety risk, it becomes necessary for the safety of the public, for intervention to occur to help the LVV Certifier understand the issues, and return to performing at a consistently high standard.

LVVTA has a number of performance management processes which can be applied in such situations.

5.2 Referral for performance management

5.2(1) Where an LVV Certifier features disproportionately within LVVTA's *LVV Certifier Error Report Summaries*, or is considered to be a high-risk LVV Certifier, LVVTA will (see Note 1 below):

- (a) seek agreement from NZTA to apply an appropriate intervention to help the LVV Certifier achieve the expected standard of performance; and
- (b) work directly with the LVV Certifier by applying one or more of LVVTA's 'performance management' processes specified in *LVV ORS Chapter 13: LVV Complaint & Performance Management* (see Note 2 below).

Note 1 Falling into the 'red zone' of the *LVVTA Error Report Summary*, particularly for a sustained period, is a strong indicator that an LVV Certifier is 'featuring disproportionately' and is a 'high-risk' LVV Certifier.

Note 2 *LVV ORS Chapter 13: LVV Complaint & Performance Management* is available to the public electronically, free of charge, from the LVVTA website www.lvvta.org.nz

Terms & Definitions for Chapter 11


Applicable requirements	means any technical or operational requirement referred to in the <i>LVV Code</i> which an LVV must comply with in order to be approved for LVV certification.
Inspection	means the vehicle inspection process specified in <i>section 2.4, 2.5, and 2.6</i> of the <i>LVV Code</i> , carried out by an LVV Certifier during the LVV certification of a low volume vehicle.
LVV	(Low Volume Vehicle) means, in simple terms, vehicles which are modified or scratch-built in small numbers, and includes individually modified or scratch-built vehicles. The full definition of an LVV is contained in the <i>LVV Code</i> .
LVV Base Forms	(Low Volume Vehicle Base Forms) means the set of Forms used by an LVV Certifier as part of their inspection of an LVV which are common to all LVV certifications.
LVV Certification	(Low Volume Vehicle Certification) means the process specified by the <i>LVV Code</i> , by which the design of an LVV is determined to comply with any applicable requirements, and, in recognition of which, an LVV EDP is affixed.
LVV Certification File	(Low Volume Vehicle Certification File) means the set of documents, including the <i>LVV Base Forms</i> , <i>LVV Inspection Form-sets</i> , supporting information, and photographic record, which an LVV Certifier is required to collate during an LVV certification inspection process, and submit to LVVTA upon completion.
LVV Certifier	(Low Volume Vehicle Certifier) means a person appointed by NZTA under the provisions of <i>Land Transport Rule: Vehicle Standards Compliance 2002</i> , to carry out certification of modified and scratch-built LVVs, as specified by <i>Part 2</i> of the <i>LVV Code</i> .
LVV Certify	(Low Volume Vehicle Certify) means the same as LVV certification.
LVV Code	(Low Volume Vehicle Code or the Code) means an LVVTA document which is incorporated by reference into the <i>Land Transport Rule: Vehicle Standards Compliance 2002</i> , and all applicable individual <i>Land Transport equipment rules</i> , that provides the legal framework to enable the LVV certification of modified and scratch-built LVVs in New Zealand.

LVV CPR	(LVV Certifier Performance Report) means the reporting document that LVVTA uses to report the individual and overall performance of the LVV Certifiers to NZTA each month.
LVV EDP	(Low Volume Vehicle Electronic Data Plate) is an RFID tag, in use from February 2021, fitted to an LVV upon completion of the LVV certification process, which when scanned by an NFC-capable device, displays details and photographs of the modifications and construction features on the LVV to which it is affixed.
LVV File Review System	(Low Volume Vehicle File Review System) means a comprehensive desk-top auditing process applied by LVVTA to a specified percentage of <i>LVV Certification Files</i> submitted by LVV Certifiers, upon completion of their LVV certifications, as an additional step in ensuring safety and compliance of LVVs.
LVV Inspection Form-set	(Low Volume Vehicle Inspection Form-set or LVV Form-set) means the check-sheets used by an LVV Certifier to guide and record their inspection of an LVV, and confirm compliance with applicable requirements.
LVV ORS	(Low Volume Vehicle Operating Requirements Schedule or ORS) means the document, incorporated by reference under the <i>LVV Code</i> , which provides LVVTA's operational processes and systems necessary to meet applicable requirements. The <i>LVV ORS</i> sets out the obligations and responsibilities of LVVTA, and the LVV Certifiers.
LVVTA	(Low Volume Vehicle Technical Association) is an incorporated society comprised of specialist vehicle associations. Established in 1992, its objectives are to represent the interests of vehicle modifiers and builders in New Zealand, and to ensure high safety standards for modified and scratch-built LVVs. The LVVTA owns and administers the <i>LVV Code</i> .
Modification	is defined in <i>Land Transport Rule: Vehicle Standards Compliance 2002</i>) to change a vehicle from its original state by altering, substituting, adding or removing any structure, system, component or equipment, but does not include repair. 'Modified' and 'modification' have corresponding meanings.
NFC	(Near Field Communication) means a short-range wireless technology, typically requiring a distance of 40 mm or less to initiate a contact.
NZTA	(New Zealand Transport Agency) is a Crown entity responsible for managing New Zealand's land transport system.
PRS	(Performance Review System) is the quality management monitoring tool used by NZTA to measure the performance of all certifiers, including LVV Certifiers.
Remedial work	means any additional work required of an LVV, as a consequence of the LVV File Review System and LVVTA's associated coaching provided to an LVV Certifier, in order to remediate the LVV into a condition where it meets the applicable requirements.
RFID	(Radio Frequency Identification) is a technology which uses electromagnetic fields to automatically identify and track tags attached to objects. These tags link to electronically stored information, which can be accessed using RFID readers.
Scratch-built (LVV)	means, in simple terms, an LVV which has been individually constructed from unrelated components, or a mass-produced vehicle which has been modified to such an extent that it can no longer be considered to be a modified mass-produced vehicle. The full legal definition of a scratch-built LVV is currently under review, and will be incorporated within the <i>LVV Code</i> once revised.

TWG

(**Technical Working Group**) is a working group involving LVVTA and NZTA technical staff, which meets regularly to focus on day-to-day technical issues, challenges, and problems relating to the LVV certification system.

Appendix 1 – Sample LVV Certifier Performance Report



5 REFERENCES

For detailed information relating to the Error Reporting described in this LVV Certifier Performance Report, please refer to the LVV Certifier Performance Report References on the following page.