

```

===== MainActivity.kt =====

package com.example.laboratory5

import android.content.res.Configuration
import android.os.Bundle
import android.widget.FrameLayout
import androidx.activity.compose.setContent
import androidx.compose.foundation.layout.*
import androidx.compose.material3.Button
import androidx.compose.material3.Text
import androidx.compose.runtime.Composable
import androidx.compose.ui.Modifier
import androidx.compose.ui.platform.LocalConfiguration
import androidx.compose.ui.res.stringResource
import androidx.compose.ui.unit.dp
import androidx.compose.ui.viewinterop.AndroidView
import androidx.fragment.app.FragmentActivity
import androidx.fragment.app.commit

class MainActivity : FragmentActivity() // Inherits from FragmentActivity
{
    override fun onCreate(savedInstanceState: Bundle?)
    {
        super.onCreate(savedInstanceState)
        setContent{
            MainScreen(onSwitchFragment = { id -> switchFragment(id) })
        }
    }

    private fun switchFragment(id: Int)
    {
        // CHANGE FRAGMENT 1/2
        val fragment = if (id == 1) Fragment1() else Fragment2()
        supportFragmentManager.commit {
            replace(R.id.fragment_container, fragment)
            setReorderingAllowed(true)
        }
    }
}

// landscape or portrait
@Composable
fun MainScreen(onSwitchFragment: (Int) -> Unit)
{
    val config = LocalConfiguration.current

    if (config.orientation == Configuration.ORIENTATION_LANDSCAPE)
        LandscapeLayout(onSwitchFragment) // landscape
    else
        PortraitLayout(onSwitchFragment) // portrait
}

```

```

@Composable
fun PortraitLayout(onSwitchFragment: (Int) -> Unit)
{
    Column(modifier = Modifier.fillMaxSize().padding(16.dp))
    {
        AndroidView(
            factory = { context -> FrameLayout(context).apply { id =
R.id.fragment_container } },
            modifier = Modifier.weight(1f).fillMaxWidth()
        )
        Spacer(modifier = Modifier.height(8.dp))
        Button(onClick = { onSwitchFragment(1) }, modifier =
Modifier.fillMaxWidth())
        {
            Text(stringResource(R.string.btn_fragment_1))
        }
        Button(onClick = { onSwitchFragment(2) }, modifier =
Modifier.fillMaxWidth())
        {
            Text(stringResource(R.string.btn_fragment_2))
        }
    }
}

```

```

@Composable
fun LandscapeLayout(onSwitchFragment: (Int) -> Unit)
{
    Row(modifier = Modifier.fillMaxSize().padding(16.dp))
    {
        AndroidView(
            factory = { context -> FrameLayout(context).apply { id =
R.id.fragment_container } },
            modifier = Modifier.weight(1f).fillMaxHeight()
        )
        Column(modifier = Modifier.width(200.dp).padding(start = 16.dp)) {
            Button(onClick = { onSwitchFragment(1) }) {
Text(stringResource(R.string.btn_fragment_1)) }
            Button(onClick = { onSwitchFragment(2) }) {
Text(stringResource(R.string.btn_fragment_2)) }
        }
    }
}

```

=====

===== Fragment1.kt =====

```
package com.example.laboratory5
```

```
import android.os.Bundle
import android.view.LayoutInflater
import android.view.View
import android.view.ViewGroup
import androidx.compose.foundation.layout.*
import androidx.compose.material3.*
import androidx.compose.ui.Alignment
import androidx.compose.ui.Modifier
import androidx.compose.ui.graphics.Color
import androidx.compose.ui.platform.ComposeView
import androidx.compose.ui.res.stringResource
import androidx.compose.ui.text.font.FontWeight
import androidx.compose.ui.unit.sp
import androidx.fragment.app.Fragment
```

```
class Fragment1 : Fragment()
{
    override fun onCreateView(
        inflater: LayoutInflater,
        container: ViewGroup?,
        savedInstanceState: Bundle?
    ): View {
        return ComposeView(requireContext()).apply {
            setContent {
                MaterialTheme { // Material 3
                    Column( // at least 1 Column
                        modifier = Modifier.fillMaxSize(),
                        verticalArrangement = Arrangement.Center,
                        horizontalAlignment = Alignment.CenterHorizontally
                    ) {
                        Text(text = stringResource(id = R.string.content_f1)) //
                        Texte from ressources
                        Text(
                            text = stringResource(id = R.string.label_f1),
                            color = Color.Red,
                            fontSize = 24.sp,
                            fontWeight = FontWeight.Bold
                        )
                    }
                }
            }
        }
    }
}
```

```
}
```

```
=====
```

```
===== Fragment2.kt =====
```

```
package com.example.laboratory5
```

```
import android.os.Bundle
import android.view.LayoutInflater
import android.view.View
import android.view.ViewGroup
import androidx.compose.foundation.layout.*
import androidx.compose.material3.*
import androidx.compose.ui.Alignment
import androidx.compose.ui.Modifier
import androidx.compose.ui.graphics.Color
import androidx.compose.ui.platform.ComposeView
import androidx.compose.ui.res.stringResource
import androidx.compose.ui.text.font.FontWeight
import androidx.compose.ui.unit.sp
import androidx.fragment.app.Fragment
```

```
class Fragment2 : Fragment()
```

```
{
    override fun onCreateView(
        inflater: LayoutInflater,
        container: ViewGroup?,
        savedInstanceState: Bundle?
    ): View {
        return ComposeView(requireContext()).apply {
            setContent {
                MaterialTheme { // Material 3
                    Column( // at least 1 Column
                        modifier = Modifier.fillMaxSize(),
                        verticalArrangement = Arrangement.Center,
                        horizontalAlignment = Alignment.CenterHorizontally
                    ) {
                        Text(text = stringResource(id = R.string.content_f2)) //
Texte from ressources
                        Text(
                            text = stringResource(id = R.string.label_f2),
                            color = Color.Red,
                            fontSize = 24.sp,
                            fontWeight = FontWeight.Bold
                        )
                    }
                }
            }
        }
    }
}
```

```

    }
  }
}
=====

```

===== values\strings.xml =====

```

<resources>
  <string name="app_name">Laboratory4</string>
  <string name="btn_fragment_1">FRAGMENT 1</string>
  <string name="btn_fragment_2">FRAGMENT 2</string>
  <string name="content_f1">This is content of Fragment 1</string>
  <string name="content_f2">This is content of Fragment 2</string>
  <string name="label_f1">FRAGMENT 1</string>
  <string name="label_f2">FRAGMENT 2</string>
</resources>

```

=====

===== pl\strings.xml =====

```

<resources>
  <string name="app_name">Laboratory4</string>
  <string name="btn_fragment_1">FRAGMENT 1</string>
  <string name="btn_fragment_2">FRAGMENT 2</string>
  <string name="content_f1">To jest zawartość Fragmentu 1</string>
  <string name="content_f2">To jest zawartość Fragmentu 2</string>
  <string name="label_f1">FRAGMENT 1</string>
  <string name="label_f2">FRAGMENT 2</string>
</resources>

```

=====

===== ids.xml =====

```
<?xml version="1.0" encoding="utf-8"?>
<resources>
    <item name="fragment_container" type="id" />
</resources>
```

=====

===== build.gradle.kts (:app) =====

```
dependencies{
    implementation("androidx.fragment:fragment-ktx:1.6.2")
    ...
}
```

=====