

สวัสดี

สวัสดี

25/08/2021

Contents

1	สวัสดี	1
1.1	สวัสดี	1
1.2	R Markdown	3
1.3	Including Plots	3

1 สวัสดี

1.1 สวัสดี

สวัสดี

สวัสดี

สวัสดี

```
df <- data.frame(a = paste0("สวัสดี ", letters[1:5]), b = 1:5)

ggplot(df, aes(x = a, y = b)) +
  geom_point() +
  geom_text(aes(y = b + 0.2, label = a), family = "Sarabun") +
  labs(
    title = "สวัสดี",
    caption = "สวัสดี") +
  theme_bw() +
  theme(text = element_text(family = "Sarabun"))
```

```
col_names <- c("สวัสดี", "Value")

knitr::kable(df, col.names = col_names, caption = "สวัสดี")
```




Figure 1: สวัสดี

Table 1: สวัสดิ์

สวัสดิ์	Value
สวัสดิ์ a	1
สวัสดิ์ b	2
สวัสดิ์ c	3
สวัสดิ์ d	4
สวัสดิ์ e	5

1.2 R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
## speed    dist
## Min.   :4.0  Min.   : 2.00
## 1st Qu.:12.0 1st Qu.: 26.00
## Median :15.0 Median : 36.00
## Mean   :15.4 Mean   : 42.98
## 3rd Qu.:19.0 3rd Qu.: 56.00
## Max.   :25.0 Max.   :120.00
```

1.3 Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.