

Search topics, tutorials, questions and answers...

Q

HOME

HTML5

CSS3

JAVASCRIPT

JQUERY

BOOTSTRAP4

PHP7

SQL

REFERENCES

EXAMPLES

FAQ

SNIPPETS

BOOTSTRAP BASIC

Bootstrap Introduction

Bootstrap Getting Started

Bootstrap Grid System

Bootstrap Fixed Layout

Bootstrap Fluid Layout

Bootstrap Responsive Layout

Bootstrap Typography

Bootstrap Tables

Bootstrap Lists

Bootstrap List Groups

Bootstrap Forms

Bootstrap Custom Forms

Bootstrap Input Groups

Bootstrap Buttons

Bootstrap Button Groups

Bootstrap Images

Bootstrap Cards

Bootstrap Media Objects

Bootstrap Icons

Bootstrap Navs

Bootstrap Navbar

Bootstrap Breadcrumbs

Bootstrap Pagination

Bootstrap Badges

Bootstrap Progress Bars

Bootstrap Jumbotron

Bootstrap Helper Classes

BOOTSTRAP ADVANCED

Bootstrap Modals

Bootstrap Dropdowns

Bootstrap Tabs

Bootstrap Tooltips

Bootstrap Popovers

Bootstrap Alerts

Bootstrap Stateful Buttons

Bootstrap Accordion

Bootstrap Carousel

Bootstrap Typeahead

Bootstrap ScrollSpy

BOOTSTRAP EXAMPLES

Bootstrap Practice Examples

Bootstrap FAQ's Answers

BOOTSTRAP ARCHIVE

Bootstrap 3 Tutorial

Bootstrap 3 Practice Examples

ADVERTISEMENTS

WORLDQUINT UNIVERSITY

We're training t

data scientists...

Bootstrap Nav: Tabs and Pills

In this tutorial you will learn how to create Bootstrap nav components.

Bootstrap Nav Components

Bootstrap provides an easy and quick way to create basic nav components like tabs and pills which are very flexible and elegant. All the Bootstrap's nav components—tabs and pills—share the same base markup and styles through the base `.nav` class.

Creating Basic Nav with Bootstrap

You can use the Bootstrap `.nav` class to create a basic navigation menu, like this:

Example

Try this code »

1<nav class="nav">

2Home

3Profile

4Messages

5Reports

6</nav>

— The output of the above example will look something like this:

HomeProfileMessagesReports

Note:

You can use the class `.disabled` to make a link look like disabled. But, the `.disabled` class only changes the visual appearance of the link by making it gray and removing the hover effect, however the link will remain clickable unless you remove the "href" attribute.

Alignment of Nav Items

By default, navs are left-aligned, but you can easily align them to center or right using flexbox utilities.

The following example uses the class `.justify-content-center` to align nav items to center.

Example

Try this code »

1<nav class="nav justify-content-center">

2Home

3Profile

4Messages

5Reports

6</nav>

— The output of the above example will look something like this:

https://www.tutorialrepublic.com/twitter-bootstrap-tutorial/bootstrap-navs.php

1/7

Home Profile Messages Reports

Similarly, you can align nav items to right using the class `.justify-content-end`, like this:

Example

[Try this code »](#)

```
1 <nav class="nav justify-content-end">
2   <a href="#" class="nav-item nav-link active">Home</a>
3   <a href="#" class="nav-item nav-link">Profile</a>
4   <a href="#" class="nav-item nav-link">Messages</a>
5   <a href="#" class="nav-item nav-link disabled" tabindex="-1">Reports</a>
6 </nav>
```

— The output of the above example will look something like this:

Home Profile Messages Reports

Moreover, you can even vertically stack your nav items by changing the flex item direction with the class `.flex-column`, as demonstrated in the following example:

Example

[Try this code »](#)

```
1 <nav class="nav flex-column">
2   <a href="#" class="nav-item nav-link active">Home</a>
3   <a href="#" class="nav-item nav-link">Profile</a>
4   <a href="#" class="nav-item nav-link">Messages</a>
5   <a href="#" class="nav-item nav-link disabled" tabindex="-1">Reports</a>
6 </nav>
```

— The output of the above example will look something like this:

Home
Profile
Messages
Reports

Creating the Basic Tabs

Simply, add the class `.nav-tabs` to the basic nav to generate a tabbed navigation, like this:

Example

[Try this code »](#)

```
1 <nav class="nav nav-tabs">
2   <a href="#" class="nav-item nav-link active">Home</a>
3   <a href="#" class="nav-item nav-link">Profile</a>
4   <a href="#" class="nav-item nav-link">Messages</a>
5   <a href="#" class="nav-item nav-link disabled" tabindex="-1">Reports</a>
6 </nav>
```


— The output of the above example will look something like this:

Home Profile Messages Reports

You can also add icons to your tab items to make it more attractive, as shown here:

Example	Try this code »
<pre>1 <nav class="nav nav-tabs"> 2 3 <i class="fa fa-home"></i> Home 4 5 6 <i class="fa fa-user"></i> Profile 7 8 9 <i class="fa fa-envelope"></i> Messages 10 11 12 <i class="fa fa-line-chart"></i> Reports 13 14 </nav></pre>	

— The output of the above example will look something like this:




Creating the Pills Nav

Similarly, you can create pill based navigation by adding the class `.nav-pills` on the basic nav instead of class `.nav-tabs` , as shown in the following example:

Example	Try this code »
<pre>1 <nav class="nav nav-pills"> 2 Home 3 Profile 4 Messages 5 Reports 6 </nav></pre>	


— The output of the above example will look something like this:



Similarly, like nav tabs you can also add icons to your pills nav to make it more attractive:

Example	Try this code »
<pre>1 <nav class="nav nav-pills"> 2 3 <i class="fa fa-home"></i> Home 4 5 6 <i class="fa fa-user"></i> Profile 7 8 9 <i class="fa fa-envelope"></i> Messages 10 11 12 <i class="fa fa-line-chart"></i> Reports 13 14 </nav></pre>	


— The output of the above example will look something like this:



Additionally, you can apply the class `.flex-column` on the `.nav` element to make the pills nav appear vertically stacked, as shown in the following example:

Example	Try this code »
<pre> 1 <nav class="nav nav-pills flex-column"> 2 3 <i class="fa fa-home"></i> Home 4 5 6 <i class="fa fa-user"></i> Profile 7 8 9 <i class="fa fa-envelope"></i> Messages 10 11 12 <i class="fa fa-line-chart"></i> Reports 13 14 </nav> </pre>	

— The output of the above example will look something like this:



Bootstrap Tabs and Pills Nav with Dropdown Menus

You can add dropdown menus to a link inside tabs and pills nav with a little extra markup.

The four CSS classes `.dropdown`, `.dropdown-toggle`, `.dropdown-menu` and `.dropdown-item` are required in addition to the `.nav`, `.nav-tabs` or `.nav-pills` classes to create a simple dropdown menu inside the nav without using any JavaScript code.


Creating Tabs with Dropdowns

The following example will show you how to add simple dropdown menus to a tab.

Example	Try this code »
<pre> 1 <nav class="nav nav-tabs"> 2 Home 3 Profile 4 <div class="nav-item dropdown"> 5 Messages 6 <div class="dropdown-menu"> 7 Inbox 8 Sent 9 Drafts 10 </div> </pre>	

```
11     </div>
12     <a href="#" class="nav-item nav-link disabled" tabindex="-1">Reports</a>
13 </nav>
```

— The output of the above example will look something like this:



Creating Pills with Dropdowns


The following example will show you how to add simple dropdown menus to a pill nav.

Example

[Try this code »](#)

```
1 <nav class="nav nav-pills">
2   <a href="#" class="nav-item nav-link active">Home</a>
3   <a href="#" class="nav-item nav-link">Profile</a>
4   <div class="nav-item dropdown">
5     <a href="#" class="nav-link dropdown-toggle" data-
toggle="dropdown">Messages</a>
6     <div class="dropdown-menu">
7       <a href="#" class="dropdown-item">Inbox</a>
8       <a href="#" class="dropdown-item">Sent</a>
9       <a href="#" class="dropdown-item">Drafts</a>
10    </div>
11  </div>
12  <a href="#" class="nav-item nav-link disabled" tabindex="-1">Reports</a>
13 </nav>
```

— The output of the above example will look something like this:



You will learn more about dropdown menus later in [Bootstrap dropdowns](#) chapter.

Fill and Justify Nav Component


You can force your nav items to extend and proportionately fill all available width using the class `.nav-fill` on the `.nav` element. In the following example all horizontal space is occupied by the nav items, but every nav item doesn't have the same width.

Example

[Try this code »](#)

```
1 <nav class="nav nav-pills nav-fill">
2   <a href="#" class="nav-item nav-link">Home</a>
3   <a href="#" class="nav-item nav-link">About</a>
4   <a href="#" class="nav-item nav-link active">Explore Products</a>
5   <a href="#" class="nav-item nav-link">Contact Us</a>
6 </nav>
```


— The output of the above example will look something like this:



Alternatively, you can use the class `.nav-justified` instead of `.nav-fill`, if you want nav that fills all horizontal space as well as every nav item has the same width.

Example	Try this code »
<pre> 1 <nav class="nav nav-pills nav-justified"> 2 Home 3 About 4 Explore Products 5 Contact Us 6 </nav> </pre>	

— The output of the above example will look something like this:



« PREVIOUS PAGE

NEXT PAGE »

ADVERTISEMENTS

Bootstrap Code Snippets

Free ready to use UI design elements, templates and code snippets

[Browse Snippets](#)



Is this website helpful to you? Please give us a like, or share your feedback to help us improve. Connect with us on Facebook and Twitter for more updates.

ABOUT US

Our Story
Terms of Use
Privacy Policy

CONTACT

Contact Us
Report Error
Advertise

INTERACTIVE TOOLS

Title & Meta Length Calculator
Bootstrap Button Generator
SQL Playground
HTML Formatter
HTML Color Picker
HTML Editor



