
Développer un chatbot pour réserver des vacances

Problématiques metier

- Réalisation d'un premier MVP
- Utilisation de données extérieures
- Récupérer les informations des conversations
- Surveiller les performances
- Lancer des alertes
- Réentrainer (avec une chaine d'intégration)

Les données

- Conversation créée pour avoir des dialogues enregistrés
- Slack bot avec 12 humains sur 20 jours: 1369 dialogues




Le modèle: Conversational Language Understanding

\circ	Intents ↑ ∨	Labeled utterances \vee	Entities used with this intent \vee
\circ	BookFlight	4138	destination, origin, go_date, budget, back_date
	None	0	

\circ	Entities ↑ ∨	Labeled in uttera ∨	Used in intents ∨	Entity components \vee
\bigcirc	back_date	604	BookFlight	Learned, Prebuilt
\bigcirc	budget	861	BookFlight	Learned, Prebuilt
\bigcirc	destination	2435	BookFlight	Learned, Prebuilt
\bigcirc	go_date	963	BookFlight	Learned, Prebuilt
\bigcirc	origin	1627	BookFlight	Learned, Prebuilt


Entrainement du modèle




Résultats

Entity performance metrics							
Entity name ∨	Precision % ∨	Recall % ∨	F1 score ∨				
destination	93.69	80.85	0.868				
budget	74.85	70.93	0.728				
origin	80.38	90.77	0.853				
go_date	82.13	88.54	0.852				
back_date	87.83	84.17	0.86				


Web app de chat de réservation de vols




Intégration continue et tests unitaires




Interface de chat



Surveillance des performances et historique





Mise à jour du modèle


• Scripts automatisés : entrainement, déploiement, tests unitaires

```
[CREATE-UTTERANCES]: Load variables...
[CREATE-UTTERANCES]: Read raw data...
[CREATE-UTTERANCES]: Extract turns from raw data...
[CREATE-UTTERANCES]: Create utterances...
[CREATE-UTTERANCES]: All utterances number: 10407
[CREATE-UTTERANCES]: Filter utterances...
[CREATE-UTTERANCES]: Filtered utterances number: 10407
[CREATE-UTTERANCES]: Write utterances...
[UPLOAD-UTTERANCES]: Load variables...
[UPLOAD-UTTERANCES]: Read utterances...
[UPLOAD-UTTERANCES]: Prepare the API call...
[UPLOAD-UTTERANCES]: Making the API call...
[UPLOAD-UTTERANCES]: Waiting on Job status success...
[TRAIN-MODEL]: Load variables...
[TRAIN-MODEL]: Prepare the API call...
[TRAIN-MODEL]: Making the API call...
[TRAIN-MODEL]: Waiting on Job status success...
[TRAIN-MODEL]: Training: 0 % - Evaluation: 0 %
[TRAIN-MODEL]: Training: 100 % - Evaluation: 0 %
[TRAIN-MODEL]: Training: 100 % - Evaluation: 100 %
[GET-EVALUATION]: Load variables...
[GET-EVALUATION]: Prepare the API call...
```

Problème rencontrés

- Application Azure LUIS non disponible (changement vers le CLU)
 - => Solution: Utilisation du CLU
- Déploiement sur Azure non fonctionel
 - => Solution : Déploiement sur un VPS
- Lancement d'alertes non disponible (payement requis)
 - => Solution pour le MVP : surveillance visuelle des seuils et des historiques

Chaîne d'intégration future



Conclusions

- MVP disponible en ligne
- Avoir nos propre données
- Construire notre propre système de surveillance et d'alerte
- Collecter des retours sur les fonctionnalités du Chatbot