CO7063 / CYBER CONCEPTS AND TECHNIQUES

Combined Study Guide

Sessions 0 and 1: Module Introduction + Cybersecurity Foundations

Notes overview:

Session 0 explains how the module works, its governance/risk/compliance (GRC) context, and assessment expectations. Session 1 builds the cybersecurity vocabulary and foundational models: assets and risk, the CIA triad and DAD, threat actors, attack vectors, controls, and security standards.

Prepared from the two slides of Lecture: ***21 Oct 2026***

1. *CO7063: Cyber Concepts and Techniques .*
2. *CO7063: Foundations & Key Cybersecurity Terminology*

Document Overview:

Guide section	What you will find
1. Module at a glance	Purpose of CO7063, learning journey, learning activity and assessment requirements.
2. Governance, risk and compliance	GRC, roles in governance, and the four layers of documentation.
3. Cybersecurity foundations	Information security vs cybersecurity; the vocabulary of assets, threats, vulnerabilities, exploits and risk.
4. Security goals and attack types	CIA triad, DAD model, hacker types, Red/Blue Teams, malware and attack vectors.
5. Controls and standards	Administrative, technical and physical controls; access control; ISO 27001 and NIST CSF 2.0.
6. Applied examples and revision	WannaCry, worked scenarios, glossary, quiz questions, answers and a revision checklist.

Both sessions in one view

Session 0: Introduction to the Module	Session 1: Foundations & Key Terminology
Why the module exists: understand cyber concepts, threats, possible responses, secure systems, and GRC.	What cybersecurity protects: digital systems, networks, and data in cyberspace.
How learning is organised: lectures, group work, demos and practical workshops.	How to describe a security problem accurately using the core vocabulary.

Session 0: Introduction to the Module	Session 1: Foundations & Key Terminology
How assessment works: 40% group presentation and 60% individual portfolio.	How to think about protection: CIA goals, DAD attacks, controls and standards.
How organisations direct security: governance, policies, standards, procedures and guidelines.	How attacks happen: actor types, malware, technical/human attack vectors and vulnerabilities.

Big idea

Cybersecurity is not only about “hackers”. It combines people, processes, technology, risk decisions, and governance. Technical safeguards work best when the organisation also has clear rules, responsibilities and staff behaviour.

Session 1 learning objectives

By the end of Session 1, the slide deck says you should be able to:

- Correctly define and use the core terms threat, vulnerability, exploit and risk.
- Explain the CIA triad and how attackers try to defeat it using the DAD model.
- Identify types of hackers, malware and common attack vectors.
- Describe the three categories of security control and explain where ISO 27001 and NIST CSF fit.

Session 0 refers to learning outcomes by codes (M-COMP1, M-COMP2, etc.) when describing assessment coverage, but the uploaded slides do not provide the text definitions of those outcomes. Their meanings are therefore not expanded here.

1. Module at a glance

1.1 What CO7063 covers

The module introduces core cybersecurity concepts and techniques. The slide deck says it includes programming considered from a cybersecurity perspective, different cybersecurity threats and possible resolutions, and a fundamental introduction to implementing secure computing systems. Governance, risk assessment and compliance assessment are presented as central parts of information security (Session 0, slides 5–6).

1.2 The nine-session learning journey

Session	Topic	Plain-English focus
1	Foundations & Key Cybersecurity Terminology	Learn the vocabulary and the main security models.
2	Networking Fundamentals for Cybersecurity	Understand network ideas that support later cyber topics.
3	Programming from a Cybersecurity Perspective	Consider software and programming through a security lens.
4	Operating Systems, Linux & Access Control Security	Understand operating systems, permissions and access.
5	Technical Security Controls	Study technical mechanisms used to protect systems.
6	Threats & Social Engineering	Explore attackers and attacks that manipulate people.
7	Risk Assessment & Vulnerability Management	Assess risk and manage weaknesses.
8	Compliance, Governance & Security Auditing	Consider rules, oversight and checking security practice.
9	Cloud Computing Security	Apply security concepts to cloud systems.

1.3 Learning activity and module facts

Item	What the introduction deck states
Module code and title	CO7063 - Cyber Concepts and Techniques.
Level and credit	Level 7 (FHEQ); 20 credits (10 ECTS).
Delivery	Blended learning, Chester; catalogue slide says Autumn Term.
Expected learning hours	30 scheduled learning/teaching hours + 170 independent/guided study hours = 200 notional hours.
Teaching activities	Lectures, group work, demonstrations and practical workshops.
Weekly/term note	Another slide says about 5 hours per week over 6 weeks (Summer Term). See the note below.

Check this detail

The uploaded Session 0 slides use both “Autumn Term” (module facts slide) and “Summer Term” (structure slide). They also state 200 total notional hours while separately describing about 5 hours per week over 6 weeks. The slides do not explain how these figures fit together. Check the current Moodle page, timetable or module handbook for the applicable delivery dates and workload expectations.

2. Governance, risk and compliance (GRC)

2.1 What GRC means

GRC stands for Governance, Risk and Compliance. The introduction deck presents it as an organisation's way of handling the connections between corporate governance policies, enterprise risk management programmes, and regulatory/company compliance. In everyday words: decide who is responsible, understand what could go wrong, and meet the rules that apply (Session 0, slides 5–7).

GRC part	Plain-English meaning	Question it helps answer
Governance	The system used to direct and control security, aligning it with business goals and legal requirements.	Who decides, who is accountable, and what rules guide us?
Risk	Thinking about uncertain events that could harm valuable assets. Session 1 defines risk through likelihood and impact if a threat meets a vulnerability.	What could happen, how likely is it, and how serious would it be?
Compliance	Meeting relevant regulatory and company requirements.	Which obligations must we follow and be able to demonstrate?

2.2 Who does what in governance?

Role in the organisation	Responsibility described in the slides
Board of Directors	Oversees; sets the "risk appetite" and holds the CEO accountable.
Executive (CISO/CIO)	Acts as strategist; creates policies and allocates budget.
Management	Implements technical controls and monitors teams.
All staff	Participate by following acceptable-use policies in daily work.

Risk appetite means the level or type of risk an organisation is willing to accept. In this deck it is introduced as something set by the board; no more detailed model is given.

2.3 The four layers of security documentation

Layer	Meaning	Example used in the slide deck	How to remember it
Policy	High-level statement of intent; mandatory.	"We will protect customer data at all costs."	The rule or promise.
Standard	Specific requirement or technology.	"All laptops must use AES-256 encryption."	The required baseline.
Procedure	Step-by-step instructions for doing a task.	How to revoke a terminated employee's access.	The steps to follow.
Guideline	Recommended advice; not mandatory.	Tips for creating a strong, memorable password.	Helpful advice.

Easy memory cue

Policy = what we intend to do. Standard = the required rule. Procedure = how to do it. Guideline = recommended advice.

2.4 Assessment at a glance

Assessment	Weight	Format and coverage
Practical assessment	40%	Group presentation, 30 minutes; covers parts or all of learning outcomes 1, 3, 4 and 6; codes listed: M-COMP1, 3, 4, 6.
Coursework	60%	Individual portfolio, 2,000 words; covers parts or all of learning outcomes 1, 2, 5 and 6; codes listed: M-COMP1, 2, 5, 6.

- Submission: Moodle Turnitin.
- Referencing: APA style is required. The slides recommend using references to support claims, paraphrasing in your own understanding, and avoiding overuse of direct quotations.
- Word count: usually ±10% (check the assessment brief for the specific task).
- Marking criteria generally include knowledge and understanding, cognitive skills, practical skills, communication, referencing and presentation.
- Academic integrity: familiarise yourself with the University Academic Integrity Policy. Declare external help such as proofreading when required by the instructions.
- Turnitin originality checking is described as comparing submissions with student papers and published/online material. A viva may be used to test understanding of submitted work.

2.5 Group-work traffic-light system

The module uses a traffic-light process for concerns about a group member not contributing or engaging as expected. It is designed to give the student a chance to improve and to make individual contributions visible (Session 0, slides 15–16).

1. Amber signal: a group-appointed member raises the initial concern by email or through the group's MS Teams sub-group, copying the other members and the tutor. A concerned student may also contact the tutor privately.
2. Tutor intervention: the tutor follows up with the student to try to get the contribution back on track.
3. Red signal: if performance does not improve, a group-appointed member notifies the tutor. The tutor investigates and decides any penalty if non-performance is confirmed.
4. Timing: the slides say complaints must be raised at least 7 calendar days before the assignment deadline, and normally at least 5 calendar days must separate amber and red signals, unless there is a serious concern.
5. Penalty: the slides say a confirmed non-performing member may typically lose 50% of the group grade, with the tutor determining the penalty. Missing the group presentation without approved mitigating circumstances results in losing the entire presentation mark.

Practical lesson

Keep evidence of contributions, agree responsibilities early, communicate with teammates, and tell the tutor promptly if illness or mitigating circumstances affect participation. Verify exact rules in the current assessment brief.

3. Cybersecurity foundations

3.1 Information security vs cybersecurity

Term	Definition in plain English	Examples
Information security	Protecting information in any form - paper records, conversations or digital data. It is the broader umbrella.	Locked paper files; careful handling of confidential conversations; protecting digital records.
Cybersecurity	Protecting information and systems specifically in cyberspace - networks, computers and the data flowing through them.	Protecting a server, network traffic, or an online account.

Relationship

Cybersecurity is a subset of information security. Every cybersecurity control is an information security control, but not every information security control is “cyber”. Use the wider term when the information or protection is not purely digital.

3.2 A short history from the slides

Period	Milestone presented in Session 1	Why it matters in the lecture narrative
1971	Creeper, described as the first self-replicating program, appears on ARPANET.	Early example of a self-replicating program.
1988	The Morris Worm affects thousands of early Internet hosts.	Shows how quickly a worm can spread and disrupt systems.
2000s	Malware becomes commercial: botnets, spam and email worms are used for profit.	Motives increasingly include financial gain.
2010s	State-sponsored attacks and advanced persistent threats (APTs), including Stuxnet, alongside major data breaches.	Attacks may involve organised or state-linked actors.
2020s	Ransomware-as-a-service and supply-chain attacks become mainstream.	Cyber threats can involve service-based criminal models and suppliers.

3.3 Core vocabulary: asset, threat, vulnerability, exploit and risk

Term	Plain-English definition	Example
Asset	Anything valuable that should be protected.	Customer data, a server, reputation or trust.
Threat	Something that could cause harm to an asset.	A hacker, malware, flood or careless click.
Vulnerability	A weakness a threat could exploit.	Unpatched software, a weak password or an unlocked door.
Exploit	The specific method or code used to take advantage of a vulnerability.	Code or a technique that uses a software flaw.
Risk	The likelihood and impact of a threat exploiting a vulnerability.	The chance and possible consequence of customer data being lost.

3.4 Put the terms together

Use this chain when analysing a case:

Step	Question to ask	Example: customer records on a web server
1. Asset	What has value?	The customer records and server.
2. Threat	What could cause harm?	A cybercriminal or malware.
3. Vulnerability	What weakness could be exploited?	The server is running old, unpatched software.
4. Exploit	How could the weakness be used?	An attacker uses a method that takes advantage of the flaw.
5. Risk	How likely is the event and how serious is the impact?	Records could be stolen or the service made unavailable; assess likelihood and impact.

Avoid a common mix-up

An unpatched server is the weakness (vulnerability). An attacker or damaging event is the threat. The exploit is the method that uses the weakness. Risk is the likelihood and impact if the threat exploits it.

3.5 Security, privacy and safety

Concept	What it focuses on	Simple example
Security	Protecting assets from deliberate or accidental harm caused by others.	Preventing unauthorised access to a company server.
Privacy	Controlling who can see or use information about a person, even when there is no attack.	Limiting access to personal data.
Safety	Protecting people from accidental physical harm.	A safety guard on a machine.

These areas overlap. A data breach can be both a security incident and a privacy problem, as the slide deck notes.

4. Security goals and attack types

4.1 The CIA triad: the defender's goals

Goal	What it means	How it may be attacked	Protection examples from the slides	Everyday illustration
Confidentiality	Only authorised people or systems can access information.	Packet sniffing, eavesdropping, memory scraping or accidental leaks.	Access control, encryption and clear security policies.	A locked filing cabinet or an encrypted message.
Integrity	Information is changed only by authorised people and in authorised ways.	Identity theft, unauthorised edits or power loss corrupting a database during a write.	Digital signatures, checksums, backups and version control.	A bank statement that cannot be edited without detection.
Availability	Authorised users can access systems and information when needed.	DoS/DDoS attacks, software bugs or an overloaded server.	Redundancy, backups, load balancing and firewalls.	A hospital records system that needs to be available around the clock.

4.2 DAD: the attacker's mirror of CIA

Defender's goal (CIA)	Attacker's outcome (DAD)	In plain English
Confidentiality	Disclosure	Reveal information to someone who should not see it.
Integrity	Alteration	Change data or systems without permission.
Availability	Denial	Stop authorised people from using a service or data.

Memory cue

CIA describes what defenders want to preserve. DAD describes the three broad ways attackers can defeat those goals: disclose, alter or deny.

4.3 One action may affect more than one goal

In the lecture's WannaCry case, the slide associates the incident with availability and confidentiality. Do not assume every attack affects all three goals; identify the goal or goals supported by the details of the scenario.

4.4 Hackers and motivations

Type	How the slides describe it	Distinguishing clue
Black-hat	Breaks into systems without permission, usually for personal gain or malicious intent.	Unauthorised and malicious/self-serving.
White-hat	Tests systems with permission to find and report vulnerabilities before criminals do.	Authorised security testing.
Grey-hat	Acts without permission but without malicious intent; may disclose flaws afterwards, sometimes for a fee.	No permission, but not described as malicious.
Hacktivist	Attacks for political or social reasons.	Political/social cause.
Script kiddie	Uses tools made by others, with little skill of their own.	Runs or adapts tools they do not fully understand.

4.5 Red Team vs Blue Team

Red Team - offence/simulation	Blue Team - defence/response
Simulates real attackers.	Monitors and defends systems.
Finds gaps before criminals do; often includes penetration testers.	Responds to incidents and builds/tunes security controls.
Thinks like the adversary.	Learns from Red Team findings.

4.6 Malware types

Type	How it behaves	Example named in Session 1
Virus	Attaches to a legitimate file; needs a host program to run and spread.	Early PC viruses of the 1990s.
Worm	Self-replicates and spreads across networks without requiring human action.	Morris Worm (1988); WannaCry (2017).
Trojan	Disguises itself as legitimate software to trick users into installing it.	Emotet.
Ransomware	Encrypts files and demands payment for the decryption key.	WannaCry; LockBit.
Spyware	Secretly monitors activity and collects data, such as keystrokes.	Keyloggers.

4.7 Attack vectors: technical and human

Technical vectors	Human vectors
Exploiting unpatched software.	Phishing and social engineering.
Network-based attacks such as denial of service.	Insider mistakes or misuse.
Malicious attachments or links.	Physical tailgating/piggybacking.
Weak or default credentials.	Oversharing on social media.

A vector is the route or means by which an attack is attempted. Technical and human vectors can overlap: for example, a phishing message (human manipulation) may persuade a user to open a malicious attachment (technical mechanism). This overlap is an explanatory connection between the examples in the slides.

5. Controls, access and standards

5.1 The three security control categories

Category	Meaning	Examples from Session 1
Administrative	Policies and procedures that guide behaviour.	Security awareness training; hiring policy.
Logical / technical	Restrictions enforced by software or hardware.	Firewalls, encryption, multi-factor authentication (MFA).
Physical	Mechanisms that limit physical access.	Locked doors, fences and CCTV.

Quick test

Security awareness training is an administrative control because it guides people's behaviour. A firewall or MFA is logical/technical. A locked door is physical.

5.2 Identification, authentication and authorisation

Step	Question	Example / explanation
Identification	Who are you claiming to be?	A username.
Authentication	Can you prove that identity?	Something you know, have or are.
Authorisation	What are you allowed to do once your identity is known?	Permissions to read, edit or administer a resource.

The Session 1 deck says access control is explored in more depth in Session 2, including Linux permissions and access-control models. The three terms above are only the initial overview in these slides.

5.3 ISO/IEC 27001:2022 and NIST CSF 2.0

Feature	ISO/IEC 27001:2022	NIST Cybersecurity Framework (CSF) 2.0
What it is in the slides	International standard for managing information security.	A widely used, voluntary but influential cybersecurity framework.
Structure highlighted	93 controls across 4 themes in Annex A.	Six core functions.
Names to remember	ISO/IEC 27001:2022.	Govern, Identify, Protect, Detect, Respond, Recover.
Use described	Independently audited and certified.	Can scale from small businesses to large enterprises; frames cyber as a business risk.
Number on slide	Nearly 97,000 organisations certified worldwide; a later number slide says 96,700+.	The "Govern" function was added in the February 2024 CSF 2.0 update.

The figures above are reproduced from the teaching slides and are not independently re-verified here. Use the official standards/framework and current module materials for formal work or current figures.

5.4 How the concepts fit together in an organisation

- Governance assigns responsibility; risk assessment prioritises threats; policies and procedures set expectations; security controls put protection into practice; ISO 27001 and NIST CSF help organise the work.

6. Applied example: WannaCry

WannaCry (2017) is the main case study in Session 1. The slide says it exploited a known, unpatched Windows vulnerability (EternalBlue, in the SMB protocol) and spread automatically across more than 150 countries in a matter of days. Parts of the UK NHS were affected; appointments were cancelled and ambulances diverted (Session 1, slide 20).

Security concept	WannaCry example according to the slide
Vulnerability	An unpatched flaw in the SMB protocol.
Threat	A self-propagating ransomware worm.
Exploit	EternalBlue was the method identified in the slide as exploiting the known vulnerability.
Risk realised / impact	Hospital systems were taken offline and patient care was disrupted.
CIA/DAD connection	Availability was affected when systems went offline; the slide categorises the incident under availability and confidentiality.

What to learn from the case

- Keep systems patched: a known weakness can remain a route for attack when updates are not applied.
- Understand propagation: worms can spread automatically, without each user choosing to run a file.
- Think about consequences, not only technology: downtime in a hospital can disrupt care, not just cost money.
- Analyse the incident with the vocabulary: identify the asset, threat, vulnerability, exploit, risk and affected CIA goal.

6.1 Statistics shown in Session 1

Slide figure	Context given in the deck	Source shown on the slide
48,185	New vulnerabilities (CVEs) published in 2025; described as a new record.	Gamblin, 2025 CVE Data Review (deck references Gamblin, 2026 in its reference slide).
60%	Data breaches involve a human element, not just technology.	Verizon, 2025 Data Breach Investigations Report.
44%	Breaches in 2025 involved ransomware.	Verizon, 2025 Data Breach Investigations Report.
Bar chart: 22, 16, 20	The slide “How Breaches Actually Begin” visually plots stolen credentials, phishing, and exploited vulnerability, respectively, against a 0–25 axis. The chart does not clearly state the unit.	Verizon, 2025 Data Breach Investigations Report.

Use statistics carefully

These are the values and descriptions presented in the uploaded teaching slides. For assignments, confirm the original report and use its exact definitions, dates, denominator and units. In particular, do not call the bar-chart values percentages unless the original source confirms that.

7. Quick-reference glossary

Term	Plain-English reminder
Asset	Something valuable to protect.
Attack vector	The route or means used to attempt an attack.
Authentication	Proving a claimed identity.
Authorisation	Deciding what an authenticated identity may do.
Availability	Systems/data are reachable by authorised users when needed.
Black-hat	Unauthorised hacker with malicious or self-serving intent.
Blue Team	Defenders who monitor, protect and respond.
CIA triad	Confidentiality, Integrity, Availability: the defenders' goals.
Compliance	Meeting applicable rules and requirements.
Confidentiality	Only authorised parties can access the information.
Control	A safeguard; administrative, logical/technical or physical.
Cybersecurity	Protecting systems and information in cyberspace.
DAD	Disclosure, Alteration, Denial: attacker outcomes that undermine CIA.
Exploit	A method or code that takes advantage of a vulnerability.
GRC	Governance, Risk and Compliance.
Grey-hat	Acts without permission but without malicious intent, as described in the slides.
Hacktivist	Attacks for political or social reasons.
Integrity	Information is changed only in authorised ways.
MFA	Multi-factor authentication; named as a technical control in the deck.
NIST CSF 2.0	Framework with Govern, Identify, Protect, Detect, Respond and Recover functions.
Policy	Mandatory high-level statement of intent.
Procedure	Step-by-step instructions for carrying out a task.
Risk	Likelihood and impact if a threat exploits a vulnerability.
Red Team	Team that simulates attackers to find security gaps.
Standard	Specific requirement or technology baseline.
Threat	Something that could cause harm to an asset.
Trojan	Malware disguised as legitimate software.
Virus	Malware that attaches to a legitimate file and needs a host program.
Vulnerability	A weakness that a threat could exploit.
White-hat	Authorised tester who finds and reports vulnerabilities.
Worm	Self-replicating malware that spreads across networks.
Guideline	Recommended advice, not mandatory according to the deck.

8. Self-test with answers

Try answering each question without looking at the answer key. The scenarios are based on the activities and quick checks in Session 1; model answers are included to support revision.

Questions

1. An unpatched web server running old software: is this a threat, vulnerability or risk?
2. A flood could strike an organisation's data centre: is the flood a threat, vulnerability or risk?
3. The estimated chance of losing customer data next quarter: which concept is this?
4. An employee reuses the same password everywhere: which security concept does this best illustrate in the activity?
5. Which part of the CIA triad is mainly supported by encrypting a hard drive?
6. Which control category best describes security-awareness training?
7. A researcher reports a flaw to a company without being asked and receives no payment. Which hacker type best fits the slide definitions?
8. A group defaces a website to protest a policy. What motivation/type is indicated?
9. Someone runs a downloaded tool they do not understand. Which hacker label best fits?
10. A company pays a tester to try to break into its own network. What role/team does this resemble?
11. Which malware type self-replicates and spreads across networks without human action?
12. What is the difference between authentication and authorisation?
13. List the six NIST CSF 2.0 functions shown in the deck.
14. In the WannaCry example, name the vulnerability, threat and impact.
15. What is the difference between a policy, standard, procedure and guideline?

Answer key and explanations

1. Vulnerability: the old, unpatched software is the weakness.
2. Threat: the flood is something that could cause harm.
3. Risk: it expresses likelihood (and ideally impact) of data loss.
4. Vulnerability: reusing one password can create a weakness that an attacker could exploit.
5. Confidentiality is the best answer in the slide's quick check.
6. Administrative control: training guides behaviour.
7. Grey-hat is the closest fit in the slides because the person acts without prior permission but reports the flaw without an explicitly malicious purpose. Real cases can depend on circumstances.
8. Hacktivist: the stated motivation is political/social protest. Defacing a website is a technical action/vector.
9. Script kiddie: uses tools created by others with little skill of their own.
10. An authorised security tester, often associated with a white-hat/penetration-testing or Red Team role.
11. Worm.
12. Authentication proves who you are; authorisation determines what you are allowed to do.
13. Govern, Identify, Protect, Detect, Respond, Recover.
14. Vulnerability: unpatched SMB flaw. Threat: self-propagating ransomware worm. Exploit named: EternalBlue. Impact: systems taken offline and patient care disrupted.
15. Policy = high-level mandatory intent; standard = specific mandatory requirement; procedure = steps to perform a task; guideline = recommended, non-mandatory advice.

9. Revision checklist and source notes

9.1 Can you explain these without jargon?

- ☐ I can distinguish information security from cybersecurity.
- ☐ I can explain asset, threat, vulnerability, exploit and risk, and connect them in a scenario.
- ☐ I can describe confidentiality, integrity and availability and match each with examples of attacks and protections.
- ☐ I can explain how DAD maps to CIA.
- ☐ I can distinguish black-hat, white-hat, grey-hat, hacktivist and script kiddie using the slide definitions.
- ☐ I can distinguish a virus, worm, Trojan, ransomware and spyware.
- ☐ I can give examples of technical and human attack vectors.
- ☐ I can classify administrative, logical/technical and physical controls.
- ☐ I can explain identification, authentication and authorisation in the correct order.
- ☐ I can distinguish policy, standard, procedure and guideline.
- ☐ I can name the six NIST CSF 2.0 functions and describe how ISO 27001 and NIST CSF are positioned in the lecture.
- ☐ I know the two assessment components, their weights, referencing expectation and group-work traffic-light process.

9.2 The five ideas to remember first

1. Cybersecurity is about protecting systems and information in cyberspace; information security is the wider umbrella.
2. Risk thinking connects what matters (asset), what could harm it (threat), and the weakness that may be used (vulnerability).
3. CIA gives the defender's goals; DAD describes attacker outcomes that undermine them.
4. Attack prevention is not just technical: people, policies, physical access and organisational responsibilities all matter.
5. Use the course vocabulary precisely and support assessed claims with appropriate APA references.

9.3 Source map

Source PDF	Slides/pages primarily used	Content used in this guide
CO7063 Session 0 - Introduction to the Module	PDF pp. 5–16	Module purpose; GRC; governance roles and documentation layers; module facts and study hours; assessment weights, marking/referencing, academic integrity and traffic-light system.
CO7063 Session 1 - Foundations and Key Cybersecurity Terminology	PDF pp. 2–4, 6–12, 14–17, 20, 24–35, 37, 39–41	Session learning objectives and journey; terminology; CIA/DAD; hacker types; Red/Blue Teams; malware; vectors; controls; access-control basics; ISO 27001/NIST CSF; WannaCry, statistics, glossary and references.

9.4 References named in the slide decks

- Solomon, M., & Chapple, M. (2005). Information Security Illuminated. Jones and Bartlett.
- ISO/IEC 27001:2022 - Information security, cybersecurity and privacy protection. International Organization for Standardization.
- NIST (2024). The NIST Cybersecurity Framework (CSF) 2.0.
- Verizon (2025). 2025 Data Breach Investigations Report.
- Gamblin, J. (2026). 2025 CVE Data Review. jerrygamblin.com.
- TechTarget - the GRC definition attributed to TechTarget in Session 0.

Final study tip

When revising, practise by explaining a concept and then applying it to a new example. For instance: name an asset, identify a threat and vulnerability, describe the likely risk, decide which CIA goal is affected, and select a control category that could help.