

Javascript Test Paper1

Student Name _____

1. What is the default display value of a `<section>` element?

- A) inline B) inline-block
- C) block D) flex

2. Which attribute allows a script file to import data from another file?

- A) async B) defer
- C) type="module" D) preload

3. Which of the following is NOT a semantic element?

- A) `<article>` B) `<aside>`
- C) `<div>` D) `<main>`

4. What happens if two elements have the same id?

- A) Browser throws error B) Only first id works in CSS
- C) HTML becomes invalid D) Nothing happens

5. Which input type allows selecting multiple files?

- A) type="files" B) type="file" multiple
- C) multiple="true" D) type="file-multi"

6. Which API allows background scripts to run separately from the main thread?

- A) Service Worker B) Web Worker
- C) Fetch API D) Storage API

7. Which attributes improve responsive images?

- A) sizes B) srcset
- C) picture D) All of the above

8. What does meta viewport control?

- A) SEO ranking B) Screen scaling & zoom
- C) JS execution D) Rendering engine

9. Which storage is used to store data permanently?

- A) Cookies B) sessionStorage
- C) localStorage D) IndexedDB

10. What is the default form submission method?

- A) POST B) PUT
 - C) GET D) PATCH
-

11. Specificity of #id .class div is:

- A) 1-1-1 B) 1-0-2
- C) 1-1-0 D) 0-1-2

12. Which property creates a new stacking context?

- A) position: relative B) z-index: auto
- C) opacity: 0.9 D) display: block

13. Which unit is relative to root element?

- A) em B) rem
- C) % D) vh

14. What does flex: 1 represent?

- A) flex-grow: 1 B) flex: 1 1 0
- C) flex-basis: 1px D) flex-shrink: 0

15. Which property change triggers reflow?

- A) color B) opacity
- C) transform D) width

16. position: sticky works only when:

- A) top is defined B) z-index is defined
- C) position: relative D) display: flex

17. What does contain: layout do?

- A) Improves rendering isolation B) Creates grid
- C) Hides overflow D) Resets CSS

18. Which property is used to provide space outside the element?

- A) margin B) width
- C) transform D) padding

19. Default flex-direction is:

- A) column B) row
- C) row-reverse D) column-reverse

20. Grid property to define columns:

- A) grid-template-columns
 - B) grid-column
 - C) grid-area
 - D) column-template
-

21. What is the output?

```
console.log(typeof null);
```

- A) null
- B) undefined
- C) object
- D) number

22. Which queue executes before macrotasks?

- A) Call Stack
- B) Callback Queue
- C) Microtask Queue
- D) Event Queue

23. What is the output?

```
let a = 10;  
(function(){  
  console.log(a);  
  let a = 20;  
})();
```

- A) 10
- B) 20
- C) undefined
- D) ReferenceError

24. What is closure?

- A) Function inside function
- B) Block scope
- C) Function remembering outer scope
- D) IIFE

25. Which creates deep copy (basic objects)?

- A) Object.assign
- B) Spread operator
- C) JSON.parse(JSON.stringify())
- D) = operator

26. Output?

```
console.log(0.1 + 0.2 === 0.3);
```

- A) true
- B) false
- C) undefined
- D) NaN

27. Which method stops event bubbling?

- A) stop()
- B) preventDefault()
- C) stopPropagation()
- D) halt()

28. Promise.all() rejects when:

- A) All resolve
- B) First reject
- C) Last reject
- D) None reject

29. `this` inside arrow function refers to:

- A) Window
- B) Global object
- C) Lexical scope
- D) Undefined

30. Which is NOT a primitive type?

- A) Symbol
- B) BigInt
- C) Object
- D) String

Coding Questions:-

1. Write a function to flatten nested arrays.
2. Implement your own map() function.
3. Write a debounce function.
4. Write a throttle function.
5. Find second largest number without sorting.
6. Check if two strings are anagrams.
7. Implement search filter in array using input .
8. Reverse words in sentence without built-in reverse.
9. Find the missing number in array (1–N).
10. Implement Promise from scratch (basic version).

Theory Questions :-

1. Define Event Loop.
2. Define Closure.
3. Define Hoisting.
4. Write Difference between var ,let and const .
5. Define this keyword.
6. Define CSS Specificity.
7. What is javascript.
8. Define Semantic HTML.
9. Define Promises.
10. Define IIFE.