

TP MOD 13

Membuat Create Read Update untuk database **db_barang**


Nama: Gagas Surya Laksana

NIM: 1301223164

Kelas: IF-46-10

Demo

1. index.jsp



2. /product/view.jsp

ID	Name	Category	Description	Price	Stock	Created At	Actions
1	iPhone 14	Electronics	Apple smartphone with 6.1-inch Super Retina XDR display.	Rp799.99	50	2024-12-07 20:56:53.0	Edit Delete
2	Samsung Galaxy S23	Electronics	Samsung flagship smartphone with 6.1-inch AMOLED display.	Rp749.99	40	2024-12-07 20:56:53.0	Edit Delete
3	Nike Air Max 270	Fashion	Nike sports shoes with air-cushioning technology.	Rp150.00	120	2024-12-07 20:56:53.0	Edit Delete
4	Adidas Ultraboost 22	Fashion	Adidas running shoes with Boost technology.	Rp180.00	85	2024-12-07 20:56:53.0	Edit Delete
5	Sony WH-1000XM5	Electronics	Sony noise-cancelling over-ear headphones.	Rp399.99	30	2024-12-07 20:56:53.0	Edit Delete
6	The Lean Startup	Books	A book by Eric Ries about entrepreneurship and innovation.	Rp25.00	100	2024-12-07 20:56:53.0	Edit Delete
7	Logitech MX Master 3	Electronics	Advanced wireless mouse with ergonomic design.	Rp99.99	75	2024-12-07 20:56:53.0	Edit Delete

3. /product/add.jsp

The screenshot shows a web browser window with the URL `localhost:8080/tp_13/product/add.jsp`. The page title is "Add New Product". The form contains the following data:

Name	iphone 12 mini
Category	apple
Description	iphone 12 mini 128GB
Price	700
Stock	4

At the bottom left is a blue "Add Product" button, and at the bottom right is a link "Back to Product List".

4. /product/edit.jsp

The screenshot shows a web browser window with the URL `localhost:8080/tp_13/product/view.jsp`. The page title is "Product List". The table displays the following product information:

ID	Name	Category	Description	Price	Stock	Date	Edit	Delete
3	Nike Air Max 270	Fashion	Nike sports shoes with air-cushioning technology.	Rp150.00	120	2024-12-07 20:56:53.0	Edit	Delete
4	Adidas Ultraboost 22	Fashion	Adidas running shoes with Boost technology.	Rp180.00	85	2024-12-07 20:56:53.0	Edit	Delete
5	Sony WH-1000XM5	Electronics	Sony noise-cancelling over-ear headphones.	Rp399.99	30	2024-12-07 20:56:53.0	Edit	Delete
6	The Lean Startup	Books	A book by Eric Ries about entrepreneurship and innovation.	Rp25.00	100	2024-12-07 20:56:53.0	Edit	Delete
7	Logitech MX Master 3	Electronics	Advanced wireless mouse with ergonomic design.	Rp99.99	75	2024-12-07 20:56:53.0	Edit	Delete
8	ASUS ROG Zephyrus G14	Computers	Gaming laptop with Ryzen 9 and RTX 3060.	Rp1499.99	20	2024-12-07 20:56:53.0	Edit	Delete
9	KitchenAid Stand Mixer	Home Appliances	Multifunctional stand mixer with 5-quart bowl.	Rp499.99	25	2024-12-07 20:56:53.0	Edit	Delete
10	Philips Hue Lightstrip Plus	Home Appliances	Smart LED light strip with app control.	Rp79.99	60	2024-12-07 20:56:53.0	Edit	Delete
17	iphone 12 mini	apple	iphone 12 mini 128GB	Rp700.00	4	2024-12-08 14:14:02.0	Edit	Delete

DBS gagassurya19 (Gagassurya19) SIIIF-PBO-24251: Pengumpulan 1 OneDrive Edit Product TP_MOD_13_1301223164_GAGA

localhost:8080/tp_13/barangServlet?action=edit&id=17

Edit Product

Name:

Category:

Description:

Price:

Stock:



[Update Product](#) [Back to Product List](#)

DBS gagassurya19 (Gagassurya19) SIIIF-PBO-24251: Pengumpulan 1 OneDrive Product List TP_MOD_13_1301223164_GAGA

localhost:8080/tp_13/product/view.jsp

ID	Name	Category	Description	Price	Stock	Date	Action
3	Nike Air Max 270	Fashion	Nike sports shoes with air-cushioning technology.	Rp150.00	120	2024-12-07 20:56:53.0	Edit Delete
4	Adidas Ultraboost 22	Fashion	Adidas running shoes with Boost technology.	Rp180.00	85	2024-12-07 20:56:53.0	Edit Delete
5	Sony WH-1000XM5	Electronics	Sony noise-cancelling over-ear headphones.	Rp399.99	30	2024-12-07 20:56:53.0	Edit Delete
6	The Lean Startup	Books	A book by Eric Ries about entrepreneurship and innovation.	Rp25.00	100	2024-12-07 20:56:53.0	Edit Delete
7	Logitech MX Master 3	Electronics	Advanced wireless mouse with ergonomic design.	Rp99.99	75	2024-12-07 20:56:53.0	Edit Delete
8	ASUS ROG Zephyrus G14	Computers	Gaming laptop with Ryzen 9 and RTX 3060.	Rp1499.99	20	2024-12-07 20:56:53.0	Edit Delete
9	KitchenAid Stand Mixer	Home Appliances	Multifunctional stand mixer with 5-quart bowl.	Rp499.99	25	2024-12-07 20:56:53.0	Edit Delete
10	Philips Hue Lightstrip Plus	Home Appliances	Smart LED light strip with app control.	Rp79.99	60	2024-12-07 20:56:53.0	Edit Delete
17	iphone 15 pro	iphone	iphone 15 pro 256GB	Rp14000.00	5	2024-12-08 14:14:02.0	Edit Delete

5. delete



Query untuk membuat database


```
CREATE DATABASE db_barang;
```

```
CREATE TABLE products (
    id INT AUTO_INCREMENT PRIMARY KEY,
    name VARCHAR(255) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL,
    category VARCHAR(100) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci NOT NULL,
    description TEXT CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci,
    price DECIMAL(10,2) NOT NULL,
```


```
stock INT NOT NULL,  
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
);
```

Step by step

1. Import mysql connector dan membuat struktur direktori seperti gambar berikut:



2. Code pada classes/JDBC.java




The screenshot shows a Java code editor with the file `JDBC.java` open. The code implements a JDBC interface for database connectivity. It includes methods for connecting to a MySQL database, disconnecting, running queries, and executing updates. The code uses try-catch blocks to handle exceptions and return messages.

```
11  /*
12  * JDBC.java
13  */
14  public class JDBC {
15     Connection con;
16     Statement stmt;
17     public boolean isConnected;
18     public String message;
19
20     public JDBC() {
21         try {
22             Class.forName("com.mysql.cj.jdbc.Driver");
23             con = DriverManager.getConnection("jdbc:mysql://localhost:3306/db_barang",
24                                             "root", "Abcabc123#");
25             stmt = con.createStatement();
26             isConnected = true;
27             message = "DB connected";
28         } catch(Exception e) {
29             isConnected = false;
30             message = e.getMessage();
31         }
32
33         public void disconnect() {
34             try {
35                 stmt.close();
36                 con.close();
37             } catch(Exception e) {
38                 message = e.getMessage();
39             }
40
41         public ResultSet runQuery(String query) {
42             ResultSet rs = null;
43             try {
44                 rs = stmt.executeQuery(query);
45             } catch(Exception e){
46                 message = e.getMessage();
47             }
48             return rs;
49         }
50
51         public int runUpdate(String query) {
52             int result = 0;
53             try {
54                 result = stmt.executeUpdate(query);
55             } catch(Exception e){
56                 message = e.getMessage();
57             }
58         }
59     }
60 }
```

3. Code pada index.jsp

```
5  --%>
6
7  <%@page import="classes.JDBC, java.sql.ResultSet"%>
8  <%@page contentType="text/html" pageEncoding="UTF-8"%>
9  <!DOCTYPE html>
10 <html lang="en">
11  <head>
12      <meta charset="UTF-8">
13      <meta name="viewport" content="width=device-width, initial-scale=1.0">
14      <title>CRUD Barang</title>
15      <script src="https://cdn.tailwindcss.com"></script>
16  </head>
17  <body class="bg-gray-100 min-h-screen flex flex-col items-center justify-center">
18      <div class="bg-white p-8 rounded-lg shadow-md max-w-md w-full">
19          <h1 class="text-3xl font-bold mb-6 text-center text-blue-600">CRUD Barang</h1>
20
21      <div class="mb-6">
22          <h3 class="text-xl font-semibold mb-2">Database Connection Status</h3>
23          <div class="p-4 rounded-md ">%
24              JDBC db = new JDBC();
25              if (db.isConnected) {
26                  out.print("bg-green-100 text-green-700");
27              } else {
28                  out.print("bg-red-100 text-red-700");
29              }
30          %>">
31          <p>
32              <strong>STATUS:</strong>
33          <%
34              if (db.isConnected) {
35                  out.print(db.message);
36              } else {
37                  out.print("Gagal terkoneksi ke database; " + db.message);
38              }
39          %>
40          </p>
41      </div>
42  </div>
43
44  <div class="text-center">
45      <a href="product/view.jsp"
46          class="inline-block bg-blue-500 hover:bg-blue-600 text-white font-bold
47          py-2 px-4 rounded transition duration-300">
48          View Products
49      </a>
50  </div>
51  </div>
52  </body>
53  </html>|
```

4. Code pada servlets/barangServlet.java



```
5 package servlets;
6
7 import classes.JDBC;
8 import java.io.IOException;
9 import jakarta.servlet.ServletException;
10 import jakarta.servlet.annotation.WebServlet;
11 import jakarta.servlet.http.HttpServlet;
12 import jakarta.servlet.http.HttpServletRequest;
13 import jakarta.servlet.http.HttpServletResponse;
14 import java.math.BigDecimal;
15 import java.sql.ResultSet;
16
17 /**
18 *
19 * @author gagas
20 */
21 @WebServlet(name = "barangServlet", urlPatterns = {"/barangServlet"})
22 public class barangServlet extends HttpServlet {
23
24     @Override
25     protected void doGet(HttpServletRequest request, HttpServletResponse response)
26             throws ServletException, IOException {
27         JDBC db = new JDBC();
28         String action = request.getParameter("action");
29
30         try {
31             int id = Integer.parseInt(request.getParameter("id"));
32
33             if(action.equals("delete")){
34                 db.runUpdate("DELETE FROM product WHERE id = " + id);
35                 response.sendRedirect("product/view.jsp");
36             }
37
38             if(action.equals("edit")){
39                 ResultSet rs = db.runQuery("SELECT * FROM product WHERE id =" + id);
40                 if(rs.next()) {
41                     request.setAttribute("id", rs.getInt("id"));
42                     request.setAttribute("name", rs.getString("name"));
43                     request.setAttribute("category", rs.getString("category"));
44                     request.setAttribute("description", rs.getString("description"));
45                     request.setAttribute("price", rs.getBigDecimal("price"));
46                     request.setAttribute("stock", rs.getInt("stock"));
47                 }
48                 request.getRequestDispatcher("product/edit.jsp").forward(request, response);
49             }
50         } catch(Exception e) {
51             e.printStackTrace();
52             response.sendRedirect("product/view.jsp");
53         }
54     }
}
```


5. Code pada /product/view.jsp

```
<%@page import="classes.JDBC, java.sql.ResultSet"%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product List</title>
    <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-gray-100 min-h-screen p-8">
    <div class="max-w-6xl mx-auto bg-white rounded-lg shadow-md p-8">
        <h1 class="text-3xl font-bold mb-6 text-center text-blue-600">Product List</h1>

        <!-- Flex container with justify-between -->
        <div class="flex justify-between mb-4">
            <div>
                <a href="../index.jsp" class="bg-blue-500 hover:bg-blue-600 text-white font-bold py-2 px-4 rounded inline-flex items-center">
                    Back to home
                </a>
            </div>
            <div>
                <a href="add.jsp" class="bg-green-500 hover:bg-green-600 text-white font-bold py-2 px-4 rounded inline-flex items-center">
                    <svg xmlns="http://www.w3.org/2000/svg" class="h-5 w-5 mr-2" viewBox="0 0 20 20" fill="currentColor">
                        <path fill-rule="evenodd" d="M10 5a1 1 0 0 1 1v3h3a1 1 0 0 1 110 2h-3v3a1 1 0 11-2 0v-3H6a1 1 0 110-2h3V6a1 1 0 0 1-1z" clip-rule="evenodd" />
                    </svg>
                    Add New Product
                </a>
            </div>
        </div>
        <div class="overflow-x-auto">
            <table class="min-w-full bg-white">
                <thead class="bg-gray-800 text-white">
                    <tr>
                        <th class="py-3 px-4 text-left">ID</th>
                        <th class="py-3 px-4 text-left">Name</th>
                        <th class="py-3 px-4 text-left">Category</th>
                        <th class="py-3 px-4 text-left">Description</th>
                        <th class="py-3 px-4 text-left">Price</th>
                        <th class="py-3 px-4 text-left">Stock</th>
                        <th class="py-3 px-4 text-left">Created At</th>
                        <th class="py-3 px-4 text-left">Actions</th>
                    </tr>
                </thead>
                <tbody class="text-gray-700">
                    <%
```

```
 JDBC.java index.jsp barangServlet.java add.jsp edit.jsp view.jsp
17 <div>
36     <div class="overflow-x-auto">
37         <table class="min-w-full bg-white">
38             <thead class="bg-gray-800 text-white">
39                 <tr>
40                     <th class="py-3 px-4 text-left">ID</th>
41                     <th class="py-3 px-4 text-left">Name</th>
42                     <th class="py-3 px-4 text-left">Category</th>
43                     <th class="py-3 px-4 text-left">Description</th>
44                     <th class="py-3 px-4 text-left">Price</th>
45                     <th class="py-3 px-4 text-left">Stock</th>
46                     <th class="py-3 px-4 text-left">Created At</th>
47                     <th class="py-3 px-4 text-left">Actions</th>
48                 </tr>
49             </thead>
50             <tbody class="text-gray-700">
51                 <%
52                     JDBC db = new JDBC();
53                     ResultSet rs = db.runQuery("SELECT * FROM product");
54                     while (rs.next()) {
55                 %>
56                 <tr class="hover:bg-gray-100">
57                     <td class="py-3 px-4"><%= rs.getInt("id") %></td>
58                     <td class="py-3 px-4"><%= rs.getString("name") %></td>
59                     <td class="py-3 px-4"><%= rs.getString("category") %></td>
60                     <td class="py-3 px-4"><%= rs.getString("description") %></td>
61                     <td class="py-3 px-4">Rp<%= rs.getBigDecimal("price") %></td>
62                     <td class="py-3 px-4"><%= rs.getInt("stock") %></td>
63                     <td class="py-3 px-4"><%= rs.getTimestamp("created_at") %></td>
64                     <td class="py-3 px-4">
65                         <a href="/barangServlet?action=edit&id=<%= rs.getInt("id") %>">
66                             class="text-blue-500 hover:text-blue-700 mr-2">Edit</a>
67                         <a href="/barangServlet?action=delete&id=<%= rs.getInt("id") %>">
68                             class="text-red-500 hover:text-red-700"
69                             onclick="return confirm('Are you sure you want to delete this \n\ product?')">Delete</a>
70                     </td>
71                 </tr>
72             <%
73             }
74             db.disconnect();
75         %>
76         </tbody>
77     </table>
78     </div>
79   </div>
80 </body>
81 </html>
```

6. Code pada /product/edit.jsp

```
<%@page import="classes.JDBC"%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Edit Product</title>
        <script src="https://cdn.tailwindcss.com"></script>
    </head>
    <body class="bg-gray-100 min-h-screen p-8">
        <div class="max-w-2xl mx-auto bg-white rounded-lg shadow-md p-8">
            <h1 class="text-3xl font-bold mb-6 text-center text-blue-600">Edit Product</h1>
            <form method="post" action="barangServlet?action=update" class="space-y-4">
                <input type="hidden" name="id" value="<%= request.getAttribute("id") %>">
                <div>
                    <label for="name" class="block text-sm font-medium text-gray-700">Name</label>
                    <input type="text" id="name" name="name" value="<%= request.getAttribute("name") %>" required class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50">
                </div>
                <div>
                    <label for="category" class="block text-sm font-medium text-gray-700">Category</label>
                    <input type="text" id="category" name="category" value="<%= request.getAttribute("category") %>" required class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50">
                </div>
                <div>
                    <label for="description" class="block text-sm font-medium text-gray-700">Description</label>
                    <textarea id="description" name="description" rows="3" value="<%= request.getAttribute("description") %>" class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50"><% request.getAttribute("description") %>
                </textarea>
                </div>
                <div>
                    <label for="price" class="block text-sm font-medium text-gray-700">Price</label>
                    <input type="number" id="price" name="price" step="0.01" value="<%= request.getAttribute("price") %>" class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50">
                </div>
            </form>
        </div>
    </body>
</html>
```

The screenshot shows a code editor interface with multiple tabs at the top: JDBC.java, index.jsp, barangServlet.java, add.jsp, edit.jsp, and view.jsp. The edit.jsp tab is active, displaying the following JSP code:

```
34      </div>
35
36      <div>
37          <label for="description" class="block text-sm font-medium text-gray-700">
38              Description
39          </label>
40          <textarea id="description" name="description" rows="3"
41              class="mt-1 block w-full rounded-md border-gray-300 shadow-sm
42              focus:border-blue-300 focus:ring focus:ring-blue-200
43              focus:ring-opacity-50"><%= request.getAttribute("description") %>
44          </textarea>
45      </div>
46
47      <div>
48          <label for="price" class="block text-sm font-medium text-gray-700">Price</label>
49          <input type="number" id="price" name="price" step="0.01"
50              value="<% request.getAttribute("price") %>"
51              required
52              class="mt-1 block w-full rounded-md border-gray-300 shadow-sm
53              focus:border-blue-300 focus:ring focus:ring-blue-200
54              focus:ring-opacity-50">
55      </div>
56
57      <div>
58          <label for="stock" class="block text-sm font-medium text-gray-700">Stock</label>
59          <input type="number" id="stock" name="stock"
60              value="<% request.getAttribute("stock") %>"
61              required
62              class="mt-1 block w-full rounded-md border-gray-300 shadow-sm
63              focus:border-blue-300 focus:ring focus:ring-blue-200
64              focus:ring-opacity-50">
65      </div>
66
67      <div class="flex items-center justify-between">
68          <button type="submit" class="bg-blue-500 hover:bg-blue-600 text-white font-bold
69              py-2 px-4 rounded focus:outline-none focus:shadow-outline">
70              Update Product
71          </button>
72          <a href="product/view.jsp" class="text-blue-500 hover:text-blue-700">
73              Back to Product List
74          </a>
75      </div>
76  </div>
77  </form>
78</div>
79</body>
80</html>
```

7. Code pada /product/add.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8">
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Add New Product</title>
    <script src="https://cdn.tailwindcss.com"></script>
</head>
<body class="bg-gray-100 min-h-screen p-8">
    <div class="max-w-2xl mx-auto bg-white rounded-lg shadow-md p-8">
        <h1 class="text-3xl font-bold mb-6 text-center text-blue-600">Add New Product</h1>

        <form method="post" action="../barangServlet?action=create" class="space-y-4">
            <div>
                <label for="name" class="block text-sm font-medium text-gray-700">Name</label>
                <input type="text" id="name" name="name" required class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50">
            </div>

            <div>
                <label for="category" class="block text-sm font-medium text-gray-700">Category</label>
                <input type="text" id="category" name="category" required
                       class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50">
            </div>

            <div>
                <label for="description" class="block text-sm font-medium text-gray-700">Description</label>
                <textarea id="description" name="description" rows="3"
                          class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50"></textarea>
            </div>

            <div>
                <label for="price" class="block text-sm font-medium text-gray-700">Price</label>
                <input type="number" id="price" name="price" step="0.01" required
                       class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50">
            </div>

            <div>
                <label for="stock" class="block text-sm font-medium text-gray-700">Stock</label>
                <input type="number" id="stock" name="stock" required class="mt-1 block w-full rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring focus:ring-blue-200 focus:ring-opacity-50">
            </div>
        </form>
    </div>
</body>
```

The screenshot shows a code editor interface with multiple tabs at the top: JDBC.java, index.jsp, barangServlet.java, add.jsp (which is the active tab), edit.jsp, and view.jsp. The main area displays the source code for the add.jsp page.

```
21
22     <div>
23         <label for="category" class="block text-sm font-medium text-gray-700">
24             Category</label>
25         <input type="text" id="category" name="category" required
26             class="mt-1 block w-full rounded-md border-gray-300 shadow-sm
27             focus:border-blue-300 focus:ring focus:ring-blue-200
28             focus:ring-opacity-50">
29     </div>
30
31     <div>
32         <label for="description" class="block text-sm font-medium text-gray-700">
33             Description</label>
34         <textarea id="description" name="description" rows="3"
35             class="mt-1 block w-full rounded-md border-gray-300 shadow-sm
36             focus:border-blue-300 focus:ring focus:ring-blue-200
37             focus:ring-opacity-50"></textarea>
38     </div>
39
40     <div>
41         <label for="price" class="block text-sm font-medium text-gray-700">Price</label>
42         <input type="number" id="price" name="price" step="0.01" required
43             class="mt-1 block w-full rounded-md border-gray-300 shadow-sm
44             focus:border-blue-300 focus:ring focus:ring-blue-200
45             focus:ring-opacity-50">
46     </div>
47
48     <div>
49         <label for="stock" class="block text-sm font-medium text-gray-700">Stock</label>
50         <input type="number" id="stock" name="stock" required class="mt-1 block w-full
51             rounded-md border-gray-300 shadow-sm focus:border-blue-300 focus:ring
52             focus:ring-blue-200 focus:ring-opacity-50">
53     </div>
54
55     <div class="flex items-center justify-between">
56         <button type="submit" class="bg-blue-500 hover:bg-blue-600 text-white font-bold
57             py-2 px-4 rounded focus:outline-none focus:shadow-outline">
58             Add Product
59         </button>
60         <a href="view.jsp" class="text-blue-500 hover:text-blue-700">
61             Back to Product List</a>
62     </div>
63     </form>
64   </div>
65 </body>
66 </html>
```