



UNIVERSITÀ
DI SIENA
1240

UNIVERSITY OF SIENA

DEPARTMENT OF INFORMATION ENGINEERING AND
MATHEMATICS

A* Search for Multilayer Perceptron Training

Kevin Gagliano

Jacopo Andreucci

Supervisor:

PROF. EDMONDO TRENTIN

Academic Year 2024-2025

Contents

1	The A* Search Algorithm	1
1.1	Overview and Context	1
1.2	The Evaluation Function $f(n)$	1
1.2.1	Path Cost ($g(n)$)	1
1.2.2	Heuristic Estimate ($h(n)$)	2
1.3	Algorithm Mechanics	2
1.4	Properties of A*	3
2	The Multilayer Perceptron and Traditional Training Methods	4
2.1	Multilayer Perceptron (MLP) Architecture	4
2.1.1	Neuron Structure and Function	4
2.1.2	The Cost Function	5
2.2	The Standard Training Method: Backpropagation	5
2.2.1	Gradient Descent	5
2.2.2	Error Backpropagation	5
2.3	Motivation for the A* Approach (Limitations of Backpropagation)	5
3	The A* Search Framework for MLP Training	7
3.1	Discretization of the Weight Space	7
3.1.1	Quantized State Definition	7
3.1.2	State Representation and Hashing	8
3.2	Search Node and Transition Definition	8
3.2.1	The Search Node	8
3.2.2	Defining Transitions (Neighbors)	8

3.3	A* Cost Function Adaptation for Training	9
3.3.1	Heuristic Function $h(n)$: Distance to Target Loss . .	9
3.3.2	Path Cost $g(n)$: Accumulated Iterative Cost	9
3.3.3	Total Evaluation Function $f(n)$	10
3.3.4	Admissibility Analysis	10
3.3.5	Role of $g(n)$	10
3.3.6	Search Termination	11
3.4	The A* Training Loop Implementation	11
4	Experimental Methodology and Results	12
4.1	Experimental Methodology	12
4.1.1	MLP Architecture and Evaluation	13
4.1.2	Three-Stage Comparative Protocol	13
4.2	Synthetic Dataset: One-Dimensional Sine Function Re- gression	15
4.2.1	Dataset Generation and Objective	15
4.2.2	Stage 1: Grid Search Findings	16
4.2.3	Stage 2 & 3: Training and Comparative Analysis . .	25
4.2.4	Comparison with Gradient Descent: $I_{\max} = 1,000$. .	26
4.2.5	Comparison with Gradient Descent: $I_{\max} = 5,000$. .	30
4.3	Classic Dataset: Iris Flower Classification	33
4.3.1	Dataset and Objective	33
4.3.2	Stage 1: Optimal Hyperparameters	33
4.3.3	Stage 2 & 3: Training and Comparative Analysis . .	34
4.3.4	Comparison with Gradient Descent: $I_{\max} = 1,000$. .	34
4.3.5	Comparison with Gradient Descent: $I_{\max} = 2,500$. .	37

4.4	Non-Linear Dataset: Concentric Circles Classification . . .	40
4.4.1	Dataset Generation and Objective	40
4.4.2	Stage 1: Optimal Hyperparameters	41
4.4.3	Stage 2 & 3: Training and Comparative Analysis . .	41
4.4.4	Comparison with Gradient Descent: $I_{\max} = 1000$. .	42
4.4.5	Comparison with Gradient Descent: $I_{\max} = 2,500$. .	44
4.5	Conclusion and Future Work	48
4.5.1	Summary of A* Framework Performance	48
4.5.2	Summary of Comparative Findings	50
4.5.3	Future Work	50

Chapter 1

The A* Search Algorithm

1.1 Overview and Context

The **A* (A-star) search algorithm** is a cornerstone of Artificial Intelligence and computer science, highly effective for pathfinding and optimal graph traversal. Developed in 1968 by Hart, Nilsson, and Raphael as an extension of Dijkstra's algorithm, A* is classified as an *informed search* or *best-first search* method. Unlike uninformed searches, A* strategically explores the solution space by using estimated knowledge about the goal, enabling it to efficiently find the shortest path between a start and goal node. Its classical applications include video game pathfinding, network routing, and logistical planning.

1.2 The Evaluation Function $f(n)$

The central innovation of the A* algorithm lies in its heuristic evaluation function, $f(n)$, which estimates the total cost of the path from the starting point through the current node n to the goal. This function is defined as the sum of two components: the true cost from the start, $g(n)$, and the estimated cost to the goal, $h(n)$.

$$f(n) = g(n) + h(n)$$

1.2.1 Path Cost ($g(n)$)

The function $g(n)$ represents the actual cost of the path taken from the initial starting node to the current node n . This is a known, objective value and is a direct measure of the work done so far. In traditional pathfinding, $g(n)$ might be the distance traveled;

in optimization problems like the one discussed in this report, $g(n)$ represents the product between the initial loss and the percentage of search iterations performed.

1.2.2 Heuristic Estimate ($h(n)$)

The function $h(n)$ is the heuristic estimate of the cost from the current node n to the final goal node. A heuristic is an educated guess that guides the search towards the most promising regions of the search space. The effectiveness and properties of the A* algorithm are highly dependent on the quality of this heuristic.

The heuristic $h(n)$ must satisfy the following critical property to guarantee optimality:

- **Admissibility:** A heuristic $h(n)$ is admissible if it never overestimates the true cost to reach the goal, meaning for all nodes n , $h(n) \leq h^*(n)$, where $h^*(n)$ is the true minimum cost from n to the goal.

If an admissible heuristic is used, A* is guaranteed to find the optimal (lowest-cost) path, provided a path exists.

1.3 Algorithm Mechanics

A* operates by iteratively expanding nodes, maintaining two key data structures:

- **Open Set (or Frontier):** A priority queue containing nodes that have been generated but not yet fully explored. Nodes in the open set are prioritized based on their calculated $f(n)$ value.
- **Closed Set:** A set containing nodes that have already been fully expanded. This prevents the algorithm from revisiting and reprocessing the same node multiple times.

The core loop of the A* algorithm is as follows:

1. Initialize the Open Set with the starting node.
2. While the Open Set is not empty:
 - Select and remove the node n from the Open Set with the lowest $f(n)$ value.

- If n is the goal state, terminate the search and reconstruct the path.
- Otherwise, generate all successors of n . For each successor s :
 - Calculate $g(s)$ and $f(s)$.
 - If s is already in the Open or Closed set, check if the newly found path to s (via n) is cheaper. If so, update its $g(n)$ and $f(n)$ values and potentially re-prioritize it in the Open Set.
 - If s is new, add it to the Open Set.
- Add n to the Closed Set.

1.4 Properties of A*

The A* search algorithm is known for two key theoretical properties:

- **Completeness:** If a solution path exists from the start node to the goal node, A* is guaranteed to find it, provided the branching factor is finite and edge costs are non-negative.
- **Optimality:** A* is optimally efficient and guaranteed to find the lowest-cost path if the heuristic function $h(n)$ is admissible. This makes it a preferred method for problems where minimizing the cost (or, in the context of this project, minimizing the training error) is paramount.

The adaptation of A* from a simple pathfinding tool to a machine learning optimization technique, as explored in this report, requires careful consideration of the state space, the definition of the path cost $g(n)$, and the design of an effective, possibly admissible heuristic $h(n)$.

Chapter 2

The Multilayer Perceptron and Traditional Training Methods

2.1 Multilayer Perceptron (MLP) Architecture

The Multilayer Perceptron (MLP) is a fundamental class of feed-forward artificial neural networks. It is distinguished by having one or more *hidden layers* between the input layer and the output layer, which allows the network to learn complex, non-linear relationships between inputs and outputs.

2.1.1 Neuron Structure and Function

The basic unit of the MLP is the artificial neuron, which receives a set of inputs, each associated with a synaptic weight. The neuron performs two main operations:

1. **Weighted Aggregation:** It calculates the weighted sum of the inputs, to which a *bias* (β) is added:

$$z = \left(\sum_{i=1}^m w_i x_i \right) + \beta$$

where x_i are the inputs, w_i are the weights, and m is the number of inputs.

2. **Activation Function:** It applies a non-linear activation function (σ) to the aggregated result to produce the neuron's output (a):

$$a = \sigma(z)$$

2.1.2 The Cost Function

Training an MLP is an optimization problem that aims to minimize the error between the network’s predicted output and the desired target output. This error is quantified by the *cost function* (or loss function).

2.2 The Standard Training Method: Backpropagation

Traditionally, the MLP is trained using the **Backpropagation** (error retro-propagation) algorithm, which is based on the *Gradient Descent* method.

2.2.1 Gradient Descent

Gradient Descent is an iterative algorithm that adjusts the network’s weights to move in the direction where the cost function decreases most rapidly. The weight update rule is given by:

$$w_{i,\text{new}} = w_{i,\text{old}} - \eta \frac{\partial E}{\partial w_i}$$

where η is the *learning rate* and $\frac{\partial E}{\partial w_i}$ is the gradient, which is the partial derivative of the error with respect to the weight w_i .

2.2.2 Error Backpropagation

Backpropagation is the efficient mechanism used to calculate this gradient. It utilizes the chain rule of differential calculus, propagating the error (and thus the gradient) backward, from the output layer to the hidden layers and finally to the input layer. This allows for the determination of the exact contribution of each weight to the total error, making the optimization scalable for deep networks.

2.3 Motivation for the A* Approach (Limitations of Backpropagation)

Despite its effectiveness, Backpropagation has several critical limitations that motivate the exploration of alternative optimization methods, such as A:

- **Local Minima:** Gradient Descent tends to get trapped in local minima or flat regions (plateaus) of the cost surface, preventing the network from achieving the global optimal solution.
- **Parameter Sensitivity:** The performance of Backpropagation is highly dependent on the correct selection of the η hyperparameter (learning rate). A value that is too high can cause oscillations, while a value that is too low makes training excessively slow.
- **Local Nature:** Backpropagation is a purely local algorithm, guided only by the gradient information at the current point. It lacks the global "vision" of the cost surface that an informed search algorithm like A* possesses.

This report proposes to frame the MLP training not as a continuous descent problem, but as a pathfinding problem in the quantize weight space, where A* can potentially overcome the local exploration limitations of Backpropagation, albeit at the expense of algorithmic training efficiency.

Chapter 3

The A* Search Framework for MLP Training

The primary objective of this project is to reformulate the optimization challenge of training a Multilayer Perceptron (MLP) as a **shortest-path problem** within a discrete, high-dimensional weight space. This chapter introduces the framework designed to achieve this, detailing how the continuous weight space is discretized, how the nodes and edges of the search graph are defined, and how the A* algorithm’s evaluation function is adapted to guide the network towards optimal weights.

3.1 Discretization of the Weight Space

The A* algorithm fundamentally operates on a discrete graph. Therefore, the continuous domain of real-valued weight parameters must be converted into a finite, discrete set of possible states. This is handled by the `QuantizedMLP` class.

3.1.1 Quantized State Definition

To define the search nodes, the floating-point parameters (weights and biases) of the MLP are subjected to uniform quantization. Given a predefined **quantization factor** (Q), every weight w_i is rounded to the nearest multiple of $1/Q$.

$$w_{i,\text{quantized}} = \text{round}(w_i \cdot Q)/Q$$

The number of potential discrete weight configurations defines the size of the search space. To manage the complexity and avoid instability, the parameters are constrained to a defined numerical range `[min_range, max_range]`.

The total number of possible states is:

$$[Q(\text{min_range} + \text{max_range}) + 1]^{\# \text{ network parameters}}$$

3.1.2 State Representation and Hashing

In the A* implementation, the efficacy of the algorithm relies on quickly checking if a particular weight configuration has been visited before, or if a better path to that configuration has been found. This requires a unique, hashable identifier for each state.

The `QuantizedMLP` utilizes the `get_state_hash()` method, which concatenates all quantized parameters into a single, ordered tuple of integers (by multiplying the quantized weights by the quantization factor Q). This tuple serves as the key in the Closed Set (represented by the `g_costs` dictionary in the implementation) for tracking the minimum cost found so far to reach that state.

3.2 Search Node and Transition Definition

3.2.1 The Search Node

A single search node n is represented by the `SearchNode` class and contains:

1. The current `QuantizedMLP` configuration (a unique, quantized set of weights).
2. The calculated cost-to-come, $g(n)$.
3. The heuristic estimate to the goal, $h(n)$.
4. The total estimated cost, $f(n) = g(n) + h(n)$.

3.2.2 Defining Transitions (Neighbors)

The edges of the search graph are defined by the allowed transitions between weight configurations, generated by the `get_neighbors` function. A transition represents a minimal, atomic change to the network's weights.

A neighbor state s is generated from the current state n by modifying the value of a single scalar weight by exactly one quantization step ($\Delta w = \pm 1/Q$). The size of the neighborhood, i.e. the total number of neighbors generated for state n is controlled by the parameter `param_fraction` $\in (0, 1)$, which determines the percentage of the

total network parameters that are randomly selected to undergo this modification and become a new neighbor state.

$$\text{Transition Rule: } w_{i,s} = w_{i,n} \pm 1/Q$$

This rule ensures that the search space is explored methodically and step-by-step, where the entire training process becomes a controlled traversal of the weight space one minimal adjustment at a time.

3.3 A* Cost Function Adaptation for Training

The successful application of A* to optimization relies entirely on correctly defining the cost components $g(n)$ and $h(n)$ in the context of neural network training.

3.3.1 Heuristic Function $h(n)$: Distance to Target Loss

The goal state is defined as any weight configuration where the network’s loss $L(n)$ is less than or equal to a predetermined target loss L_{target} . The heuristic $h(n)$ is defined as the margin by which the current loss exceeds the target loss:

$$h(n) = L(n) - L_{\text{target}}$$

This heuristic serves as the primary driver of the search, prioritizing configurations with lower loss values.

3.3.2 Path Cost $g(n)$: Accumulated Iterative Cost

The cost-to-come, $g(n)$, represents the cost of the path taken from the initial weight configuration to the current node n . In this context, it represents the total effort expended in terms of the number of weight updates.

The cost of each transition (edge) is treated as a uniform constant, Δg , where Δg is calculated based on the initial loss and the maximum allowed iterations ($\Delta g = L_{\text{initial}}/I_{\text{max}}$). The total path cost is:

$$g(n) = g(\text{parent}) + \Delta g$$

This definition forces A* to prioritize finding a solution in the fewest number of discrete weight modifications, thereby optimizing for training efficiency in terms of the number of state explorations.

3.3.3 Total Evaluation Function $f(n)$

The combined evaluation function $f(n)$ drives the search priority:

$$f(n) = g(n) + h(n) = (g(\text{parent}) + \Delta g) + (L(n) - L_{\text{target}})$$

By selecting the node with the minimum $f(n)$, the algorithm seeks a balance between minimizing the current error ($h(n)$) and minimizing the total number of weight updates required to reach that state ($g(n)$).

3.3.4 Admissibility Analysis

In standard A* search, $h(n)$ must be admissible ($h(n) \leq h^*(n)$, never overestimating the true minimum path cost) to guarantee finding the optimal solution.

Given the definitions above, the admissibility requirement is not guaranteed and is, in fact, likely violated:

1. The heuristic $h(n)$ represents the remaining loss to reach a goal state, while the unit of the true path cost $h^*(n)$ is a value proportional to the minimum number of parameter modifications (Δg steps) required to reach the target loss.
2. Since the minimum number of steps required to eliminate the remaining loss is unknown a priori and bears no guaranteed mathematical relationship to the loss value itself, $h(n)$ cannot reliably be confirmed as a lower bound for $h^*(n)$.

3.3.5 Role of $g(n)$

Since admissibility is ignored, the purpose of $g(n)$ shifts from ensuring global optimality to controlling local exploration. The $g(n)$ term acts both as an iteration counter and as a penalty term, preventing the search from becoming overly greedy and stuck:

- It introduces a growing cost proportional to the search effort invested.
- This mechanism forces the algorithm to eventually abandon local minima (configurations with low $h(n)$ but high accumulated $g(n)$) and explore alternative configurations on different branches that have been reached with fewer iterations, even if those alternatives currently exhibit a slightly worse $h(n)$ (higher loss).

The search thus functions as a Loss-Guided Best-First Search with an Iteration-Based Cost Penalty, trading the A*'s guarantee of optimality for a controlled, non-greedy exploration strategy that helps escape local minima.

3.3.6 Search Termination

Crucially, the search terminates when a goal state is reached, defined by the condition $L(n) \leq L_{\text{target}}$, which translates to $h(n) \leq 0$. If $L(n) < L_{\text{target}}$, $h(n)$ becomes negative, indicating that the network has surpassed the required goal threshold. Since the search halts immediately upon finding any state where $h(n) \leq 0$, the negative heuristic does not represent a practical problem.

3.4 The A* Training Loop Implementation

The core training logic is contained within the **Trainer** class, which manages the A* search:

1. **Initialization:** The process begins by creating an `initial_node` from the starting MLP weights. This node is placed in the priority queue (`open_set`).
2. **Iteration:** In each iteration, the node with the lowest $f(n)$ is retrieved from the `open_set`.
3. **Optimality Check:** Before expanding the node, the current path cost $g(n)$ is checked against the minimum cost previously recorded for that state in `g_costs` to ensure that A* always processes the optimal path to a given state first.
4. **Expansion:** Neighbors are generated by the transition rule ($\pm 1/Q$ change to a weight subset).
5. **Cost Update:** For each neighbor, the new g and h values are calculated. If the new path to the neighbor results in a lower cost-to-come ($g_{\text{new}} < g_{\text{old}}$), the neighbor is either updated in the search space or added to the `open_set`.
6. **Termination:** The search terminates when the best node retrieved from the `open_set` satisfies the goal condition ($h(n) \leq 0$).

This framework provides a global, informed search mechanism for MLP training, aiming to overcome the local minimum issues inherent in traditional gradient-based methods like Backpropagation.

Chapter 4

Experimental Methodology and Results

This report conducts a comparative analysis of two optimization methodologies, focusing on their respective strengths and weaknesses.

The adaptation of A* from a simple pathfinding tool to a machine learning optimization technique, as explored in this report, requires careful consideration of the state space, the definition of the path cost $g(n)$, and the design of an effective, possibly admissible heuristic $h(n)$. The primary objective of this study is to analyze a novel approach using A* search principles, experimentally comparing its performance and behavior against the well-established optimization methodology of Gradient Descent. Furthermore, a crucial element of this comparison involves a detailed investigation into the A* framework’s sensitivity to its core parameters; a systematic hyperparameter finetuning process has been performed to understand their influence on achieving superior performance.

4.1 Experimental Methodology

To systematically evaluate the proposed A* search framework, a three-stage comparative protocol was designed and applied uniformly to every dataset. This approach allows for a rigorous analysis of the A* algorithm’s behavior under different hyperparameter settings and a direct performance comparison with a conventional gradient descent method.

4.1.1 MLP Architecture and Evaluation

For all experiments, a small Multilayer Perceptron (MLP) architecture suitable for the complexity of the dataset was chosen. The loss function $L(n)$ for both A* evaluation (heuristic $h(n)$) and the Backpropagation baseline was chosen based on the task.

4.1.2 Three-Stage Comparative Protocol

Stage 1: Hyperparameter Grid Search and Sensitivity Analysis

The A* search performance is critically dependent on the discretization of the weight space. Therefore, the first stage involved an exhaustive grid search to:

1. Identify the optimal configuration of parameters that maximizes convergence speed and solution quality.
2. Understand the sensitivity of the A* search to changes in the search space.

The key hyperparameters subjected to optimization were:

- **Quantization Factor (Q):** Defining the granularity of the weight space ($1/Q$).
- **Parameter Range:** The boundary $[\text{min_range}, \text{max_range}]$ for the weights.
- **Parameter Fraction (`param_fraction`):** The proportion of scalar weights mutated per neighbor generation.
- **Target Loss (L_{target}):** The goal condition for search termination.
- **Maximum Iterations (`max_iterations`):** The upper limit of the number of total node expansions.

Stage 2: A* Training with Optimal Configuration

The best-performing hyperparameter set from Stage 1 was selected and used to train the final MLP model. This training run recorded the total number of node expansions, the path taken (sequence of weight states), and the overall wall-clock time required for convergence to L_{target} .

Stage 3: Backpropagation Baseline and Comparison

The A* performance was compared against the standard Stochastic Gradient Descent algorithm with Backpropagation. For a fair comparison, the SGD baseline was trained using its own optimal learning rate (η) derived from preliminary tuning. The final comparison focused on three critical metrics:

- **Convergence Speed:** Total A* node expansions vs. total SGD epochs required to be close to L_{target} .
- **Final Loss Value:** The best loss achieved during training for both methods.
- **Wall-Clock Time:** Comparison of total training time.

4.2 Synthetic Dataset: One-Dimensional Sine Function Regression

The first experiment applies the A* training framework to a non-linear regression problem, assessing its ability to learn complex continuous functions.

4.2.1 Dataset Generation and Objective

The synthetic dataset was generated using the one-dimensional sine function with additive Gaussian noise following the Normal distribution.

- **Input (x):** 1,000 evenly spaced samples in the range $x \in [0, 4\pi]$.
- **Output (y):** Generated as $y = \sin(x) + \epsilon$, where $\epsilon \sim \mathcal{N}(0, 0.1)$.
- **MLP Architecture:** Input (1 neuron) $\rightarrow$ Hidden Layer 1 (4 neurons, *relu* activation) $\rightarrow$ Hidden Layer 2 (4 neurons, *relu* activation) $\rightarrow$ Output (1 neuron, *tanh* activation).

The network’s task is to learn the underlying $\sin(x)$ mapping, minimizing the Mean Squared Error loss.




Figure 4.1: Plot of the noisy sine dataset

4.2.2 Stage 1: Grid Search Findings

The grid search confirmed that the A* framework is most efficient when the quantization factor is high enough to capture the function’s complexity but low enough to keep the neighbor generation tractable.

Except for the parameter examined during the grid search, all hyperparameters are set with the following values: $Q = 10$, Parameter Range $[-5, 5]$, param_fraction = 1.0, max_iterations = 5000 and $L_{\text{target}} = 0.01$.

Impact of the Quantization Factor

Based on the empirical results presented in the accompanying figure, the hyperparameter grid search demonstrated a clear dependency of the final achieved loss on the selected quantization factor, Q . Specifically, among the three tested values ($Q = 1$, $Q = 10$, and $Q = 100$), the intermediate quantization factor of $Q = 10$ yielded the most favorable outcome, resulting in the lowest terminal loss across the benchmark dataset. This suggests that $Q = 10$ strikes the optimal balance between aggressive parameter quantization (which risks excessive information loss, as potentially seen with $Q = 1$) and insufficient quantization (where the search space remains overly large and continuous, hindering the A* pathfinding approach, as potentially observed with $Q = 100$).




Figure 4.2: Plot of the loss trend in function of Quantization Factor

Table 4.1: Impact of Quantization Factor on Sine Regression Performance (Other HPs Fixed)

QF	Avg. Time (s)	Avg. Final Loss
1	438.8	0.3865205
10	433.6	0.369744
100	432.5	0.509892

Impact of the Network Parameters Range

A second crucial set of experiments involved determining the optimal numerical weight range for the network parameters, which defines the extreme minimum and maximum values that a quantized weight can assume. We evaluated three distinct ranges: $[-3, 3]$, $[-5, 5]$, and $[-10, 10]$.

Analysis of the results, as depicted in the following figure, demonstrates a clear trend: the wider range of $[-10, 10]$ consistently yielded the best performance, achieving the lowest terminal loss value. This observation suggests that restricting the weight space to narrower ranges, such as $[-3, 3]$, excessively limits the expressiveness and search capacity of the MLP. Conversely, the increased capacity provided by the $[-10, 10]$ range allows the A* search to navigate a sufficiently large weight space, enabling it to locate more effective parameter configurations for minimization of the loss function.




Figure 4.3: Plot of the loss trend in function of Parameter Range

Table 4.2: Impact of Parameter Range on Sine Regression Performance (Other HPs Fixed)

PR	Avg. Time (s)	Avg. Final Loss
$[-3, 3]$	427.86	0.3895117
$[-5, 5]$	433.9	0.369744
$[-10, 10]$	433.0	0.211066

Analysis of Parameter Fraction (`param_fraction`)

The final hyperparameter test evaluated the `param_fraction` $\in \{1.0, 0.5, 0.25\}$, which controls the percentage of total network parameters considered as candidates for single-weight modification during neighbor generation. This parameter directly influences the size and diversity of the explored neighborhood at each A* step.

As shown in the subsequent figure, the results across two runs for each setting suggest the following:

- The `param_fraction` = 0.25 setting consistently exhibited the worst performance, leading to a higher average loss, indicating that severely restricting the neighborhood size hinders effective search exploration.
- The `param_fraction` = 1.0 (100% of parameters considered) maintained a stable behavior across both runs, achieving a reliable average loss of approximately 0.36.
- The `param_fraction` = 0.5 configuration showed a higher degree of variability. While one run achieved the absolute lowest loss, the second run's result was comparable to the stable performance of the 1.0 setting.

Given the minimal difference in average loss (≈ 0.35 vs. ≈ 0.36) and the superior stability of the `param_fraction` = 1.0 setting, the best result obtained by 0.5 is likely an outlier. The data suggest that for this problem, the exact value of the parameter fraction between 0.5 and 1.0 has a negligible or inconsistent impact on the final loss achieved.




Figure 4.4: Plot of the loss trend in function of Parameter Fraction

Table 4.3: Impact of Parameter Fraction on Sine Regression Performance (Other HPs Fixed)

PF	Avg. Time (s)	Avg. Final Loss
0.25	121.0	0.3801825
0.50	224.3	0.35161
1.00	433.5	0.363121

Influence of the Target Loss (L_{target})

This experiment investigated the impact of the target loss value, L_{target} , which is intrinsically linked to the $g(n)$ path cost formulation ($g(n) = (L_{\text{initial}}/I_{\text{max}}) \times k$). Three distinct target values were tested: $L_{\text{target}} \in \{0.1, 0.01, 0.001\}$.

As demonstrated in the figure below, the variation of the target loss across these three orders of magnitude had no practically significant effect on the terminal loss achieved by the search algorithm. Every configuration converged to a statistically similar minimum loss value. This finding suggests that while the target loss is a component in the heuristic $h(n)$ (where $h(n) = L(n) - L_{\text{target}}$), the absolute value chosen within this tested range does not critically influence the overall search trajectory or the final solution quality. The primary guidance remains dictated by the current loss $L(n)$, and the target is simply a lower bound reference that does not alter the relative priorities between nodes during the search.




Figure 4.5: Plot of the loss trend in function of Target Loss

Table 4.4: Impact of Target Loss on Sine Regression Performance (Other HPs Fixed)

TL	Avg. Time (s)	Avg. Final Loss
0.1	434.3	0.369744
0.01	435.22	0.369744
0.001	432.0	0.369744

Effect of Maximum Iterations ($I_{\max}$)

The final parameter evaluated was the maximum number of search iterations ($I_{\max}$), testing the values 1,000, 5,000, and 10,000. This parameter directly governs the computational budget and is critically linked to the $g(n)$ path cost component via the Δg step size: $\Delta g = L_{\text{initial}}/I_{\max}$.

As demonstrated in the figure below, the results indicate a clear optimum: the shortest search duration of $I_{\max} = 1,000$ iterations led to the best overall performance. This configuration achieved both the lowest average terminal loss (substantially smaller than the losses obtained with 5,000 and 10,000) and the smallest training time (measured in seconds).

This counter-intuitive finding is likely explained by the inverse relationship between $I_{\max}$ and the Δg step size. With $I_{\max} = 1,000$, the corresponding Δg value is significantly larger, resulting in a bigger penalty term for the $g(n)$ function as the search progresses. This stronger penalty term makes the search more explorative by rapidly increasing the $f(n)$ value of configurations where many iterations have been spent. Conversely, larger $I_{\max}$ values imply a smaller Δg , leading to a smaller $g(n)$ penalty, which allows the search to focus for longer periods on local minima configurations, ultimately hindering the discovery of better global solutions. This behavior confirms that the intended purpose of $g(n)$ avoiding greedy focus is maximized when $I_{\max}$ is set lower.




Figure 4.6: Plot of the loss trend in function of Max Iterations

Table 4.5: Impact of Max Iterations on Sine Regression Performance (Other HPs Fixed)

MI	Avg. Time (s)	Avg. Final Loss
1000	91.1	0.167127
5000	430.5	0.291490
10000	856.4	0.291483

4.2.3 Stage 2 & 3: Training and Comparative Analysis

Explanation of Plots: Statistical Methodology

The comparative analysis of A* search and Gradient Descent relies on two complementary visualization techniques, each providing a distinct view of the algorithms' performance across the ten independent runs.

Mean Loss with Standard Deviation Shading

This is the most informative plot for evaluating time-series performance and convergence dynamics. The solid line represents the average loss ($\bar{L}$) across all ten runs at every iteration, clearly demonstrating which method achieves faster convergence or reaches a lower loss plateau on average.

Interpretation of Variability (Standard Deviation $\pm 1\sigma$): The shaded area surrounding the mean line represents the standard deviation ($\pm 1\sigma$) of the loss at each iteration. This is a crucial measure of an algorithm's consistency and robustness.

- A narrow shaded band means the method is highly consistent, its performance is reliable and typically near the average, regardless of the random initial weights.
- A wide shaded band means the method is volatile (σ is large) and highly dependent on the random initialization. A wide band often signals that the algorithm frequently "gets stuck" in poor local minima or conversely, occasionally "hits a jackpot" solution.

Final Loss Box Plot

This plot provides a concise summary of the distribution of the final terminal loss achieved by each method after the completion of $I_{\max}$ iterations. It is ideal for comparing the final state quality.

Interpretation of Distribution:

- **The Median Line:** The horizontal line inside the box shows the median (the 50th percentile) result. The median is a robust measure of typical performance, as it is less sensitive to extreme outliers than the mean.
- **The Box (Interquartile Range, IQR):** The vertical span of the box represents the middle 50% of your results (from the 25th to the 75th percentile). A very short box indicates high clustering and consistency in the results. If one box is much lower than another, that method is definitively superior in its typical performance range.

- **Whiskers and Dots (Range and Outliers):** The whiskers show the full range of results (excluding outliers), and individual dots beyond the whiskers identify extreme outliers. These elements help to see how often a method results in a failed run or a single exceptional result.

4.2.4 Comparison with Gradient Descent: $I_{\max} = 1,000$

To quantitatively assess the performance of the A* search approach against the established optimization method of Gradient Descent (GD) on the sine dataset, a comparative study was conducted. Both A* and GD were executed for $I_{\max} = 1,000$ training steps. To ensure robustness, ten independent runs ($n = 10$) were performed for each algorithm, starting from different random weight initializations. The statistical results are summarized in Table 4.6, and the performance trajectory is presented in the following figures.




Figure 4.7: Mean Loss Trajectory with Standard Deviation Shading for $I_{\max} = 1,000$ Iterations. This plot illustrates the average loss over ten independent runs for both A* Search (Novel) and Gradient Descent (Classic), with the shaded region representing ± 1 standard deviation. It highlights convergence speed and the consistency of each algorithm's performance over time.




Figure 4.8: Final Loss Box Plot for $I_{\max} = 1,000$ Iterations. This box plot summarizes the distribution of the terminal loss values achieved by A* Search (Novel) and Gradient Descent (Classic) over ten independent runs. The box represents the interquartile range (IQR), the central line indicates the median, and whiskers show the range of results (excluding outliers).

Table 4.6: Comparative Statistics Over Ten Runs for $I_{\max} = 1,000$ Iterations

Metric	A* Search (Novel)	Gradient Descent (Classic)
Average Loss ($\bar{L}$)	0.285213	0.385243
Median Loss	0.331870	0.384283
Standard Deviation (σ)	0.130934	0.066165
Variance (σ^2)	0.017144	0.004378
Minimum Loss ($L_{\min}$)	0.057494	0.246618
Maximum Loss ($L_{\max}$)	0.436191	0.506505
Average Training Time (s)	100.10	10.20

Statistical and Trajectory Analysis

Performance (Average Loss): For the 1,000-iteration budget, the A* search method significantly outperformed GD in terms of central tendency. The A* Average Loss ($\bar{L} = 0.2852$) is substantially lower than the GD Average Loss ($\bar{L} = 0.3852$), a difference of nearly 0.1 units. This is further supported by the Median Loss, where A* is also clearly superior, indicating that A* typically converges to a better solution within this short number of search iteration.

Best-Case Potential: A* demonstrated a superior capacity to locate deep minima, achieving a Minimum Loss ($L_{\min} = 0.0575$) that is four times better than GD’s best run ($L_{\min} = 0.2466$). This highlights A*’s effective, albeit non-admissible, exploration strategy in the quantized space.

Consistency Trade-off: The major point of contrast is in solution stability. The Standard Deviation of A* ($\sigma = 0.1309$) is nearly double that of GD ($\sigma = 0.0662$). This indicates that while A* can find much better solutions, its final performance is less consistent and more dependent on the random initialization than Gradient Descent over these 1,000 steps. The narrow shaded band for GD in the previous plot confirms its superior stability, while the wider band for A* reflects its volatility.

Conclusion for $I_{\max} = 1,000$: Over a short budget of 1,000 iterations, the A* training framework proves to be the performance leader for the sine regression task, achieving significantly lower average loss, median loss, and minimum loss values than Gradient Descent. While A* introduces a consistency trade-off (higher volatility) compared to the more stable GD, its enhanced capacity to locate superior global solutions in the quantized weight space makes it the preferred method for finding better result.

4.2.5 Comparison with Gradient Descent: $I_{\max} = 5,000$

To assess the long-term behavior of both A* search and Gradient Descent, the comparative study was repeated using a five times larger computational budget of $I_{\max} = 5,000$ steps. Ten independent runs ($n = 10$) were executed for each method. The extended statistical results are presented in Table 4.7, followed by analysis of the loss trajectory plots.



Figure 4.9: Mean Loss Trajectory with Standard Deviation Shading for $I_{\max} = 5,000$ Iterations. This plot illustrates the average loss over ten independent runs for both A* Search (Novel) and Gradient Descent (Classic), with the shaded region representing ± 1 standard deviation. It highlights convergence speed and the consistency of each algorithm's performance over time.




Figure 4.10: Final Loss Box Plot for $I_{\max} = 5,000$ Iterations. This box plot summarizes the distribution of the terminal loss values achieved by A* Search (Novel) and Gradient Descent (Classic) over ten independent runs. The box represents the interquartile range (IQR), the central line indicates the median, and whiskers show the range of results (excluding outliers).

Table 4.7: Comparative Statistics Over Ten Runs for $I_{\max} = 5,000$ Iterations

Metric	A* Search (Novel)	Gradient Descent (Classic)
Average Loss ($\bar{L}$)	0.309016	0.281814
Median Loss	0.362573	0.348420
Standard Deviation (σ)	0.124285	0.160277
Variance (σ^2)	0.015447	0.025689
Minimum Loss ($L_{\min}$)	0.060297	0.041063
Maximum Loss ($L_{\max}$)	0.444254	0.429369
Average Training Time (s)	414.48	49.70

Statistical and Trajectory Analysis

Performance Shift (Average Loss): With the increased budget to 5,000 iterations, the performance dynamic shifts. Gradient Descent’s average loss drops significantly from 0.3852 (at 1k) to 0.2818 (at 5k), now slightly outperforming A* ($\bar{L} = 0.3090$) in terms of overall central tendency. This suggests that the extra 4,000 steps allow GD to overcome local obstacles and leverage the continuous space more effectively, while A* reaches its solution limit earlier.

Best-Case Potential: GD’s ability to find the global best solution also improves, achieving a new Minimum Loss ($L_{\min} = 0.0411$) that surpasses A*’s best run ($L_{\min} = 0.0603$). This indicates that the long-term, high-budget champion for finding the absolute best result is GD.

Consistency Advantage of A*: Despite being surpassed in average and minimum loss, the A* method maintains its characteristic robustness. The Standard Deviation of A* ($\sigma = 0.1243$) is now lower than that of GD ($\sigma = 0.1603$). This is a crucial finding: as the iteration count increases, GD’s search becomes more volatile (its variance increases significantly from 1k to 5k), whereas A* maintains a more consistent, low-variance performance.

Conclusion for $I_{\max} = 5,000$: Over 5,000 iterations, the A* method transitions from having superior average performance to having superior reliability and consistency. The primary advantage of Gradient Descent in the long run lies only in its potential to achieve a slightly lower average loss and a better absolute minimum, but this comes at the cost of significantly higher variance.

4.3 Classic Dataset: Iris Flower Classification

The second experiment applies the A* training framework to a classic and well-established classification task, assessing its ability to perform parameter quantization and optimization within a widely recognized benchmark domain.

4.3.1 Dataset and Objective

The experiment utilizes the canonical Iris dataset, which consists of 150 samples of three species of Iris flowers (Setosa, Versicolor, Virginica), based on four key features.

- **Input (x):** 4 features (sepal length, sepal width, petal length, petal width) standardized to a common scale.
- **Output (y):** Three classes (species), encoded using one-hot encoding (e.g., $[1, 0, 0]$ for Setosa).
- **MLP Architecture:** Input (4 neurons) $\rightarrow$ Hidden Layer 1 (8 neurons, *relu* activation) $\rightarrow$ Hidden Layer 2 (8 neurons, *relu* activation) $\rightarrow$ Output (3 neurons, *softmax* activation).

The network’s task is a three-class classification, aiming to learn the mapping from the four physical measurements to the correct species, minimizing the Categorical Cross-Entropy loss. The performance comparison between A* and Gradient Descent will be primarily evaluated based on this loss function.

4.3.2 Stage 1: Optimal Hyperparameters

Given the architectural similarities between the sine regression model and the Iris classification model, the optimal hyperparameters found during the sine experiment were adopted for the final comparison phase of the Iris dataset:

- **Quantization Factor:** $Q = 10$
- **Parameter Range:** $[-10, 10]$
- **Parameter Fraction (param_fraction):** 1.0 (to maximize exploration candidates, despite minimal difference with 0.5)
- **Target Loss (L_{target}):** 0.01 (as its impact was found to be negligible)

The `max_iterations` parameter remains the variable of comparison in Stage 2.

4.3.3 Stage 2 & 3: Training and Comparative Analysis

The methodology for visualization and statistical analysis remains identical to that employed for the sine dataset (see Section 4.2, Stage 2 & 3). The comparison between A* and Gradient Descent is performed over ten independent runs ($n = 10$) for two iteration budgets: $I_{\max} = 1,000$ and $I_{\max} = 2,500$. The same Mean Loss with Standard Deviation Shading and Final Loss Box Plot visualizations are utilized.

4.3.4 Comparison with Gradient Descent: $I_{\max} = 1,000$

The comparative study between A* and GD was first executed with a budget of $I_{\max} = 1,000$ steps to assess performance under time constraints. The statistical results are summarized in Table 4.8, and the performance trajectory is presented in the following figures.




Figure 4.11: Mean Loss Trajectory with Standard Deviation Shading for $I_{\max} = 1,000$ Iterations (Iris Dataset). This plot illustrates the average loss over ten independent runs, highlighting convergence and consistency.




Figure 4.12: Final Loss Box Plot for $I_{\max} = 1,000$ Iterations (Iris Dataset). This plot summarizes the distribution of the terminal loss values achieved by both search methods.

Table 4.8: Comparative Statistics Over Ten Runs for $I_{\max} = 1,000$ Iterations (Iris Dataset)

Metric	A* Search (Novel)	Gradient Descent (Classic)
Average Loss ($\bar{L}$)	0.073372	0.025271
Median Loss	0.066387	0.021674
Standard Deviation (σ)	0.017490	0.011363
Variance (σ^2)	0.000306	0.000129
Minimum Loss ($L_{\min}$)	0.054803	0.000643
Maximum Loss ($L_{\max}$)	0.096308	0.040051
Average Training Time (s)	336.449361	2.003290

Statistical and Trajectory Analysis

Performance Dominance: For the 1,000 iterations on the Iris dataset, Gradient Descent exhibits decisive superiority across all metrics compared to the A* search framework. The GD Average Loss ($\bar{L} = 0.0253$) is nearly three times lower than the A* Average Loss ($\bar{L} = 0.0734$), and its Median Loss is also significantly better. This indicates that the continuous optimization landscape is highly efficient for GD even in short runs.

Best-Case and Consistency: GD demonstrates superior performance potential, achieving a minimum loss ($L_{\min} = 0.0006$) which is two orders of magnitude better than the A* minimum ($L_{\min} = 0.0548$). Furthermore, GD is also significantly more consistent; its Standard Deviation ($\sigma = 0.0114$) and Variance are lower than A*'s ($\sigma = 0.0175$). This means that GD not only finds better solutions on average but does so more reliably.

Computational Efficiency: The vast difference in computational time is also notable. GD completes the 1,000 iterations in approximately 2.00 seconds, whereas the A* search requires over 336 seconds due to the overhead of neighbor generation, heuristic evaluation, and priority queue management.

Conclusion for $I_{\max} = 1,000$: For this specific classification task and short budget, the highly constrained, non-admissible A* search in the quantized weight space is ineffective. GD benefits greatly from the well-behaved continuous optimization surface, resulting in demonstrably better performance, higher consistency, and significantly faster training time.

4.3.5 Comparison with Gradient Descent: $I_{\max} = 2,500$

The comparative study was extended to $I_{\max} = 2,500$ steps to evaluate the long-term convergence behavior of both methods on the Iris dataset. The extended statistical results are presented in Table 4.9, followed by analysis of the loss trajectory plots.




Figure 4.13: Mean Loss Trajectory with Standard Deviation Shading for $I_{\max} = 2,500$ Iterations (Iris Dataset). This plot illustrates the average loss over ten independent runs, highlighting convergence and consistency.




Figure 4.14: Final Loss Box Plot for $I_{\max} = 2,500$ Iterations (Iris Dataset). This plot summarizes the distribution of the terminal loss values achieved by both search methods.

Table 4.9: Comparative Statistics Over Ten Runs for $I_{\max} = 2,500$ Iterations (Iris Dataset)

Metric	A* Search (Novel)	Gradient Descent (Classic)
Average Loss ($\bar{L}$)	0.046798	0.013860
Median Loss	0.049078	0.010336
Standard Deviation (σ)	0.009560	0.014832
Variance (σ^2)	0.000091	0.000220
Minimum Loss ($L_{\min}$)	0.031587	0.000022
Maximum Loss ($L_{\max}$)	0.057680	0.040018
Average Training Time (s)	844.550498	5.433983

Statistical and Trajectory Analysis

Long-Term Performance: When the iteration budget is increased to 2,500, Gradient Descent maintains its dominance in terms of overall loss performance. GD’s Average Loss ($\bar{L} = 0.0139$) and Median Loss remain substantially lower than A*’s ($\bar{L} = 0.0468$), confirming its superior ability to find optimal parameters in the continuous space over extended runs. GD also achieved a vastly superior absolute Minimum Loss ($L_{\min} = 0.000022$), demonstrating its potential to reach the deepest minima for this task.

Consistency Reversal: A crucial and contrasting observation is the reversal of consistency metrics. A* search maintains a lower Standard Deviation ($\sigma = 0.0096$) and Variance, indicating that its final solution quality is more consistent across different runs. Conversely, GD’s Standard Deviation ($\sigma = 0.0148$) is higher, showing that as the search duration is extended, GD becomes more volatile, occasionally finding excellent solutions but also producing poorer outcomes.

Computational Efficiency: GD remains dramatically more efficient, completing the 2,500 iterations in approximately 5.43 seconds, while A* requires 844.55 seconds, reflecting its high algorithmic overhead.

Conclusion for $I_{\max} = 2,500$: For the Iris classification task, GD is the long-term champion in terms of achieving the best average-case and minimum loss, but A* provides a significantly more reliable, low-variance solution (superior consistency). The utility of A* lies in its highly consistent convergence to a satisfactory result, mitigating the risk of high-variance performance seen with Gradient Descent when given a large budget.

4.4 Non-Linear Dataset: Concentric Circles Classification

The third and final experiment tests the A* training framework on a non-linear binary classification problem using the synthetic concentric circles dataset. This benchmark is crucial for assessing the algorithm’s ability to navigate the parameter space when a simple linear boundary is insufficient.

4.4.1 Dataset Generation and Objective

The experiment utilizes a synthetic dataset generated by the `make_circles` function, which creates points forming two interleaved circles.

- **Input (x):** 2 features (x, y coordinates). 1,000 samples were generated with a noise level of 0.1 and a scale factor of 0.5.
- **Output (y):** Two classes (inner circle and outer circle), encoded implicitly by the Cross-Entropy loss structure.
- **MLP Architecture:** Input (2 neurons) $\rightarrow$ Hidden Layer (4 neurons, *relu* activation) $\rightarrow$ Output (2 neurons, logits).

The network’s task is a binary classification, aiming to find the complex decision boundary required to separate the concentric circles, minimizing the Categorical Cross-Entropy loss.




Figure 4.15: Plot of the circles dataset

4.4.2 Stage 1: Optimal Hyperparameters

Following the parameter testing from the sine dataset, the following optimal fixed hyperparameters were used for the comparative analysis of the Circle dataset:

- **Quantization Factor:** $Q = 10$
- **Parameter Range:** $(-10, 10)$
- **Parameter Fraction (param_fraction):** 1.0
- **Target Loss (L_{target}):** 0.0001

4.4.3 Stage 2 & 3: Training and Comparative Analysis

The comparison between A* and Gradient Descent is performed over ten independent runs ($n = 10$). The analysis utilizes the same statistical methods (Mean Loss

with Standard Deviation Shading and Final Loss Box Plot) as used for the previous datasets.

4.4.4 Comparison with Gradient Descent: $I_{\max} = 1000$

Both A* and GD were executed for a total of $I_{\max} = 1000$ steps. The statistical results are summarized in Table 4.10, and the performance trajectory is presented in the following figures.




Figure 4.16: Mean Loss Trajectory with Standard Deviation Shading for $I_{\max} = 1000$ Iterations (Circle Dataset). This plot illustrates the average loss over ten independent runs, highlighting convergence and consistency.




Figure 4.17: Final Loss Box Plot for $I_{\max} = 1000$ Iterations (Circle Dataset). This plot summarizes the distribution of the terminal loss values achieved by both search methods.

Table 4.10: Comparative Statistics Over Ten Runs for $I_{\max} = 1000$ Iterations (Circle Dataset)

Metric	A* Search (Novel)	Gradient Descent (Classic)
Average Loss ($\bar{L}$)	0.240124	0.148245
Median Loss	0.150237	0.026805
Standard Deviation (σ)	0.177546	0.232974
Variance (σ^2)	0.031522	0.054277
Minimum Loss ($L_{\min}$)	0.094537	0.015414
Maximum Loss ($L_{\max}$)	0.541776	0.693137
Average Training Time (s)	46.892284	6.829286

Statistical and Trajectory Analysis

Performance (Average vs. Median): For the 1,000-iteration budget on the Circle dataset, Gradient Descent achieves a superior Average Loss ($\bar{L} = 0.1482$) compared to A* ($\bar{L} = 0.2401$). This difference is even more pronounced in the Median Loss, where GD (0.0268) is substantially better than A* (0.1502), indicating that GD typically converges to a much stronger solution. GD also found the best-case result, achieving a significantly lower Minimum Loss ($L_{\min} = 0.0154$).

Consistency Trade-off: The primary performance difference lies in consistency. A* demonstrates superior consistency with a lower Standard Deviation ($\sigma = 0.1775$) and Variance than GD ($\sigma = 0.2330$). This suggests that while GD finds better solutions on average and achieves the absolute minimum, it also produces significantly worse maximum loss results ($L_{\max} = 0.6931$), indicating a higher risk of failed runs or poor local minima entrapment compared to the A* search.

Computational Efficiency: GD is vastly more efficient, completing the 1,000 steps in approximately 6.83 seconds, whereas the A* search requires 46.89 seconds due to its high algorithmic overhead.

Conclusion for $I_{\max} = 1000$: Gradient Descent is the performance leader, achieving lower average and minimum loss, but it is less reliable than A* due to its higher variance and susceptibility to poor initializations. A* provides a more consistent, low-variance alternative, albeit at a higher computational cost.

4.4.5 Comparison with Gradient Descent: $I_{\max} = 2,500$

The comparative study was extended to $I_{\max} = 2,500$ steps to evaluate the extended convergence behavior of both methods on the challenging non-linear Circle dataset.

The statistical results are summarized in Table 4.11, and the performance trajectory is presented in the following figures.




Figure 4.18: Mean Loss Trajectory with Standard Deviation Shading for $I_{\max} = 2,500$ Iterations (Circle Dataset). This plot illustrates the average loss over ten independent runs, highlighting convergence and consistency.




Figure 4.19: Final Loss Box Plot for $I_{\max} = 2,500$ Iterations (Circle Dataset). This plot summarizes the distribution of the terminal loss values achieved by both search methods.

Table 4.11: Comparative Statistics Over Ten Runs for $I_{\max} = 2,500$ Iterations (Circle Dataset)

Metric	A* Search (Novel)	Gradient Descent (Classic)
Average Loss ($\bar{L}$)	0.170333	0.206681
Median Loss	0.058771	0.044057
Standard Deviation (σ)	0.212892	0.268925
Variance (σ^2)	0.045323	0.072320
Minimum Loss ($L_{\min}$)	0.048488	0.012027
Maximum Loss ($L_{\max}$)	0.693058	0.693147
Average Training Time (s)	126.002429	19.916831

Statistical and Trajectory Analysis

Central Tendency Comparison: With 2,500 iterations, the performance metrics show a complex trade-off. A* achieves a slightly better Average Loss ($\bar{L} = 0.1703$) than GD ($\bar{L} = 0.2067$). However, the Median Loss of GD (0.0441) is superior to A*'s Median Loss (0.0588). This implies that A* is less penalized by outliers (or failed runs) than GD, but GD, when successful, typically finds a marginally better solution.

Best-Case vs. Consistency: Gradient Descent retains the ability to find the absolute best solutions, achieving a significantly lower Minimum Loss ($L_{\min} = 0.0120$) than A* ($L_{\min} = 0.0485$). Nevertheless, A* demonstrates superior consistency with a lower Standard Deviation ($\sigma = 0.2129$) and Variance ($\sigma^2 = 0.0453$) compared to GD ($\sigma = 0.2689$). Both methods still suffer from the high-variance risk of getting stuck, evidenced by Max Loss values near 0.693, but A* does so slightly less frequently.

Computational Efficiency: Gradient Descent remains vastly more efficient, completing 2,500 steps in approximately 19.92 seconds, while A* requires 126.00 seconds.

Conclusion for $I_{\max} = 2,500$: On the Circle dataset with an extended budget, A* achieves a better overall average loss due to a less frequent occurrence of catastrophic failure runs. However, GD still offers a better median performance and the best minimum loss. The primary distinction is that A* provides a more consistent (lower variance) solution than GD, confirming its robustness in the face of a complex non-linear loss landscape.

4.5 Conclusion and Future Work

This study introduced and evaluated an A* search-based framework for training Multilayer Perceptrons, leveraging a non-admissible heuristic function to navigate a quantized parameter space. The framework was benchmarked against the classical Gradient Descent algorithm across three canonical machine learning tasks: non-linear regression (Sine), simple classification (Iris), and complex non-linear classification (Circles).

4.5.1 Summary of A* Framework Performance

The experimental results across the three datasets consistently revealed two defining characteristics of the A* training framework: superior exploration in low-budget scenarios and enhanced long-term solution consistency at the expense of computational efficiency.

1. A* as a Superior Low-Budget Explorer (Sine Dataset)

On the non-linear regression task (Sine), A* demonstrated a clear advantage under a limited budget ($I_{\max} = 1,000$).

- **Central Tendency:** A* achieved a significantly lower Average Loss (0.2852) and Median Loss (0.3319) compared to GD Average Loss (0.3852) and Median Loss (0.3843).
- **Global Search:** A* showcased superior Best-Case Potential, finding solutions with a Minimum Loss ($L_{\min} = 0.0575$) that were four times better than GD's best. This confirms the efficacy of its heuristic-guided search in escaping shallow local minima early in the training process.

This evidence suggests that in situations where computational time is not a constraint, the A* framework can yield a higher-quality result than GD.

2. A* as a Consistent and Robust Trainer (Sine and Circles Datasets)

While GD eventually surpassed A* in average performance in high-budget scenarios (Sine at $I_{\max} = 5,000$ and Circles at $I_{\max} = 2,500$), A* consistently offered a critical advantage: superior consistency (low variance).

- **Consistency Reversal (Sine):** As the budget increased from 1,000 to 5,000 iterations, GD's consistency dramatically worsened (σ increased), while A*'s

consistency improved (σ decreased). At $I_{\max} = 5,000$, A* was demonstrably more consistent ($\sigma = 0.1243$) than GD ($\sigma = 0.1603$).

- **Non-Linear Robustness (Circles):** Even in the challenging non-linear Circle dataset at $I_{\max} = 2,500$, where GD achieved a better median, A* maintained a lower Standard Deviation ($\sigma = 0.2129$) and Variance ($\sigma^2 = 0.0453$), leading to a better overall Average Loss ($\bar{L} = 0.1703$).

This consistent behavior suggests that the A* framework provides a more reliable guarantee of solution quality due to its lower relative variance compared to GD. This inherent robustness against high-variance outcomes is attributable to the discretization imposed by parameter quantization.

The Role of Quantization in Variance Reduction: The A* method operates within a finite, reduced-cardinality search space defined by the quantization factor (Q) and the parameter range. By forcing the continuous weights into discrete, permissible values, the framework effectively filters out the vast majority of suboptimal continuous configurations that may arise from random weight initializations. This coarser resolution of the weight space leads to a less variant initial loss distribution and a more stable trajectory, as the search is immediately confined to "stable" islands of parameter settings, mitigating the risk of extreme performance degradation seen in some high-variance GD runs.

The Role of the Heuristic in Exploration: Furthermore, the heuristic contributes to controlled exploration. The path cost term, which penalizes length, actively drives the search away from local minima where the loss is stagnant. This mechanism prevents the prolonged, low-cost exploration of non-optimal regions that can frequently occur in continuous gradient-based optimization when steps become minimal. Thus, the heuristic ensures a consistent level of exploration, making the final result less dependent on whether the initial state was near a deep minimum or a flat, unyielding plateau, thereby supporting the observed lower variance.

3. Limitations: Computational Cost

The primary limitation of the A* approach is its vastly superior computational cost. The overhead associated with priority queue management, loss calculation for numerous neighbors, and discrete weight updates led to training times that were consistently one to two orders of magnitude slower than GD. Furthermore, on the simplest, well-behaved dataset (Iris), A* was wholly ineffective, being comprehensively dominated by GD in every performance metric and computational time, confirming that the continuous, non-quantized optimization path remains optimal.

4.5.2 Summary of Comparative Findings

The comparison between A* and Gradient Descent revealed three distinct regime outcomes across the experiments:

- **Low Budget / Complex Landscape (Sine, $I_{\max} = 1k$):** A* is the performance leader, achieving significantly lower average loss and minimum loss, confirming its superior ability for rapid exploration and discovery of high-quality solutions.
- **High Budget / Complex Landscape (Sine, $I_{\max} = 5k$; Circles, $I_{\max} = 2.5k$):** GD is the efficiency and best-case performer (achieving the absolute lowest minimum), but A* demonstrates superior consistency, guaranteeing a more robust result due to lower solution variance.
- **Low Budget / Simple Landscape (Iris, $I_{\max} = 1k$):** For the short budget, Gradient Descent is the dominant method, achieving superior performance across all metrics (speed, average loss, minimum loss, and consistency) compared to A*. This confirms the ineffectiveness of A* for well-behaved, continuous surfaces when iteration count is low.
- **High Budget / Simple Landscape (Iris, $I_{\max} = 2.5k$):** With the extended budget, GD retains its overall performance and efficiency lead. However, A* demonstrates a crucial characteristic: it achieves better consistency than GD. This indicates that while GD finds better solutions on average, the constrained A* search provides a more reliable, low-variance result when given sufficient steps on this simple landscape.

4.5.3 Future Work

The potential of using graph search algorithms for neural network training is evident in the robustness and early exploration capabilities demonstrated by the A* framework. Future research should focus on mitigating the computational bottleneck and improving the heuristic function:

1. **Pruning and Heuristic Improvement:** Developing a faster, admissible heuristic and implementing aggressive search space pruning techniques (e.g., beam search, iterative deepening) is crucial to reduce the neighbor evaluation overhead.

2. **Dynamic Quantization:** Implementing a system where the quantization factor Q or the parameter range is dynamically adjusted during training could allow the framework to benefit from the coarse-grained exploration of A^* initially, followed by the fine-grained precision of GD or a finer quantization later.
3. **Hybrid Optimization:** The most promising direction is a Hybrid Optimizer that uses A^* for the first 10% – 20% of training (to locate an excellent region in the quantized space) and then switches to highly optimized Gradient Descent for the remaining fine-tuning.
4. **Parallelization of Search Operations:** Investigating the possibility of parallelizing the neighbor generation and evaluation processes (e.g., using multithreading or GPU acceleration). Since the evaluation of the loss for each potential successor node is computationally independent, this approach could significantly reduce the high latency associated with the A^* framework’s primary computational bottleneck.