Num of Trains=10 (5 up, 5 down)
End_sim_time = 30000,
getSpottingsNowTime = 21000,
peakThres=5 (500 meters both sides)
PosConf calculated for each point at distance of= 100 meters
Starting time gap between trains=30 min (1800 sec)
Halt_time_of_Train = 20 sec
Speed_of_The_Train = 14 m/sec (50.4 km/h)

0.1 No. of passengers=50000

0.1.1 western up route

Table 1: Ground truth value

| $Positions$ | $NearestEstDis$ |
m	m
1356.00	144.00
22 642.00	158.00
64 544.00	44.00
88 906.00	194.00
112 980.00	120.00

Table 2: Estimated Value

| $Positions$ | $NearestTruthDis$ |
m	m
1500.00	144.00
22 800.00	158.00
64 500.00	44.00
64 800.00	256.00
89 100.00	194.00
113 100.00	120.00
"AvgPosConf	1.00"
"MaxPosConf	1.00"

0.1.2 western down route

Table 3: Ground truth value

| $Positions$ | $NearestEstDis$ |
m	m
19 642.00	42.00
42 326.00	26.00
66 124.00	24.00
85 586.00	86.00
109 942.00	42.00

Table 4: Estimated Value

| $Positions$ | $NearestTruthDis$ |
m	m
1200.00	18 442.00
19 600.00	42.00
22 200.00	2558.00
42 300.00	26.00
66 100.00	24.00
85 500.00	86.00
109 900.00	42.00
"AvgPosConf	1.00"
"MaxPosConf	1.00"

Num of Trains=10 (5 up, 5 down)
End_sim_time = 30000,
getSpottingsNowTime = 21000,
peakThres=5 (500 meters both sides)
PosConf calculated for each point at distance of= 100 meters
Starting time gap between trains=30 min (1800 sec)
Halt_time_of_Train = 20 sec
Speed_of_The_Train = 14 m/sec (50.4 km/h)

0.2 No. of passengers=50000

0.2.1 central up route

Table 5: Ground truth value

$Positions$	$NearestEstDis$
m	m
12 246.00	154.00
21 442.00	158.00
34 644.00	156.00
44 120.00	180.00
57 878.00	7778.00

Table 6: Estimated Value

$Positions$	$NearestTruthDis$
m	m
12 400.00	154.00
21 600.00	158.00
34 800.00	156.00
44 300.00	180.00
50 100.00	5980.00
"AvgPosConf	1.00"
"MaxPosConf	1.00"

0.2.2 central down route

Table 7: Ground truth value

$Positions$	$NearestEstDis$
m	m
124.00	176.00
5594.00	94.00
21 964.00	64.00
27 440.00	40.00
44 634.00	34.00

Table 8: Estimated Value

$Positions$	$NearestTruthDis$
m	m
300.00	176.00
5500.00	94.00
11 800.00	6206.00
21 900.00	64.00
27 400.00	40.00
44 600.00	34.00
45 300.00	666.00
"AvgPosConf	1.00"
"MaxPosConf	1.00"

Num of Trains=10 (5 up, 5 down)
End_sim_time = 30000,
getSpottingsNowTime = 21000,
peakThres=5 (500 meters both sides)
PosConf calculated for each point at distance of= 100 meters
Starting time gap between trains=30 min (1800 sec)
Halt_time_of_Train = 20 sec
Speed_of_The_Train = 14 m/sec (50.4 km/h)

0.3 No. of passengers=50000

0.3.1 harbour up route

Table 9: Ground truth value

$Positions$	$NearestEstDis$
m	m
15 882.00	1218.00
17 364.00	264.00
25 396.00	204.00
40 324.00	176.00
48 086.00	114.00

Table 10: Estimated Value

$Positions$	$NearestTruthDis$
m	m
17 100.00	264.00
25 600.00	204.00
34 800.00	5524.00
34 900.00	5424.00
40 500.00	176.00
48 200.00	114.00
"AvgPosConf	1.00"
"MaxPosConf	1.00"

0.3.2 harbour down route

Table 11: Ground truth value

$Positions$	$NearestEstDis$
m	m
3356.00	56.00
4844.00	44.00
25 486.00	86.00
27 516.00	16.00
35 006.00	106.00

Table 12: Estimated Value

$Positions$	$NearestTruthDis$
m	m
3300.00	56.00
4800.00	44.00
17 100.00	8386.00
24 600.00	886.00
25 400.00	86.00
27 100.00	416.00
27 500.00	16.00
34 900.00	106.00
"AvgPosConf	1.00"
"MaxPosConf	1.00"