Module 1 — Input/output, variables and basic arithmetic


By Tanishka Gahlot

Questions


Module 1 — Input/output, variables and basic arithmetic


No.	Problem (click to open)	Platform	Difficulty
1	Read from STDIN, Write to STDOUT	HackerEarth	Very Easy
2	Solve Me First	HackerRank	Very Easy
3	2235 — Add Two Integers	LeetCode	Very Easy
4	2651 — Calculate Delayed Arrival Time	LeetCode	Easy
5	2739 — Total Distance Traveled	LeetCode	Easy

Question 1 = https://www.hackerearth.com/practice/basic-programming/input-output/basics-of-input-output/practice-problems/algorithm/io-exercise/




Question 2 = https://www.hackerrank.com/challenges/solve-me-first/problem?isFullScreen=true







Question 3 = https://leetcode.com/problems/add-two-integers/description/



Question 4 = https://leetcode.com/problems/calculate-delayed-arrival-time/description/



Question 5 = https://leetcode.com/problems/total-distance-traveled/description/


Problem List
Submit
Premium
Description | Accepted | Editorial | Solutions
2739. Total Distance Traveled
Solved
Easy
Topics
Companies
Hint
A truck has two fuel tanks. You are given two integers, mainTank representing the fuel present in the main tank in liters and additionalTank representing the fuel present in the additional tank in liters.
The truck has a mileage of 10 km per liter. Whenever 5 liters of fuel get used up in the main tank, if the additional tank has at least 1 liters of fuel, 1 liters of fuel will be transferred from the additional tank to the main tank.
Return the maximum distance which can be traveled.
Note: Injection from the additional tank is not continuous. It happens suddenly and immediately for every 5 liters consumed.
Example 1:
Input: mainTank = 5, additionalTank = 10
Output: 60
Explanation:
After spending 5 litre of fuel, fuel remaining is (5 - 5 + 1) = 1 litre and distance traveled is 50km.
After spending another 1 litre of fuel, no fuel gets injected in the main tank and the main tank becomes empty.
342
25
1 Online
Code
C++
Auto
class Solution {
public:
int distanceTraveled(int mainTank, int additionalTank) {
int total_distance = 0;
while (mainTank >= 5) {
total_distance += 50;
mainTank -= 5;
if (additionalTank > 0) {
additionalTank -= 1;
mainTank += 1; // 1 liter transferred to main tank
}
}
total_distance += mainTank * 10;
return total_distance;
}
};
Saved
Ln 9, Col 23
Testcase
Test Result
Case 1
Case 2
Input
mainTank =
5
additionalTank =
10