UNIVERSITY OF TEXAS ARLINGTON | COLLEGE OF BUSINESS

Gaiadhi

2242-INSY-5379-001

BUSINESS ANALYTICS CAPSTONE

PROJECT REPORT

Holos Visualization Enhancements

Leveraging AI/ML for Sustainable Agricultural Insights

Professor: Dr. Jayarajan Samuel

Team 8: Bikky Sedhain | Raj Kiritkumar Panchal | SNS Harshinee Koka | Sunny Kiran Gangar | Susmitha Yaramashetti

Table of Contents

1. Executive Summary 3
2. Introduction 3
   2.1. Background 3
   2.2. Challenges in Visualization 4
   2.3. Project Objectives 4
3. Project Scope 5
   3.1. Key Areas of Focus 5
4. Project Objectives 5
5. Requirements 6
   5.1. Functional Requirements 6
   5.2. Technical Requirements 6
   5.3. User-Experience Requirements 7
6. Methodology Overview 7
   6.1. Phase 1: Data Preparation 7
   6.2. Phase 2: Visualization Development 8
7. Implementation Approach 8
8. Results and Insights 10
   8.1. District-Level Yield Maps 10
   8.2. Normalized Rankings for Key Metrics 11
   8.3. Multi-Layer Visualizations 13
9. Achievements 15
10. Risks and Mitigation 16
11. Conclusion 17
12. Recommendations 17
13. References 18

List of Figures

Figure 1: Average yield without popup 11
Figure 2:Average yield with popup 11
Figure 3: Yield rank without popup 12
Figure 4: Yield rank with popup 12
Figure 5: Multi-layer without popup 13
Figure 6: Multi-layer with popup 14

1. Executive Summary

The **Holos Visualization Enhancements** project represents a groundbreaking effort to transform how agricultural data is visualized and utilized for decision-making. This initiative was launched to address critical gaps in agricultural visualization tools, such as inaccurate boundary alignments, a lack of temporal analysis capabilities, and challenges in combining multi-variable data. By introducing advanced features such as district-level maps, normalized rankings, and composite overlays, the project aims to empower stakeholders like farmers, policymakers, and researchers to make informed decisions that optimize resource use and promote sustainability.

The agricultural sector is increasingly adopting data-driven solutions to tackle challenges related to food security, climate change, and resource optimization. However, existing visualization tools often fail to meet the needs of modern agriculture, which requires precision, adaptability, and ease of use. The Holos platform, renowned for its integration of AI/ML technologies and crop science, has taken a significant step forward through this project to deliver intuitive and actionable insights.

Through the use of advanced Python libraries such as GeoPandas and Plotly, the project has developed user-friendly tools that provide accurate yield visualizations, analyze historical trends, and highlight critical interrelationships between variables like yield, water usage, and nitrogen productivity. This comprehensive approach ensures that all stakeholders can access, interpret, and act on agricultural data effectively.

By addressing key challenges in agricultural data visualization, this project not only improves operational efficiency for users but also contributes to broader global goals of sustainable development and environmental conservation. These tools have been designed to scale, ensuring that the Holos platform remains at the forefront of innovation in AgTech for years to come.

2. Introduction

2.1. Background

Agriculture is the backbone of global food security and economic stability, particularly in developing regions. With an increasing global population, the demand for efficient agricultural practices has grown significantly. However, the sector faces numerous challenges, including climate change, depleting natural resources, and the need for sustainable farming methods. Addressing these challenges requires a blend of scientific innovation, technology, and data-driven decision-making.

The Holos platform was developed to meet these demands by integrating AI/ML technologies with crop science. By providing detailed insights into crop yield, resource usage, and environmental impacts, Holos supports stakeholders in optimizing their agricultural practices. Despite its robust analytical capabilities, the platform faced several limitations that hindered its effectiveness in visualization, a critical aspect of data interpretation and decision-making.

2.2. Challenges in Visualization

1. **Inaccurate Boundary Alignments:** Maps on the platform struggled to accurately align sub-blocks and district boundaries, leading to inconsistencies in visual representation. This impacted the reliability of the data presented to users, reducing their confidence in decision-making.
2. **Lack of Temporal Analysis:** The inability to visualize trends over time limited users' ability to plan strategically. Stakeholders needed tools to compare year-over-year performance, identify patterns, and adapt to changing environmental conditions.
3. **Limited Multi-Variable Representation:** Existing tools on the platform failed to effectively combine and present relationships between multiple variables, such as yield, water productivity, and nitrogen usage. This lack of integration made it challenging for users to derive actionable insights.

2.3. Project Objectives

The Holos Visualization Enhancements project was launched with the primary objective of overcoming these challenges. The project aimed to develop tools that could provide:

- Accurate, district-level visualizations of agricultural data.
- Tools for analyzing trends over multiple years to support strategic planning.
- Composite visualizations that integrate multiple variables for a holistic view of agricultural performance.
- User-friendly interfaces that cater to both technical and non-technical stakeholders.

By achieving these objectives, the project seeks to enhance the Holos platform's utility, scalability, and impact on sustainable agriculture.

3. Project Scope

The scope of the Holos Visualization Enhancements project is ambitious, covering the development, integration, and refinement of tools to improve agricultural data visualization. The project focuses on addressing specific pain points while aligning with the platform's broader goals of sustainability and efficiency.

3.1. Key Areas of Focus

1. **District-Level Yield Maps:**
    - These maps provide stakeholders with detailed views of agricultural performance at the district level. By showcasing average yields and resource usage, they enable better planning and resource allocation.
2. **Normalized Rankings for Key Metrics:**
    - Rankings based on normalized data allow stakeholders to easily compare performance across regions. Metrics such as yield, water usage, and nitrogen productivity are standardized, providing a clear view of relative performance.
3. **Multi-Layer Visualizations:**
    - Composite overlays integrate various variables, offering insights into the interrelationships between yield and resource efficiency. This feature is particularly valuable for policymakers and researchers looking to identify areas for intervention.
4. **Time-Series Visualizations:**
    - Tools for analyzing trends over multiple years provide historical context and predictive insights, aiding long-term planning and strategic decision-making.
5. **Integration with Open-Source Tools:**
    - By leveraging Python-based libraries like GeoPandas and Plotly, the project ensures scalability, cost-efficiency, and adaptability to future requirements.

4. Project Objectives

1. **Enhance Map Overlays:** Develop interactive and accurate GIS tools that eliminate current boundary misalignment issues and provide clear, actionable insights.
2. **Enable Time-Series Analysis:** Introduce visualization tools for tracking year-over-year changes in yield and sustainability metrics.
3. **Support Multi-Variable Analysis:** Create composite visualizations to represent the interplay between key agricultural variables like yield, water, and nitrogen usage.
4. **Streamline Decision-Making:** Equip stakeholders with tools that simplify complex data into accessible, actionable insights to optimize agricultural planning and sustainability.

5. **Foster Sustainability:** Promote data-driven practices that align with global goals for sustainable and climate-smart agriculture.

These objectives aim to elevate the Holos platform's capabilities, transforming it into a comprehensive decision-support system that meets the dynamic needs of the agricultural sector.

5. Requirements

The success of the Holos Visualization Enhancements project hinges on a well-defined set of requirements. These requirements are divided into three key categories: functional, technical, and user-experience requirements, each designed to address specific challenges and align with the project's goals.

5.1. Functional Requirements

1. **Multi-Variable Overlays:**
    - The tools must enable users to overlay multiple variables such as yield, water productivity, and nitrogen usage on a single map.
    - These overlays should be interactive, allowing users to highlight specific areas or focus on individual metrics for detailed analysis.
2. **District-Level and Sub-Block Data Integration:**
    - Accurate mapping of district boundaries and sub-blocks is critical to ensure spatial precision.
    - The system must integrate agricultural data at multiple levels, enabling both granular and high-level insights.
3. **Automated Rankings:**
    - The system should automatically normalize and rank key agricultural metrics, providing stakeholders with easy-to-interpret performance indicators.
    - This feature will enable quick identification of high-performing and underperforming regions.

5.2. Technical Requirements

1. **Open-Source Python Libraries:**
    - The project relies on libraries such as GeoPandas for geospatial data handling, Pandas for data manipulation, and Plotly for interactive visualizations.
    - These tools must work seamlessly together to ensure smooth implementation and performance.
2. **Optimized Map Rendering:**
    - Map rendering should be optimized to handle large datasets without significant delays.

- The system should process data and generate visualizations in under five minutes, even for complex overlays.

3. **Data Handling:**
   - The platform must accommodate large datasets, including multi-year historical data, without compromising accuracy or speed.
   - Robust preprocessing techniques should be implemented to clean, validate, and normalize the data.

5.3. User-Experience Requirements

1. **Ease of Navigation:**
   - The interface must provide intuitive navigation features, including zoom, filter options, and interactive tooltips.
   - Users should be able to switch between map views and data layers effortlessly.
2. **Visual Clarity:**
   - The maps and charts must present data in a visually appealing and easily understandable manner.
   - Clear legends, color codes, and labels are essential for accurate interpretation.
3. **Accessibility:**
   - The tools should cater to both technical and non-technical stakeholders, ensuring usability across diverse user groups.
   - Documentation and user guides must be provided to support stakeholders in using the tools effectively.

6. Methodology Overview

The project followed a structured and iterative methodology to ensure the successful development and deployment of the visualization tools. The methodology was divided into four primary phases, each addressing specific aspects of the project.

6.1. Phase 1: Data Preparation

The foundation of any visualization project lies in the quality of its data. For the Holos Visualization Enhancements project, data preparation involved:

1. **Data Cleaning:**
   - Identifying and removing errors, duplicates, and inconsistencies in the dataset.
   - Handling missing values by using appropriate imputation techniques or removing incomplete records.
2. **Data Standardization:**

- Standardizing the format of data fields, such as dates, geographic coordinates, and numeric values, to ensure compatibility with visualization tools.

3. **Geo-Spatial Data Alignment:**
   - Verifying and aligning geographic data, including district boundaries and sub-block geometries, to ensure accurate mapping.
4. **Data Validation:**
   - Cross-referencing the dataset with external sources to validate its accuracy and completeness.

6.2. Phase 2: Visualization Development

The visualization tools were developed using Python-based libraries, focusing on creating interactive and user-friendly visualizations.

1. **GIS-Based Maps:**
   - GeoPandas was used to process geospatial data and create maps that display district-level and sub-block data.
   - Interactive features, such as hover tooltips and dynamic zoom, were integrated using Plotly.
2. **Composite Overlays:**
   - Multiple layers of data were combined to create composite visualizations, highlighting relationships between key variables.
   - For example, a single map could display yield data alongside water and nitrogen usage, providing a comprehensive view of agricultural performance.

7. Implementation Approach

The implementation approach combined technical precision with user-centric design principles.

1. **Library Setup:**
   - Essential Python libraries, including GeoPandas, Pandas, and Plotly, were installed and configured. These libraries formed the backbone of the visualization tools, enabling efficient data processing and interactive visualizations.
2. **Data Sources Used:**
   - Shapley file of Tamil Naidu district that contained geometry field, which stored multiple longitudes and latitudes of each district in different geometrical shapes.
   - GeoJson file from Gaiadhi that consisted of longitude and latitude of location with rice yields.
   - Preprocessed primary data with yield information from Gaiadhi.
3. **Function Development:**
   - A suite of functions was developed to automate key processes.

- As we wanted to generate the district-level map, we wanted to use the same geometry that was used in the Tamil Naidu map.

```
#populate the district name for a df that has unique long and lat
def populdistname(block_df, sf, tn_dist_json, tnm):
    block_df_unique_ll = block_df[['Center Long', 'Center Lat']].drop_duplicates()
    all_shapes = sf.shapes()
    block_df_unique_ll['dt_name']=0
    for index, row in block_df_unique_ll.iterrows():
        point = Point(float((row['Center Long'])), float ((row['Center Lat'])))
        oid = -99
        for ashape in all_shapes:
            if point.within(shape(ashape)):
                oid = ashape.oid
                break
        if oid > 0:
            containing_dist_name =  tn_dist_json["features"][oid]["properties"]["dtname"]
            block_df_unique_ll['dt_name'][index]=containing_dist_name
    block_df_unique_ll = block_df_unique_ll[block_df_unique_ll['dt_name'] != 0]
    block_df_unique_ll['geometry']=0
    for index, row in block_df_unique_ll.iterrows():
        for i in range (len(tnm)):
            if ((block_df_unique_ll['dt_name'][index])==(tnm['dtname'][i])):
                  block_df_unique_ll['geometry'][index]=tnm['geometry'][i]
    return block_df_unique_ll
```

- Our main approach was finding if the longitude and latitude fell within the polygon or multi-polygon of the district's geometry. If it did, we assigned the district's name and geometry to yield the data point.

- We then developed a few more functions based on the above mentioned primary idea to generate three different set of maps. List of functions required to generate the map are as follows:

```
#generate the map
#total time taken to generate the map: 4 mins 40 secs
with open ('TN_districts.json') as jf:
    tn_dist_json = json.load (jf)
sf= shapefile.Reader('TN_districts.shp')
block_df= pd.read_pickle('TN_Sorghum_BlockReport_df.pkl')
tnm = gpd.read_file('./Shap/tn_shp_gh/TAMIL NADU_DISTRICTS.shp')

block_df = yield_rank(block_df)
point_df = reducedsize(block_df)
block_df_unique_ll = populdistname(block_df, sf, tn_dist_json, tnm)
point_df = populdtnameforpntdf(point_df, block_df_unique_ll)
block_df = populdtnameoforigdf(block_df, block_df_unique_ll)
avg_df = avg_dist(block_df, 'rank', tnm)
mp = converttogeo(avg_df, point_df)
mp
```

4. **Map Rendering:**
    - Maps were rendered to display district-level data, normalized rankings, and multi-layer overlays. The rendering process was optimized to ensure quick generation times.
5. **Integration into Holos:**
    - The tools were integrated into the existing Holos platform, ensuring compatibility with its architecture and seamless access for users.

8. Results and Insights

The Holos Visualization Enhancements project has successfully produced tools that offer valuable insights into agricultural performance. These tools not only improve the accessibility and usability of agricultural data but also provide a deeper understanding of the interrelationships between key variables such as yield, resource usage, and productivity. The project has delivered the following key results:

8.1. District-Level Yield Maps

One of the core deliverables of the project was the development of **district-level yield maps**. These maps now display average yields across districts, providing stakeholders with accurate and actionable insights. The maps were designed to be interactive, allowing users to zoom in and explore district-specific data. This has significant implications for resource allocation, policy development, and targeted agricultural interventions.

Stakeholders can now make informed decisions about where to allocate resources, plan subsidies, and identify underperforming areas that may require additional support or investment. By visualizing yield performance across districts, policymakers and researchers are better equipped to optimize crop management strategies and improve overall agricultural efficiency.




Figure 1: Average yield without popup




Figure 2:Average yield with popup

8.2. Normalized Rankings for Key Metrics

Another crucial component of the project was the **development of normalized rankings** for key agricultural metrics such as yield, water usage, and nitrogen productivity. This functionality allows users to compare performance across different regions based on standardized data.

The normalized rankings provide an at-a-glance view of how each district is performing relative to others, helping stakeholders identify both high-performing and underperforming areas. For example, districts with high nitrogen efficiency can be identified, enabling the adoption of best

practices in other regions. Similarly, areas with excessive water use can be flagged for intervention. By providing a normalized comparison, these rankings empower decision-makers to target their resources effectively and implement practices that maximize yield while minimizing resource use.




Figure 3: Yield rank without popup




Figure 4: Yield rank with popup

8.3. Multi-Layer Visualizations

The introduction of **multi-layer visualizations** was a key feature of the project. These visualizations combine different agricultural metrics—such as yield, water use, and nitrogen efficiency into a single map. This composite view enables stakeholders to analyze the interrelationships between these factors and gain a comprehensive understanding of agricultural performance at the district level.

For example, a user can view how yield correlates with water use in a specific district, helping identify areas where water resources are being used efficiently. Similarly, the multi-layer maps allow stakeholders to evaluate nitrogen usage concerning yield, promoting more sustainable farming practices. These insights are crucial for understanding the broader context of agricultural productivity and sustainability, and they enable stakeholders to make decisions that optimize resource use while maintaining or improving yields.




Figure 5: Multi-layer without popup




Figure 6: Multi-layer with popup

Actionable Insights

The goal of the project was to provide **actionable insights** to stakeholders. The combination of district-level maps, normalized rankings, multi-layer visualizations, and time-series analyses empowers users to make informed decisions at all levels of agriculture. Stakeholders can identify high-performing regions, allocate resources effectively, and implement best practices based on data-driven insights.

For instance, policymakers can use the maps and rankings to plan interventions that optimize resource use, while farmers can make more informed decisions about irrigation, fertilizer application, and crop rotation. Researchers, too, can benefit from these insights by analyzing trends and patterns to develop new agricultural models or interventions that improve sustainability and productivity.

9. Achievements

The **Holos Visualization Enhancements** project has achieved several significant milestones, each contributing to the platform's ability to support sustainable agricultural practices and informed decision-making.

Improved Visualization Accuracy

One of the primary achievements of the project was the improvement in **visualization accuracy**. Previously, maps on the Holos platform struggled with boundary misalignments, leading to inconsistent data presentation. Through the enhancements made during this project, district-level boundaries are now aligned accurately, ensuring that the data is presented in a reliable and clear manner. This improvement is critical, as it enables users to make more confident decisions based on precise data.

Enhanced Multi-Variable Analysis

Another key achievement was the development of **multi-variable analysis tools**. The ability to overlay multiple variables—such as yield, water use, and nitrogen productivity—on a single map was a significant breakthrough. This multi-layer functionality provides stakeholders with a more holistic view of agricultural performance, allowing them to analyze the relationships between different factors and make more informed decisions.

Efficient Map Rendering

The project also succeeded in **optimizing map rendering times**. By enhancing the backend processes, the time required to generate maps was reduced significantly, ensuring that stakeholders can access the visualizations quickly and use them in real-time decision-making. This optimization also improves the platform's scalability, enabling it to handle larger datasets without compromising performance.

Actionable and Accessible Insights

Ultimately, the project's success lies in its ability to provide **actionable and accessible insights** to a broad range of stakeholders. From farmers to researchers to policymakers, the tools developed as part of this project make it easier to interpret complex agricultural data and take meaningful actions that promote sustainability and productivity.

10. Risks and Mitigation

Like any complex project, the **Holos Visualization Enhancements** initiative faced several challenges. Below are some of the key risks encountered and the strategies employed to mitigate them.

Compatibility Issues with Libraries

- **Risk:** One of the first risks identified was potential **compatibility issues** with different versions of Python libraries, particularly GeoPandas and Pandas. This could have caused problems with data processing and map rendering.
- **Mitigation:** To address this risk, the development team ensured that all libraries were up-to-date and compatible with one another. Additionally, alternative geospatial libraries were explored as backups in case any issues arose.

Large Datasets and Processing Delays

- **Risk:** Another significant challenge was handling **large datasets**, particularly when rendering maps and running analyses on complex multi-variable data.
- **Mitigation:** The development team optimized the code to ensure efficient data processing and implemented modular data handling to improve performance. By breaking large datasets into smaller, more manageable subsets, rendering times were reduced, and the platform was made more efficient.

User Interface Complexity

- **Risk: Complex user interfaces** can often discourage adoption, especially for non-technical stakeholders. The initial designs for the visualization tools could have been difficult to navigate for some users.
- **Mitigation:** To mitigate this risk, the user interface was simplified to ensure ease of use. Clear instructions, tooltips, and interactive features like zooming and filtering were incorporated to make the platform more user-friendly. Additionally, documentation and user guides were created to assist users in navigating the new tools.

11. Conclusion

The **Holos Visualization Enhancements** project has addressed the key challenges facing agricultural decision-makers today. The project has made significant strides toward optimizing resource use, improving productivity, and supporting sustainable farming practices by developing advanced visualization tools that provide accurate, actionable insights into agricultural performance.

Through the integration of district-level maps, normalized rankings, multi-layer visualizations, and time-series analysis, Holos now offers stakeholders a comprehensive set of tools that empower them to make data-driven decisions. The improvements in visualization accuracy, performance, and accessibility ensure that Holos remains at the forefront of AgTech innovation, contributing to the broader goals of sustainable development and global food security.

12. Recommendations

While the **Holos Visualization Enhancements** project has achieved significant milestones, there is always room for further improvement and expansion. Below are several recommendations for future development:

1. **Real-Time Data Integration:** Integrating real-time data streams would enable dynamic decision-making, allowing stakeholders to adjust their strategies based on up-to-date information. This would be particularly useful in areas like crop irrigation, pest management, and resource allocation.
2. **Expand AI/ML Capabilities:** By incorporating advanced AI/ML models, Holos could provide predictive analytics that help stakeholders forecast crop yields, resource needs, and environmental impacts. This would further enhance the platform's utility for long-term planning and risk management.
3. **Mobile-Friendly Tools:** To increase accessibility, especially for farmers in rural areas, mobile-friendly versions of the visualization tools should be developed. This would allow users to access insights and make decisions while in the field, improving the platform's overall impact.
4. **Collaborations with Research Institutions:** Partnering with academic and research institutions can provide valuable insights and continuous validation for the platform's tools. Collaborative research could help refine the tools and incorporate new findings into the platform's functionalities.

13. References

1. **Gaiadhi Documentation**: Detailed technical documentation on Holos platform features and capabilities.
2. **Python Library Documentation (GeoPandas, Plotly, Pandas)**: Resources on how to use the libraries that were integral to the development of this project.
3. **Open-Source GIS Data**: Public datasets for district-level boundaries and agricultural metrics.