THE PROBLEM

APP PAGE: Start Page


Where do you want to start?

PREVENT
Prepare for time outdoors

RESPOND
Know what to do after a bite

PREPARE
Bring a clearer record to care

PLAN
Explore support priorities



Current app controls shown as excerpts. Start with Quick and easy; switch any time.

UNDERSTANDING
THE HIDDEN BURDEN

UNDERSTANDING THE HIDDEN BURDEN

APP PAGE: Care & Support → Costs, Time and Support

What does illness cost a household?

Your money and time record

Period: Past 30 days

Care payments	Other payments	Work missed	Unpaid help
$180.00	**$45.00**	**3 days**	**8 hours**

Recorded payments: $225.00

Workdays and unpaid help are shown in their own units.

PathwayAI · Your entries for this period · Review alongside your visit summary

Fictional entries. Payments, missed workdays and caregiver hours stay separate; support requests do not arrange services.

UNDERSTANDING THE HIDDEN BURDEN

APP PAGE: Community Burden & Action → County Comparison

What can public data tell us?

DUTCHESS

$2.15M

1,060 reported cases · 2024


Illustrative societal amount

ORANGE

$1.96M

964 reported cases · 2024

Illustrative societal amount



Federal: CDC (surveillance + PLACES) · Census · HRSA
CMS Medicare: hospital payment context
State: NYSDOH · Cost illustration: Hook et al. (2022)

Illustration: 2024 reported cases × Hook study mean; 2016 dollars.
Not measured county spending, individual risk or demonstrated savings.

FROM INFORMATION TO ACTION


APP PAGE: Learn & Prevent / Tick Bite: What Next?

Plan a safer outdoor visit.

1 Prepare for time outdoors

2 Remove and record the tick encounter

3 Seek timely clinical advice



Remove an attached tick. Record when and where you found it. Know when to seek care.

1. Remove the tick

If the tick is attached, use clean, fine-tipped tweezers. Grasp it close to the skin and pull upward with steady pressure. Clean the bite area and your hands. Do not burn the tick or cover it with oil or petroleum jelly.

2. Note when and where it happened

Write down the date and place of the bite. Watch for a new rash, fever, fatigue, or other symptoms in the following days and weeks. A Lyme rash does not always look like a bull's-eye.

3. Know when to get medical advice

Contact a healthcare professional promptly if symptoms develop. After some high-risk bites, preventive antibiotics may be appropriate if started within 72 hours of tick removal; a clinician can assess whether this applies. Do not wait for symptoms if you need advice about prevention after a recent bite.

CDC: What to Do After a Tick Bite · CDC: Signs and Symptoms of Lyme Disease

Call 911 for chest pain, severe trouble breathing, or fainting. These symptoms need urgent evaluation, whether or not they are related to a tick bite. Do not delay because you lack insurance.

Need help finding care, paying for it, or preparing for a visit?


Go to Care & Support ›

CDC-based guidance. A clinician assesses prevention after selected high-risk bites; antibiotics are not needed after every bite.

APP PAGE: Care & Support → Care Access

Find a starting point without insurance.

- Find a community health center
- Ask about income-based fees
- Prepare coverage and bill-assistance questions



Fees, eligibility and appointments must be confirmed directly. Care is not automatically free.

FROM INFORMATION TO ACTION

APP PAGE: Care & Support → Your Organized Visit Summary

Keep the timeline—and the test result.

TICK ENCOUNTER

Found in July

SYMPTOM ONSET


Rash and fever two weeks later

TEST RESULT

Positive blood test—patient reported

DIAGNOSIS TIMING

Four months—reported separately



Fictional patient example. Patient-reported results are not a diagnosis; bring the original laboratory report.

APP PAGE: Tick Bite: What Next? / Care & Support → Preferred Language

Your words. A reviewed English summary.



Choose a language → give permission → review both versions

ORIGINAL NOTES / 原文

七月发现蜱虫。
两周后出现发烧和皮疹。
血检结果为阳性。

ENGLISH — FOR REVIEW

I found a tick in July.
Two weeks later I developed fever and a rash.
My blood test was positive.

Language at home · age 5+ · ACS 2020–2024: Orange 30.2% · Dutchess 16.2%

Illustrative bilingual example—not a live AI response. AI can mistranslate; it does not replace a qualified medical interpreter.

FROM INFORMATION TO ACTION

APP PAGE: Community Burden & Action → Patient Voices → Community Action

What can a community do next?

REVIEW


Existing services and eligibility

AGREE

Capacity, funding and responsibility

FOLLOW UP

Appointments reached, support received, unmet needs



Turn patient-reported barriers into practical actions, partner roles, resource needs, and measures of progress.

FROM INFORMATION TO ACTION | Community Burden & Action → Patient Voices → Community Action

What did reviewers help us improve?

WORKING-APP REVIEW

People living with Lyme disease and a county health commissioner

Feedback: clearer purpose, simpler language and practical next steps.

FEEDBACK → CHANGES

Hard-to-find reports
→ Immediate timeline
Language barriers
→ Optional bilingual notes
“What can I do next?”
→ Practical support questions

68

Automated software tests passed

Usability, translation accuracy and outcomes still need evaluation.

Patient and public-health review informed design. Software tests are not clinical validation.
No county endorsement or demonstrated patient outcomes are claimed.

A live pilot. A partnership-driven next step.

LIVE NOW

pathwayai.streamlit.app

NEXT: A SMALL PARTNER PILOT

Test usefulness. Verify resources.
Follow up on support connections.

Then build secure, consented follow-up
before expanding to long-term research.

Patients · caregivers · clinicians · navigators

Scan to try the pilot

Proposed free patient access supported by grants and community partnerships. Funding and partner commitments are not yet secured.