

Assignment No 4

In this we are having a single repository in that we are having a 4 branches Q1, Q2, Q3, Q4 each branch is having an index.html file

We are going to create 4 jobs each for particular branches and deploying that files in the Apache httpd server.

So that on running a particular job the particular branch index file is deployed and can be accessed in the browser

JOB 1



Q-1

This is Q1 job in this we are cloning the Q1 branch and deploying the index file in Apache httpd server

Permalinks

- [Last build \(#3\), 9 min 8 sec ago](#)
- [Last stable build \(#3\), 9 min 8 sec ago](#)
- [Last successful build \(#3\), 9 min 8 sec ago](#)
- [Last failed build \(#2\), 10 min ago](#)
- [Last unsuccessful build \(#2\), 10 min ago](#)
- [Last completed build \(#3\), 9 min 8 sec ago](#)

Execute shell ?

Command

[See the list of available environment variables](#)

```
mv /mnt/Assi-4/index.html /var/www/html
chmod -R 777 /var/www/html/index.html
```

```

> git fetch --tags --force --progress -- https://github.com/gaikwad-21/Assignment-4.git +refs:
> git config remote.origin.url https://github.com/gaikwad-21/Assignment-4.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/Q1^{commit} # timeout=10
Checking out Revision 0c4555655c0bef31652a03af2e9c6c52db9d7709 (refs/remotes/origin/Q1)
> git config core.sparsecheckout # timeout=10
> git checkout -f 0c4555655c0bef31652a03af2e9c6c52db9d7709 # timeout=10
Commit message: "Index file in Q1 Branch"
> git rev-list --no-walk 0c4555655c0bef31652a03af2e9c6c52db9d7709 # timeout=10
[Assi-4] $ /bin/sh -xe /mnt/server/apache-tomcat-10.1.57/temp/jenkins12107337990329136680.sh
+ mv /mnt/Assi-4/index.html /var/www/html
+ chmod -R 777 /var/www/html/index.html
Finished: SUCCESS

```

← → ↻ ⚠ Not secure 35.154.49.191

This is Q1 2026 Main Release Branch in The Repository

JOB 2



Q-2

This is Q2 job in this we are cloning the Q2 branch and deploying the index file in Apache httpd server

Permalinks

- [Last build \(#1\), 2 min 59 sec ago](#)
- [Last stable build \(#1\), 2 min 59 sec ago](#)
- [Last successful build \(#1\), 2 min 59 sec ago](#)
- [Last completed build \(#1\), 2 min 59 sec ago](#) ▼

⋮ Execute shell ?

Command

See [the list of available environment variables](#)

```
mv /mnt/Assi-4/index.html /var/www/html
chmod -R 777 /var/www/html/index.html
```

Advanced ▾

```
-
-
using GIT_ASKPASS to set credentials git-token
> git fetch --tags --force --progress -- https://github.com/gaikwad-21/Assignment-4.git +r
> git rev-parse refs/remotes/origin/Q2^{commit} # timeout=10
Checking out Revision f6f6213125fd757a6fb7f3b1f439f8652d34519b (refs/remotes/origin/Q2)
> git config core.sparsecheckout # timeout=10
> git checkout -f f6f6213125fd757a6fb7f3b1f439f8652d34519b # timeout=10
Commit message: "changes from Q2"
> git rev-list --no-walk 50fb612cad7ea6e4efb0c1924c6ce77022853fc # timeout=10
[Assi-4] $ /bin/sh -xe /mnt/server/apache-tomcat-10.1.57/temp/jenkins7989838474328677278.sh
+ mv /mnt/Assi-4/index.html /var/www/html
+ chmod -R 777 /var/www/html/index.html
Finished: SUCCESS
```

← → ↻ ⚠ Not secure 35.154.49.191

This is Q2 2026 Patch release Branch

JOB 3



Q-3

This is Q3 job in this we are cloning the Q3 branch and deploying the index file in Apache httpd server

Permalinks

- [Last build \(#1\), 1 min 49 sec ago](#)
- [Last stable build \(#1\), 1 min 49 sec ago](#)
- [Last successful build \(#1\), 1 min 49 sec ago](#)
- [Last completed build \(#1\), 1 min 49 sec ago](#)

Execute shell ?

Command

See [the list of available environment variables](#)

```
mv /mnt/Assi-4/index.html /var/www/html
chmod -R 777 /var/www/html/index.html
```

Advanced ▾

```
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/Q3^{commit} # timeout=10
Checking out Revision 16123c1459babef2ffdbd46e52327fabd43a0f10 (refs/remotes/origin/Q3)
> git config core.sparsecheckout # timeout=10
> git checkout -f 16123c1459babef2ffdbd46e52327fabd43a0f10 # timeout=10
Commit message: "Index file in Q3 Branch"
First time build. Skipping changelog.
[Assi-4] $ /bin/sh -xe /mnt/server/apache-tomcat-10.1.57/temp/jenkins11538020727219945755.sh
+ mv /mnt/Assi-4/index.html /var/www/html
+ chmod -R 777 /var/www/html/index.html
Finished: SUCCESS
```

← → ↻ ⚠ Not secure 35.154.49.191

This is Q3 2026 Bug Fix Release

JOB 4



Q-4

This is Q4 job in this we are cloning the Q4 branch and deploying the index file in Apache httpd server

Permalinks

- [Last build \(#3\), 4 min 53 sec ago](#)
- [Last stable build \(#3\), 4 min 53 sec ago](#)
- [Last successful build \(#3\), 4 min 53 sec ago](#)
- [Last completed build \(#3\), 4 min 53 sec ago](#)

⋮ Execute shell ?

Command

[See the list of available environment variables](#)

```
mv /mnt/Assi-4/index.html /var/www/html
chmod -R 777 /var/www/html/index.html
```

```
> git config --add remote.origin.fetch refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/Q4^{commit} # timeout=10
Checking out Revision e06702c2b062269051e9ebee6e5cd1b0a89f711 (refs/remotes/origin/Q4)
> git config core.sparsecheckout # timeout=10
> git checkout -f e06702c2b062269051e9ebee6e5cd1b0a89f711 # timeout=10
Commit message: "Index file in Q4 branch"
> git rev-list --no-walk e06702c2b062269051e9ebee6e5cd1b0a89f711 # timeout=10
[Assi-4] $ /bin/sh -xe /mnt/server/apache-tomcat-10.1.57/temp/jenkins5085227178415329994.sh
+ mv /mnt/Assi-4/index.html /var/www/html
+ chmod -R 777 /var/www/html/index.html
Finished: SUCCESS
```

← → ↻ ⚠ Not secure 35.154.49.191

This is Q4 2026 feature release Branch