

Assignment 3

Creating three repositories Repo1, Repo2, Repo3 each repository consists of a release Branch.

Repo1 consists of 2026 Q1 Main Release Index.html file

Repo2 consists of Q4 2024 Patch Release Index.html file

Repo3 consists of Q4 2024 Bug release Index.html file

Creating three Jobs R1, R2, R3

On running each individual jobs. The content in that job should be deployed in the Apache httpd server and the content must be visible in the Web Browser

JOB R1

The screenshot shows the Jenkins interface for a project named 'Repository-1'. On the left, there is a sidebar with navigation options: Status (selected), Changes, Workspace, Build Now, Delete Project, Configure, and Rename. The main area displays the status of 'Repository-1' as 'Cloning the repository 1 R1'. Below this, there is a section for 'Permalinks' with a list of build links: Last build (#12), 28 sec ago; Last stable build (#12), 28 sec ago; Last successful build (#12), 28 sec ago; Last failed build (#11), 2 min 42 sec ago; Last unsuccessful build (#11), 2 min 42 sec ago; and Last completed build (#12), 28 sec ago. At the bottom, there is a 'Builds' section showing a list of builds with a filter input and a dropdown menu. The first build is #12, completed today at 13:00.

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

The screenshot shows the 'Build Steps' configuration in Jenkins. The first step is 'Execute shell', which is expanded to show the command to be executed. The command is: `mv /mnt/Assi-3/index.html /var/www/html` and `chmod -R 777 /var/www/html/index.html`. Below the command, there is a link to 'See the list of available environment variables'. At the bottom, there is a button to 'Add build step'.

```
using GIT_ASKPASS to set credentials git-token
> git fetch --tags --force --progress -- https://github.com/gaikwad-21/R1.git +refs/heads/*
> git config remote.origin.url https://github.com/gaikwad-21/R1.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/2026-Q1-Main-Release^{commit} # timeout=10
Checking out Revision 9f4ca517bcca52e9aafc1b3364602228b61a19f9 (refs/remotes/origin/2026-Q1-Main-Release)
> git config core.sparsecheckout # timeout=10
> git checkout -f 9f4ca517bcca52e9aafc1b3364602228b61a19f9 # timeout=10
Commit message: "Update index File for 2026 Q1 Main Release"
> git rev-list --no-walk 9f4ca517bcca52e9aafc1b3364602228b61a19f9 # timeout=10
[Assi-3] $ /bin/sh -xe /mnt/server/apache-tomcat-10.1.57/temp/jenkins9416050920841251099.sh
+ mv /mnt/Assi-3/index.html /var/www/html
+ chmod -R 777 /var/www/html/index.html
Finished: SUCCESS
```

← → ↻ ⚠ Not secure 65.2.70.192

This is the index file for 2026 Q1 Main Release

JOB 2



Repository 2 R2

In this job we will clone the repository 2 which consists of the 2024 Patch Release branch.

Permalinks

- [Last build \(#9\), 4 min 8 sec ago](#)
- [Last stable build \(#9\), 4 min 8 sec ago](#)
- [Last successful build \(#9\), 4 min 8 sec ago](#)
- [Last completed build \(#9\), 4 min 8 sec ago](#)

Execute shell ?

Command

See [the list of available environment variables](#)

```
mv /mnt/Assi-3/index.html /var/www/html
chmod -R 777 /var/www/html/index.html
```

Advanced ▾

using GIT_ASKPASS to set credentials git-token

```
> git fetch --tags --force --progress -- https://github.com/gaikwad-21/R2.git +refs/heads/*:refs/remotes/
> git config remote.origin.url https://github.com/gaikwad-21/R2.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
```

Avoid second fetch

```
> git rev-parse refs/remotes/origin/2024-Q4-Patch-Release^{commit} # timeout=10
Checking out Revision 1abbb82108abb188e1da83a9ab000e87c7cfe497 (refs/remotes/origin/2024-Q4-Patch-Release)
> git config core.sparsecheckout # timeout=10
> git checkout -f 1abbb82108abb188e1da83a9ab000e87c7cfe497 # timeout=10
```

Commit message: "Add index.html for Q4 2024 Patch Release"

```
> git rev-list --no-walk 1abbb82108abb188e1da83a9ab000e87c7cfe497 # timeout=10
[Assi-3] $ /bin/sh -xe /mnt/server/apache-tomcat-10.1.57/temp/jenkins1058587899124804132.sh
+ mv /mnt/Assi-3/index.html /var/www/html
+ chmod -R 777 /var/www/html/index.html
```

Finished: SUCCESS

← → ↻ ⚠ Not secure 13.235.78.232/index.html

This is the index file from Q4 2024 Patch Realeas

JOB 3



Repository-3

In this job we will clone the R3 repository and after that we will deploy the index file present in the R3 repository

Permalinks

- [Last build \(#4\), 29 min ago](#)
- [Last stable build \(#4\), 29 min ago](#)
- [Last successful build \(#4\), 29 min ago](#)
- [Last completed build \(#4\), 29 min ago](#)

Execute shell ?

Command

[See the list of available environment variables](#)

```
mv /mnt/Assi-3/index.html /var/www/html
chmod -R 777 /var/www/html/index.html
```

Advanced ▾

```
> git fetch --tags --force --progress -- https://github.com/gaikwad-21/R3.git +refs/heads/*:refs
> git config remote.origin.url https://github.com/gaikwad-21/R3.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/2024-Q4-Bug-Release^{commit} # timeout=10
Checking out Revision 2abbae96122ebcd8179e0cfc77e19966ae88e1ac (refs/remotes/origin/2024-Q4-Bug-F
> git config core.sparsecheckout # timeout=10
> git checkout -f 2abbae96122ebcd8179e0cfc77e19966ae88e1ac # timeout=10
Commit message: "Add header for 2024 Q4 Bug Release"
> git rev-list --no-walk 2abbae96122ebcd8179e0cfc77e19966ae88e1ac # timeout=10
[Assi-3] $ /bin/sh -xe /mnt/server/apache-tomcat-10.1.57/temp/jenkins5169221077911520499.sh
+ mv /mnt/Assi-3/index.html /var/www/html
+ chmod -R 777 /var/www/html/index.html
Finished: SUCCESS
```



Not secure

13.235.78.232/index.html

This is the index file for 2024 Q4 Bug Release