```html
<!DOCTYPE html>
<html>
   <head>
      <title>
         List Example
      </title>
      <link rel="icon" type="image/x-icon" href="Icon.png">
   </head>
   <body>
      <h2>List Example</h2>
      <h4><b>First Example:</b></h4>
      <ul type="disc">
         <li>DSA</li>
           <ul>
            <li>Array</li>
            <li>Linked List</li>
            <li>Stack</li>
            <li>Queue</li>
           </ul>
         <li>Web Technologies</li>
           <ul>
            <li>HTML</li>
            <li>CSS</li>
            <li>Javascript</li>
           </ul>
         <li>Apptitude</li>
         <li>Gate</li>
         <li>Placement</li>
      </ul>

      <h4><b>Secound Example:</b></h4>
      <ol type="I">
         <li>Background Skills</li>
           <ol type="A">
            <li>Unix Command</li>
            <li>Vim Test Editors</li>
           </ol>
         <li>HTML</li>
           <ol type="A" >
            <li>Minimal Page</li>
            <li>Headings</li>
            <li>Elements</li>
            <li>Lists</li>
               <ol type="i" >
                  <li>Unordered</li>
                  <li>Ordered</li>
                  <li>Definition</li>
                  <li>Nested</li>
               </ol>
            <li>Links</li>
               <ol type="A" >
                  <li>Absolute</li>
                  <li>Relative</li>
               </ol>
            <li>Images</li>
```

```
        </ol>
    <li>CSS</li>
      <ol type="A" >
         <li>Anatomy</li>
         <li>Basic Selectors</li>
            <ol type="i" >
               <li>Element</li>
               <li>Class</li>
               <li>ID</li>
               <li>Group</li>
            </ol>
         <li>The DOM</li>
         <li>Advanced Selectors</li>
         <li>Box Model</li>
      </ol>
    <li>Programming</li>
    <ol type="A" >
       <li>Python</li>
       <li>Javascript</li>
       </ol>
    <li>Database</li>
    <ol type="A" >
       <li>Flat File</li>
       <li>Relational</li>
       </ol>
</ol>

<h4><b>Third Example:</b></h4>
<ol type="I">
   <li>List Item 1</li>
      <ol type="a">
       <li>Nested item 1.1</li>
       <li>Neated item 1.2</li>
       </ol>
   <li>List Item 2</li>
      <ol type="1">
       <li>Nested item 2.1</li>
       <li>Nested item 2.2</li>
          <ul >
            <li>Nested item 2.2.1</li>
            <li>Nested item 2.2.2</li>
               <ul type="Box">
                  <li>Nested item 2.2.2.1</li>
                  <li>Nested item 2.2.2.2</li>
               </ul>
            <li>Nested item 2.2.3</li>
            </ul>
       <li>Nested item 2.3</li>
       </ol>
   <li>List Item 3</li>
         <ul type="disc" >
            <li>Nested item 3.1</li>
            <li>Nested item 3.2</li>
            <li>Nested item 3.2</li>
         </ul>
```

```
        </ol>
    </body>
</html>
```