How to debug the game engine with emacs/gdb

- these are very brief notes on how you can debug your `dhewm3` engine with `emacs` and `gdb`
  - this game engine will also have had python bots capability added

- firstly it is a good idea to ensure that you have no python bots running on your machine

- ```
$ ps aux | grep python
```

- use the Unix command line `kill` command to kill any process running python and doom

# Build a test map including python bot

■
```
$ cd Sandpit/chisel/python
$ ./developer-txt2map ../maps/python.txt
```

# Build a test map including python bot

■ now run `gdb` from within `emacs`

  ◾ start `emacs` and press F5, which will compile dhewm3 and start `gdb`

■ now exit from dhewm3

■ in the `.gdbinit` emacs buffer add the line `break idPlayer::RegisterPython` before the line `run`

  ◾ we are informing `gdb` that we wish to add a breakpoint in the `RegisterPython` method

■ now press F5 again

  ◾ this will run `gdb` and set the breakpoint as requested

# Build a test map including python bot

- from a command line terminal run the python bot

- 
```
$ Sandpit/git-doom3/pybot-dhewm3/python-bot
$ python python_doommarine.py 0
```

# Build a test map including python bot

- `dhewm3` should start, now tell `dhewm3` to load in `tiny.map`
  - it should now connect to your python doom marine
  - and then it should stop at the break point in RegisterPython

- in `emacs` press `M-x gdb-many-windows`
  - ie `<ALT> x gdb-many-windows`

- you can now single step and inspect the game engine using the gui/mouse interface of emacs or the command line in the `gdb` window