```sql
select * from dataset_1 ;

select * from dataset_1
WHERE destination ='Home';

SELECT * from dataset_1
limit 5;

select DISTINCT destination from dataset_1

SELECT * FROM dataset_1 ORDER BY coupon ;

SELECT destination as Destination from dataset_1 ;

SELECT occupation from dataset_1
group by occupation;

SELECT weather,AVG(temperature) from dataset_1
group by weather ;

SELECT weather, COUNT(temperature) as count_temp from dataset_1 group by weather;

SELECT weather, COUNT(DISTINCT temperature) from dataset_1 group by weather;

SELECT weather, sum(temperature) as sum_temp from dataset_1 group by weather;

SELECT weather, MIN(temperature) as min_temp from dataset_1 group by weather;

SELECT * from dataset_1 group by occupation having occupation ='Business & Financial';

SELECT * from dataset_1 union select * FROM table_to_union ;

SELECT DISTINCT destination from (SELECT * from dataset_1 union select * FROM table_to_union);

SELECT a.destination,b.time from dataset_1 a inner join table_to_join b on a.time = b.time;

SELECT destination, passanger  from dataset_1 WHERE passanger = 'Alone';

SELECT * from dataset_1 where weather like 'sun%';

SELECT DISTINCT temperature from dataset_1 where temperature  BETWEEN 29 and 75;

SELECT occupation from dataset_1 where occupation in ('Sales & Related','Management');
```