

AuctionPacked Live — Complete Reference Document

IPL 2026 Fantasy Cricket Tracker

Last updated: April 2026 | auctionpacked.netlify.app/live

1. PROJECT OVERVIEW

A fantasy cricket scoring app for 9 friends playing an IPL 2026 fantasy league. Players are split into 9 fantasy teams, each with 11 players (99 total). The app polls a cricket API for live and concluded IPL match scorecards, calculates fantasy points, and displays a leaderboard.

2. INFRASTRUCTURE

Item	Value
URL	auctionpacked.netlify.app/live
Host	Netlify (drag-and-drop deploys)
Database	Firebase Realtime DB: <code>auctionpacked-98d34-default-rtdb.firebaseio.com</code>
Firebase path	<code>live/</code> (all match data stored here)
Cricket API	<code>https://api.cricapi.com/v1</code>
API key (PAID)	<code>392801ff-67f0-4f6d-b919-050d49eed9ba</code>
IPL 2026 Series ID	<code>87c62aac-bc3c-4738-ab93-19da0690488f</code>
Admin password	<code>auctionpacked2026</code>
C/VC lock	

deadline

2026-03-29T13:30:00Z (March 29, 7PM IST)

Key files

- `live.html` — the entire app (single file, self-contained)
- `index.html` — auction app (locked at v6, do not touch)
- `inject.html` — manual Firebase data pusher (utility)
- `apitest.html` — API connectivity diagnostic tool
- `fielding_debug.html` — API fielding field inspector

Critical API rules

- **NO CORS proxy** — direct `fetch(url, { signal: AbortSignal.timeout(12000) })` only
- **No custom headers** — any `Accept` or `Cache-Control` header triggers CORS preflight failure
- IPL matches are found at **offsets 3, 4, 5** in the `currentMatches` endpoint — offset 0 returns no IPL matches
- The `matches` endpoint returns upcoming fixtures, not past results — useless for history
- Older concluded matches (1-6) have fallen off pagination entirely — must be imported by match ID
- Daily API limit: **2000 calls** (paid subscription)

3. FANTASY LEAGUE STRUCTURE

9 Teams — Final confirmed rosters

Team	Players
ALVA	Shubman Gill, Varun Chakravarthy, Tilak Varma, Hardik Pandya, Ryan Rickelton, Mohammed Siraj, Axar Patel, David Miller, Devdutt Padikkal, Mitchell Starc, Tim Seifert
ANIRUDH	Ishan Kishan, Ayush Mhatre, Priyansh Arya, Arshdeep Singh, Prasidh Krishna, Digvesh Singh, Naman Dhir, Quinton de Kock, Harshit Rana, Sam Curran, Glenn

	Phillips
ASVIN	Yashasvi Jaiswal, Jasprit Bumrah, Rishabh Pant, Yuzvendra Chahal, Mitchell Marsh, Nitish Rana, Pat Cummins, Tim David, Pathum Nissanka, Vaibhav Arora, Shashank Singh
GAJA	Sanju Samson, Suryakumar Yadav, Rajat Patidar, Angkrish Raghuvanshi, Jacob Bethell, Cameron Green, Josh Hazlewood, Trent Boult, Jitesh Sharma, Mohammed Shami, Aniket Verma
KARTHIK	Phil Salt, Vaibhav Suryavanshi, Sunil Narine, Shimron Hetmyer, Khaleel Ahmed, MS Dhoni, Will Jacks, Sandeep Sharma, Vipraj Nigam, T Natarajan, Deepak Chahar
MUKIL	Ruturaj Gaikwad, Rohit Sharma, Aiden Markram, Kuldeep Yadav, Ravindra Jadeja, Jos Buttler, Kagiso Rabada, Ravi Bishnoi, Mitchell Santner, Venkatesh Iyer, Abishek Porel
SRIPAD	Abhishek Sharma, Nicholas Pooran, Travis Head, Prabhsimran Singh, Ajinkya Rahane, Jaydev Unadkat, Matt Henry, Sal Kishore, Washington Sundar, Krunal Pandya, Suyash Sharma
VATS	Virat Kohli, Sai Sudharsan, Rashid Khan, Heinrich Klaasen, Shivam Dube, Bhuvneshwar Kumar, Karthik Sharma, Sarfaraz Khan, Tristan Stubbs, Harshal Patel, Jofra Archer
VINAY	KL Rahul, Noor Ahmad, Dewald Brevis, Finn Allen, Riyan Parag, Shreyas Iyer, Avesh Khan, Marco Jansen, Harpreet Brar, Zeeshan Ansari, Dhruv Jurel

Roster notes

- **"Sal Kishore"** (SRIPAD) is a typo for **"Sai Kishore"** (GT) — kept as-is in the roster but name matching handles **"Sai Kishore"** correctly via KNOWN_ALIASES
- **"Karthik Sharma"** (VATS) — mapped to Chennai Super Kings. Not in any verified IPL 2026 squad document; may need updating if the player doesn't participate

4. SCORING SYSTEM

Batting

Event	Points

Run scored	+1
Four hit	+2
Six hit	+3
50 runs milestone	+25
75 runs milestone	+35
100 runs milestone	+50
Duck (0, dismissed)	-10 (BAT/WIC/ALL only)

Strike Rate (minimum 8 balls faced)

SR Band	Points
< 50	-25
50 – 69.99	-20
70 – 89.99	-15
90 – 99.99	0 (neutral — do NOT display in breakdown)
100 – 129.99	+15
130 – 149.99	+20
150+	+30

Bowling

Event	Points
Wicket	+25
2 wickets bonus	+25 extra
3–4 wickets bonus	+40 extra
5+ wickets bonus	+70 extra
Maiden over	+20

Dot ball	+2 (bowler only — never batter)
----------	---------------------------------

Dot ball rules:

- Only awarded to the bowler
- Byes and leg byes count as dot balls for the bowler
- Wicket deliveries also count as dot balls
- Calculated as: balls bowled – runs scored off bat (API field unreliable, computed if needed)

Economy Rate (minimum 2 overs bowled)

Economy Band	Points
< 5	+40
5 – 7.99	+20
8 – 9.99	+10
10 – 11.99	+5
12 – 13.99	-5
14+	-10

Fielding

Event	Points
Catch	+10
Stumping	+10
Run out (direct — thrower)	+10
Run out (indirect — backup)	+10

Player of the Match (POTM)

Role	Bonus

Normal player	+30
Vice Captain	+40 (POTM base × 1.5, floored)
Captain	+60 (POTM base × 2)

Captain / Vice Captain Multipliers

Role	Multiplier	Rounding
Captain	2× total points	Standard round
Vice Captain	1.5× total points	Floor (round down)

Important: VC uses `Math.floor`, not `Math.round`. Example: $13\text{pts} \times 1.5 = 19.5 \rightarrow \mathbf{19\text{ pts}}$ (not 20).

5. API — CONFIRMED FIELD NAMES

Verified via `fielding_debug.html` on a live match (CSK vs PBKS, Match 7):

```

b.dismissal      = "catch" | "bowled" | "lbw" | "runout" | "stumped"
b.catcher.name   = fielder name for catches, stumpings, AND run outs
b["dismissal-text"] = full text e.g. "c Prabhsimran Singh b Xavier Bartlett"
                    NOTE: hyphenated key – b.dismissalText does NOT work
b.bowler.name    = bowler

```

Run out format: `"run out (Sarfaraz Khan/Ruturaj Gaikwad)"`

- First name = direct thrower → +10
- Second name = indirect backup → +10

Batting fields:

```

b.batsman.name   = batter name
b.r              = runs
b.b              = balls faced
b["4s"]          = fours
b["6s"]          = sixes
b.sr             = strike rate

```

Bowling fields:

```
b.bowler.name    = bowler name (inside bowling array)
b.o              = overs
b.r              = runs conceded
b.w              = wickets
b.m              = maidens
b.wd / b.dots    = dot balls (unreliable - compute from balls-runs instead)
```

6. PLAYER NAME MATCHING — 8-STEP SYSTEM

The `findPlayer()` function inside `parseScorecard()` uses this pipeline:

Step 1: `cleanApiName()` preprocessing

Strips all role/status suffixes before any matching:

- `(c)` , `(wk)` , `(c & wk)` , `(sub)` — bracket content
- `†` — wicketkeeper dagger
- `*` — not-out asterisk
- `c&wk` , `capt` , `captain` , `wk` , `sub` — loose role words

Step 2: Exact normalised match

`normName(apiName)` → strip non-alpha, lowercase → look up in `playerMap`

Step 3: `KNOWN_ALIASES` lookup

Hardcoded API spelling variants confirmed from live API:

- `philipsalt` → Phil Salt
- `vaibhavsooryavanshi` / `sooryavanshi` → Vaibhav Suryavanshi
- `msdhoni` / `mahendrasinghdhoni` → MS Dhoni
- `mohammadshami` → Mohammed Shami
- `samuelcurran` → Sam Curran
- `josephbuttler` / `josephcharlesbuttler` → Jos Buttler
- `williamjacks` / `williamgeorgejacks` → Will Jacks

- `matthewhenry / matthewjameshenry` → Matt Henry
- `patrickjamescummins / patrickcummins` → Pat Cummins
- `ravindrasinhajadeja` → Ravindra Jadeja
- `rashidkhanarman` → Rashid Khan
- `klrahul / kannarurlokeshrahul` → KL Rahul
- `finnleyhughallen / finnleyallen` → Finn Allen
- `thangarasunatarajan` → T Natarajan

Step 4: Auto-aliases (middle name skip)

Built at startup: "Nitish Kumar Reddy" → also responds to "Nitish Reddy"

Step 5: Last name match + first name confirmation

- Last name ≥ 4 chars required
- Single candidate: first initial must match
- Multiple candidates (same last name like "Sharma"): requires **0.7+ similarity** on first name — returns null if ambiguous rather than guessing

Step 6: Initial + last name

"V. Kohli", "H. Klaasen", "MS Dhoni" (initial ≤ 2 chars + last name ≥ 4 chars)

Step 7: Middle name skip

Tries each word in a multi-part name as a potential last name

Step 8: Fuzzy similarity (82%+ threshold)

Handles phonetic variants like Sooryavanshi/Suryavanshi. Requires first name initial match when first name is present.

Team-aware wrapper: `findPlayerTeamAware()`

After name matching, validates the matched player's IPL franchise appears in the match's two teams. Prevents cross-match attribution (e.g. Abhishek Sharma getting points from a match SRH didn't play in).

IPL_TEAM_MAP — all 99 roster players mapped to their IPL franchise. Used for team-aware validation.

isIPLMatch() — filters non-IPL matches:

1. Primary: checks `m.series_id === IPL_2026_SERIES_ID`
 2. Fallback: name contains "Indian Premier League" or franchise names
 3. Excluded: women's, WPL, U19, Legends League, PSL, BBL, Ranji, etc.
-

7. AUTO-SYNC SYSTEM

How it works

1. On page load: checks if today is an IPL match day (`isIPLMatchDay()`)
2. If yes: auto-starts polling every 15 minutes
3. `visibilitychange` listener: re-syncs when browser tab becomes visible (handles phone lock screen)
4. SYNC NOW button: always enabled, never disabled by limit checks

Fetch flow

```
currentMatches?offset=3 → filter IPL → fetch scorecard → upsertMatch()  
currentMatches?offset=4 → filter IPL → fetch scorecard → upsertMatch()  
currentMatches?offset=5 → filter IPL → fetch scorecard → upsertMatch()
```

IPL matches are at offsets 3-5, not offset 0.

upsertMatch()

Always overwrites existing matches — never silently skips. This ensures live score updates are reflected in real time.

Daily limit

- 2000 calls (paid subscription)
- Counter stored in localStorage key: `ap_live_api_calls`
- On page load: if counter ≥ 100 (stale from old free tier), it resets automatically

Manual import by match ID

Admin can paste any match ID from cricketdata.org to import/refresh a specific match.

Useful for:

- Importing older matches that have fallen off the pagination
- Refreshing a match where the auto-import missed data

Refresh All

Admin button that refreshes all saved API-sourced matches in one tap. Each match is re-fetched from the scorecard endpoint.

8. UI FEATURES

Board tab (Leaderboard)

- All 9 teams ranked by total fantasy points
- Expandable squad per team showing individual player points
- BPL (Bottom Premier League) — subtle highlight for teams ranked 7th, 8th, 9th
- Tapping any player opens the player detail modal

Player Modal

- Total pts, matches played, avg per match
- Per-match breakdown with full stat detail
- Shows: runs, boundaries, SR band, wickets, economy, dot balls, catches, stumpings, run outs
- C/VC multiplier shown as "Captain 2× bonus (+X extra)"
- POTM bonus shown
- SR 90-99.99 band is NOT shown (0 pts, no display)

Matches tab

- **Fully chronological:** Match 1 at top, Match 74 at bottom
- Auto-scrolls to first today/upcoming match on tab open — scroll UP to see past matches
- Past matches (date < today) show **DONE** badge even without saved data
- Live matches show green **LIVE** badge

- Concluded saved matches show team fantasy points grid

Players tab

- All 99 players sortable by total fantasy points
- Role filter: ALL, BAT, BOW, ALL (allrounder), WIC
- Scrolls to top (rank #1) automatically when tab is opened

Live tab

- Shows current live match if any
- Pulsing red dot indicator (no emoji)
- Fantasy points leaderboard for the current match only

C/VC tab

- Each team picks one Captain and one Vice Captain
- Selection locked after deadline (March 29, 2026 7PM IST)
- C shown as gold badge, VC as silver badge on player rows
- Admin can reset all picks via RESET ALL C/VC PICKS button

Admin

- Password: `auctionpacked2026`
- Title: "Fantasy League Admin" (reusable each season)
- Auto-sync status panel showing calls used/remaining
- SYNC NOW button (always enabled)
- Import Recent Results (scans offsets 3,4,5)
- Manual import by match ID (paste any ID)
- Refresh All (refreshes all saved matches)
- Saved matches in **reverse chronological order** (newest first)
- Collapse All / Expand All buttons
- ▲ triangle when expanded, ▼ when collapsed

- RESET ALL C/VC PICKS button (with confirm prompt)
- Per-match: status dropdown, Refresh button, Delete button, POTM setter, manual stat editing

9. BUGS FIXED DURING DEVELOPMENT

Critical

Bug	Fix
CORS proxy blocked on Netlify	Removed all proxies — direct fetch() works perfectly
API key on free tier (no IPL data)	Upgraded to paid key <code>392801ff</code> — new key required, old key was separate
IPL matches at offset 0 (none found)	Scans offsets 3, 4, 5 where IPL matches actually appear
Sync Now silently skipping existing matches	<code>upsertMatch()</code> always overwrites
API call counter blocking syncs	Counter key mismatch fixed; stale 100-call counter auto-reset
<code>b.fielder.name</code> wrong field name	Confirmed: <code>b.catcher.name</code> for catches/stumpings/runouts
<code>b.dismissalText</code> wrong field name	Confirmed: <code>b["dismissal-text"]</code> (hyphenated key)
<code>b.dismissal === "caught"</code> wrong	Confirmed: <code>b.dismissal === "catch"</code> (no 't')
Wrong player getting catch points	Team-aware matching rejects players whose IPL team $\neq$ match teams
Abhishek Sharma cross-match attribution	Multi-Sharma disambiguation threshold raised to 0.7
VC multiplier rounding up	Changed <code>Math.round</code> to <code>Math.floor</code> for $1.5\times$
Economy rate bands wrong	Corrected to: $<5=+40$, $5-8=+20$, $8-10=+10$, $10-12=+5$, $12-14=-5$, $14+=-10$

Firebase ref pointing to "beta"	Changed to <code>live/</code> path
Sandbox BETA_DATA loading on startup	Removed; Firebase live data loads on init
Duplicate HTML/script blocks in file	Cleaned — single script block only
Placeholder TEAMS data (wrong players)	Replaced with correct 99-player roster

UI/UX

Bug	Fix
BETA TEST text on landing	Replaced with pulsing red LIVE
BETA MODE banner in admin	Removed
"IPL 2026 Admin" non-reusable	Changed to "Fantasy League Admin"
Match badge text/border collision	min-width 72px, centered text, better padding
Past matches showing UPCOMING	Past date = DONE even without saved data
Players tab not scrolling to top	<code>scrollTop = 0</code> on <code>renderPlayers()</code>
Collapse/Expand arrows not updating	Direct DOM update without re-render
Triangle wrong direction	▲ = expanded, ▼ = collapsed (correctly inverted)
SR 90-99 showing as 0 pts in breakdown	Hidden — 0 pt bands don't display
Dot balls wrongly on batters	Batting records never receive p.dots
Admin matches in wrong order	Reverse chronological (newest first)

10. KNOWN ISSUES / PENDING ITEMS

Issue	Status	Notes
Matches 1-6 not importable from API	Pending	Fallen off pagination. Must import manually by match ID if IDs are known

"Sal Kishore" typo in SRIPAD roster	Known, deferred	Should be "Sai Kishore" — matching handles it via alias
"Karthik Sharma" (VATS) unverified	Known	Not in any IPL 2026 squad document. Monitor and replace if needed
Indirect run out credit verification	Pending test	Code is correct per API spec — needs live match verification
Dot ball calculation from API	Partial	API wd field unreliable; code falls back to balls–runs computation
Auto-sync warm-up issue	Resolved via paid key	Previously required visiting cricketdata.org to "warm up" CORS cache

11. SCORING VERIFICATION EXAMPLES

From live matches (verified against Cricbuzz):

Arshdeep Singh — Match 1 (RCB vs SRH):

- 1 wicket $\times 25 = +25$
- 1 dot ball $\times 2 = +2$
- Economy 12.67 = -10 (was using old bands)
- VC 1.5 $\times$ bonus
- Total before VC: 17, VC floor(17×1.5) = 25

Suryakumar Yadav — VC multiplier example:

- 6 runs + 3 (six bonus) = 9 base
- VC: floor(9×1.5) = floor(13.5) = 13
- Bonus shown: +4 (floor of 9×0.5)

Economy rate examples (new bands):

- Economy 2.25 $\rightarrow$ < 5 band $\rightarrow$ **+40**
- Economy 7.00 $\rightarrow$ 5-8 band $\rightarrow$ **+20**
- Economy 10.33 $\rightarrow$ 10-12 band $\rightarrow$ **+5**

- Economy 15.00 → 14+ band → **-10**
-

12. REBUILD CHECKLIST

If you need to rebuild from scratch, this is the order of operations:

1. Start from `beta.html` (the stable base with all UI components)
2. Check for duplicate `<script>` blocks — keep only one
3. Replace TEAMS array with correct 99-player roster
4. Replace IPL_2026_SCHEDULE with the 74-match schedule
5. Apply all fixes in Section 9 above
6. Set correct API key and series ID (Section 2)
7. Set Firebase ref to `live/` not `beta`
8. Remove all BETA_DATA, sandbox loading, and beta references
9. Run syntax check: `node --check extracted_scripts.js`
10. Run 69-point validation sweep (see test suite in development notes)

What NOT to do

- Never add `Accept` or `Cache-Control` headers to fetch calls (breaks CORS)
 - Never use a CORS proxy (they're blocked on Netlify production)
 - Never scan only offset 0 for IPL matches
 - Never use `Math.round` for VC multiplier (must be `Math.floor`)
 - Never assign dot balls in batting parsing section
 - Never use `b.fielder?.name` — the correct field is `b.catcher?.name`
 - Never use `b.dismissalText` — the correct field is `b["dismissal-text"]`
 - Never check `b.dismissal === "caught"` — the API sends `"catch"` (no t)
-

13. API ENDPOINT REFERENCE

All calls use: <https://api.cricapi.com/v1/>

Endpoint	Use
<code>currentMatches?apikey=KEY&offset=3</code>	Find live/recent IPL matches (scan 3,4,5)
<code>match_scorecard?apikey=KEY&id=MATCH_ID</code>	Full scorecard for a specific match
<code>series_info?apikey=KEY&id=SERIES_ID</code>	All matches in IPL 2026 series

IPL 2026 Series ID: `87c62aac-bc3c-4738-ab93-19da0690488f`

Known match IDs (for manual import):

- Match 7 (CSK vs PBKS): `96d2aa6b-ea40-4da4-b4cf-eb996de24ef7`
- Match 8 (DC vs MI): `736f3e02-212a-49bc-8b3b-08a106312702`
- Match 9 (GT vs RR): `ea4d01bf-bf47-4f7d-a4f8-32eade678141`
- Match 9 alternate: `8f54d791-e6be-4638-9d30-862329e5ebc7`
- Match 10 (SRH vs LSG): available from recent sync

14. TECH STACK NOTES

- **Single HTML file** — entire app in one file (HTML + CSS + JS). No build tools, no npm.
- **Firebase Realtime DB** — used for persistent match data and C/VC picks. All 9 users see the same data in real time.
- **No server** — entirely client-side. The API is called directly from the browser.
- **Mobile-first** — designed for iPhone Safari. Tested on iOS.
- **Fonts** — Barlow Condensed (Google Fonts) for headings/numbers
- **Colour scheme** — dark navy background, orange (`#ff5c00`) accent, green for positive pts, red for negative