

# BO - Smoke Test

## Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

## Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	5		
Passed	3	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-12 15:51:40	End	2023-05-12 15:58:11
Elapsed	6m - 30.977s		

#	ID	Description	Status
1	Test Cases/I Test Case (AccountInformation)	starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products	PASSED
2	Test Cases/II Test Case (View My Orders)		FAILED
3	Test Cases/III Test Case (View Payments)		PASSED
4	Test Cases/IV Test Case (Privacy Communication)		FAILED
5	Test Cases/V Test Case (Autoship)		PASSED

# I Test Case (AccountInformation)

## Information

ID	Test Cases/I Test Case (AccountInformation)		
Description	starting smoke test with this test case		
Tag	-change country -registration -login -BO		
Start	-change password -change language and check categories and products		
Elapsed	smoketest		
Status			
	2023-05-12 15:51:41	End	2023-05-12 15:54:44
	3m - 3.043s		
	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.671s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")  Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.451s	PASSED
3	deleteAllCookies()  Delete all cookies successfully	0.032s	PASSED
4	maximizeWindow()  Current window maximized	0.167s	PASSED
5	refresh()  Refresh successfully	0.549s	PASSED
6	delay(3)  Delayed 3 second(s)	3.035s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
7	<code>click(findTestObject("Footer/divCountryLanguage"))</code> Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	5.042s	PASSED
8	<code>click(findTestObject("CountryLanguage/select_en-PT"))</code> Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.419s	PASSED
9	<code>click(findTestObject("Header/iconGuestProfile"))</code> Object: 'Object Repository/Header/iconGuestProfile' is clicked on	30.363s	PASSED
10	<code>click(findTestObject("LoginPage/buttonRegisterNewAccount"))</code> Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on	4.503s	PASSED
11	<code>setText(findTestObject("LoginPage/inputFirstName"), "Smoke")</code> Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName'	1.129s	PASSED
12	<code>setText(findTestObject("LoginPage/inputLastName"), "Test")</code> Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName'	0.998s	PASSED
13	<code>randomEmail = Script1680713356350.generateRandomEmail(10)</code>	0.001s	PASSED
14	<code>allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"</code>	0.002s	PASSED
15	<code>email = new java.lang.StringBuilder()</code>	0.016s	PASSED
16	<code>random = new java.util.Random()</code>	0.006s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
17	for ([i = 0, i < length, (i++)])	0.018s	PASSED
18	email.append("@gmail.com")	0.002s	PASSED
19	return email.toString()	0.002s	PASSED
20	println(randomEmail)	0.003s	PASSED
21	setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail)  Text 'wikeu2jfi3@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister'	1.099s	PASSED
22	password = "SmokeTest123@"	0.001s	PASSED
23	newPassword = "Test123@"	0.001s	PASSED
24	setText(findTestObject("LoginPage/inputPasswordRegister"), password)  Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister'	1.059s	PASSED
25	setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password)  Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister'	1.167s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
26	click(findTestObject("LoginPage/inputEmailRegister"))  Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on	0.755s	PASSED
27	click(findTestObject("LoginPage/svgShowPasswordLogin"))  Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.737s	PASSED
28	click(findTestObject("LoginPage/svgShowConfirmPasswordRegister"))  Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on	0.505s	PASSED
29	click(findTestObject("LoginPage/buttonCreateAnAccount"))  Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on	2.695s	PASSED
30	randomEmail2 = Script1680713356350.generateRandomEmail(10)	0.001s	PASSED
31	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.001s	PASSED
32	email = new java.lang.StringBuilder()	0.001s	PASSED
33	random = new java.util.Random()	0.001s	PASSED
34	for ([i = 0, i < length, (i++)])	0.010s	PASSED
35	email.append("@gmail.com")	0.001s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
36	return email.toString()	0.000s	PASSED
37	println("Generated new mail: " + randomEmail2)	0.001s	PASSED
38	isPresentAlertWindowRegistration = waitForAlert(5)  No alert found after 5 second(s).	5.366s	PASSED
39	if (isPresentAlertWindowRegistration == true)	0.000s	PASSED
40	else	0.003s	PASSED
41	delay(3)  Delayed 3 second(s)	3.010s	PASSED
42	click(findTestObject("Header/iconUserProfile"))  Object: 'Object Repository/Header/iconUserProfile' is clicked on	2.350s	PASSED
43	click(findTestObject("Header/divAccountInformationBO"))  Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.707s	PASSED
44	click(findTestObject("BackOffice/divViewMyOrdersPage"))  Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	1.011s	PASSED
45	click(findTestObject("BackOffice/divViewPaymentsPage"))  Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	2.092s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/divAutoshipPage"))  Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	0.980s	PASSED
47	click(findTestObject("BackOffice/divPrivacyCommunicationPage"))  Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.885s	PASSED
48	click(findTestObject("BackOffice/divAccountInformationPage"))  Object: 'Object Repository/BackOffice/divAccountInformationPage' is clicked on	0.977s	PASSED
49	click(findTestObject("BackOffice/AccountInformation/pAddressInformationLabel"))  Object: 'Object Repository/BackOffice/AccountInformation/pAddressInformationLabel' is clicked on	0.859s	PASSED
50	click(findTestObject("BackOffice/AccountInformation/AddressInformation/pAddNewAddress"))  Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/pAddNewAddress' is clicked on	0.625s	PASSED
51	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputAddressTitle"), "test address")  Text 'test address' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputAddressTitle'	1.119s	PASSED
52	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputFirstName"), "smoke")  Text 'smoke' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputFirstName'	0.960s	PASSED
53	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputLastName"), "test")  Text 'test' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputLastName'	0.950s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
54	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputPhoneNumber"), "305 345 345")  Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputPhoneNumber'	1.059s	PASSED
55	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputStreetAddress"), "test1")  Text 'test1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputStreetAddress'	0.970s	PASSED
56	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputApartment"), "1")  Text '1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputApartment'	0.964s	PASSED
57	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divCountryDropdown"))  Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divCountryDropdown' is clicked on	2.755s	PASSED
58	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry"))  Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry' is clicked on	0.643s	PASSED
59	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown"))  Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown' is clicked on	1.196s	PASSED
60	click(findTestObject("BackOffice/AccountInformation/AddressInformation/div1SelectState"))  Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/div1SelectState' is clicked on	0.628s	PASSED



## I Test Case (AccountInformation)

#	Description	Elapsed	Status
61	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputCity"), "Lisboa")  Text 'Lisboa' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputCity'	1.187s	PASSED
62	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode"), "5000")  Text '5000' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode'	0.983s	PASSED
63	click(findTestObject("BackOffice/AccountInformation/AddressInformation/buttonSave"))  Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/buttonSave' is clicked on	2.741s	PASSED
64	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertAddressTitle"), STOP_ON_FAILURE)  Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertAddressTitle' is visible	9.140s	PASSED
65	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel"))  Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	2.748s	PASSED
66	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	0.624s	PASSED
67	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), password)  Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.068s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
68	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), newPassword)  Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	0.981s	PASSED
69	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), newPassword)  Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.998s	PASSED
70	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.697s	PASSED
71	delay(2)  Delayed 2 second(s)	2.014s	PASSED
72	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone' is clicked on	1.062s	PASSED
73	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber"), "305 345 345")  Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber'	18.547s	PASSED
74	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.706s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
75	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertPhoneNumber"))  Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertPhoneNumber' is visible	3.869s	PASSED
76	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber' is clicked on	0.504s	PASSED
77	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber' is clicked on	0.626s	PASSED
78	click(findTestObject("Header/iconUserProfile"))  Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.981s	PASSED
79	click(findTestObject("Header/pLogout"))  Object: 'Object Repository/Header/pLogout' is clicked on	0.613s	PASSED
80	click(findTestObject("Header/iconGuestProfile"))  Object: 'Object Repository/Header/iconGuestProfile' is clicked on	2.593s	PASSED
81	if (isPresentAlertWindowRegistration == true)	0.000s	PASSED
82	else  Text 'wikeu2jfi3@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.161s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
83	setText(findTestObject("LoginPage/inputPasswordLogin"), newPassword)  Text 'Test123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.223s	PASSED
84	click(findTestObject("LoginPage/svgShowPasswordLogin"))  Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.499s	PASSED
85	click(findTestObject("LoginPage/buttonSignIn"))  Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.510s	PASSED
86	delay(5)  Delayed 5 second(s)	5.011s	PASSED
87	click(findTestObject("Header/iconUserProfile"))  Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.505s	PASSED
88	click(findTestObject("Header/divAccountInformationBO"))  Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	0.747s	PASSED
89	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel"))  Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	0.658s	PASSED
90	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	2.664s	PASSED
91	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), newPassword)  Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.091s	PASSED

## I Test Case (AccountInformation)

#	Description	Elapsed	Status
92	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), password)  Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	0.962s	PASSED
93	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), password)  Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.959s	PASSED
94	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave"))  Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.719s	PASSED
95	click(findTestObject("Header/iconUserProfile"))  Object: 'Object Repository/Header/iconUserProfile' is clicked on	5.271s	PASSED
96	click(findTestObject("Header/pLogout"))  Object: 'Object Repository/Header/pLogout' is clicked on	0.601s	PASSED
97	verifyElementVisible(findTestObject("Header/iconGuestProfile"), STOP_ON_FAILURE)  Object 'Object Repository/Header/iconGuestProfile' is visible	2.854s	PASSED
98	Start listener action : terminateRunningWebDrivers	0.645s	PASSED
99	Video  Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .	0.000s	PASSED

## II Test Case (View My Orders)

---

### Information

ID	Test Cases/II Test Case (View My Orders)		
Description			
Tag			
Start	2023-05-12 15:54:44	End	2023-05-12 15:54:51
Elapsed	7.702s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## II Test Case (View My Orders)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)     at II Test Case (View My Orders).run(II Test Case (View My Orders):20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1683899493526.run(TempTestSuite1683899493526.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:43068 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)     at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.665s	FAILED

## II Test Case (View My Orders)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1682598283514.run(Script1682598283514.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:43068 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)		



## II Test Case (View My Orders)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more )		
2	Start listener action : terminateRunningWebDrivers	0.629s	PASSED
3	Video Video recording for test case 'Test Cases/II Test Case (View My Orders)' .	0.001s	PASSED

## III Test Case (View Payments)

### Information

ID	Test Cases/III Test Case (View Payments)		
Description			
Tag			
Start	2023-05-12 15:54:51	End	2023-05-12 15:56:12
Elapsed	1m - 20.772s		
Status	PASSED		

### Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.248s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")  Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.584s	PASSED
3	deleteAllCookies()  Delete all cookies successfully	0.022s	PASSED
4	maximizeWindow()  Current window maximized	0.153s	PASSED
5	refresh()  Refresh successfully	0.536s	PASSED
6	delay(3)  Delayed 3 second(s)	3.010s	PASSED
7	click(findTestObject("Footer/divCountryLanguage"))  Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	3.096s	PASSED

### III Test Case (View Payments)

#	Description	Elapsed	Status
8	click(findTestObject("CountryLanguage/select_en-PT"))  Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.325s	PASSED
9	click(findTestObject("Header/iconGuestProfile"))  Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.295s	PASSED
10	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")  Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.533s	PASSED
11	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")  Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.023s	PASSED
12	click(findTestObject("LoginPage/svgShowPasswordLogin"))  Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.493s	PASSED
13	click(findTestObject("LoginPage/buttonSignIn"))  Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.527s	PASSED
14	click(findTestObject("Header/iconUserProfile"))  Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.773s	PASSED
15	click(findTestObject("Header/divAccountInformationBO"))  Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.291s	PASSED
16	click(findTestObject("BackOffice/divViewPaymentsPage"))  Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	1.106s	PASSED

### III Test Case (View Payments)

#	Description	Elapsed	Status
17	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod"))  Object: 'Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod' is clicked on	1.298s	PASSED
18	click(findTestObject("Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod"))  Object: 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' is clicked on	0.595s	PASSED
19	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonContinue"))  Object: 'Object Repository/BackOffice/ViewPayments/buttonContinue' is clicked on	0.549s	PASSED
20	delay(2)  Delayed 2 second(s)	2.016s	PASSED
21	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardHolder"), "CL-BRW2")  Text 'CL-BRW2' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardHolder'	1.088s	PASSED
22	delay(2)  Delayed 2 second(s)	2.006s	PASSED
23	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "1111-1111-1111-1111")  Text '1111-1111-1111-1111' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.036s	PASSED
24	delay(2)  Delayed 2 second(s)	2.004s	PASSED

### III Test Case (View Payments)

#	Description	Elapsed	Status
25	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown"))  Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on	0.504s	PASSED
26	click(findTestObject("Object Repository/BackOffice/ViewPayments/li4SelectMonth"))  Object: 'Object Repository/BackOffice/ViewPayments/li4SelectMonth' is clicked on	0.615s	PASSED
27	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown"))  Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on	0.755s	PASSED
28	click(findTestObject("Object Repository/BackOffice/ViewPayments/li2027SelectYear"))  Object: 'Object Repository/BackOffice/ViewPayments/li2027SelectYear' is clicked on	0.623s	PASSED
29	delay(2)  Delayed 2 second(s)	2.016s	PASSED
30	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "252")  Text '252' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.998s	PASSED
31	delay(2)  Delayed 2 second(s)	2.016s	PASSED
32	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown"))  Object: 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' is clicked on	2.748s	PASSED
33	click(findTestObject("Object Repository/BackOffice/ViewPayments/liFirstSelectAddress"))  Object: 'Object Repository/BackOffice/ViewPayments/liFirstSelectAddress' is clicked on	0.641s	PASSED
34	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonSave"))  Object: 'Object Repository/BackOffice/ViewPayments/buttonSave' is clicked on	3.983s	PASSED

### III Test Case (View Payments)

#	Description	Elapsed	Status
35	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertVisiblePaymentMethod"))  Object 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' is visible	4.505s	PASSED
36	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertCardNumber"))  Object 'Object Repository/BackOffice/ViewPayments/assertCardNumber' is visible	0.371s	PASSED
37	click(findTestObject("Object Repository/BackOffice/ViewPayments/span2EditMethod"))  Object: 'Object Repository/BackOffice/ViewPayments/span2EditMethod' is clicked on	0.550s	PASSED
38	delay(3)  Delayed 3 second(s)	3.010s	PASSED
39	click(findTestObject("BackOffice/ViewPayments/inputCardNumber"))  Object: 'Object Repository/BackOffice/ViewPayments/inputCardNumber' is clicked on	0.493s	PASSED
40	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "2222-2222-2222-2222")  Text '2222-2222-2222-2222' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.283s	PASSED
41	delay(2)  Delayed 2 second(s)	2.015s	PASSED
42	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "2222-2222-2222-2222")  Text '2222-2222-2222-2222' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.057s	PASSED
43	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown"))  Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on	0.524s	PASSED

### III Test Case (View Payments)

#	Description	Elapsed	Status
44	click(findTestObject("Object Repository/BackOffice/ViewPayments/li5SelectMonth")) Object: 'Object Repository/BackOffice/ViewPayments/li5SelectMonth' is clicked on	0.585s	PASSED
45	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on	0.728s	PASSED
46	click(findTestObject("Object Repository/BackOffice/ViewPayments/li2026SelectYear")) Object: 'Object Repository/BackOffice/ViewPayments/li2026SelectYear' is clicked on	0.627s	PASSED
47	delay(2) Delayed 2 second(s)	2.016s	PASSED
48	click(findTestObject("BackOffice/ViewPayments/inputCVV")) Object: 'Object Repository/BackOffice/ViewPayments/inputCVV' is clicked on	0.481s	PASSED
49	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "242") Text '242' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.945s	PASSED
50	delay(2) Delayed 2 second(s)	2.013s	PASSED
51	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "242") Text '242' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.949s	PASSED
52	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' is clicked on	0.506s	PASSED
53	click(findTestObject("Object Repository/BackOffice/ViewPayments/liFirstSelectAddress")) Object: 'Object Repository/BackOffice/ViewPayments/liFirstSelectAddress' is clicked on	0.638s	PASSED

### III Test Case (View Payments)

#	Description	Elapsed	Status
54	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonSave"))  Object: 'Object Repository/BackOffice/ViewPayments/buttonSave' is clicked on	1.129s	PASSED
55	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertNewCardNumber"))  Object 'Object Repository/BackOffice/ViewPayments/assertNewCardNumber' is visible	1.643s	PASSED
56	click(findTestObject("Object Repository/BackOffice/ViewPayments/button2Remove"))  Object: 'Object Repository/BackOffice/ViewPayments/button2Remove' is clicked on	0.502s	PASSED
57	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAcceptDeleteMethod"))  Object: 'Object Repository/BackOffice/ViewPayments/buttonAcceptDeleteMethod' is clicked on	0.632s	PASSED
58	verifyElementNotPresent(findTestObject("BackOffice/ViewPayments/assertVisiblePayment Method"), 2)  Web element with id: 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' located by 'By.xpath: (//div[@class = 'viewPaymentRow'])[2]' is not present after '2' second(s)	1.121s	PASSED
59	Start listener action : terminateRunningWebDrivers	0.602s	PASSED
60	Video  Video recording for test case 'Test Cases/III Test Case (View Payments)' .	0.000s	PASSED



# IV Test Case (Privacy Communication)

## Information

ID	Test Cases/IV Test Case (Privacy Communication)		
Description			
Tag			
Start	2023-05-12 15:56:12	End	2023-05-12 15:56:20
Elapsed	7.457s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)     at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)     at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)     at TempTestSuite1683899493526.run(TempTestSuite1683899493526.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:18322 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p>	4.606s	FAILED

## IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683200246433.run(Script1683200246433.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:18322 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		

## IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
147)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
121)	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:		
103)	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more )		
2	Start listener action : terminateRunningWebDrivers	0.508s	PASSED
3	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .		

# V Test Case (Autoship)

## Information

ID	Test Cases/V Test Case (Autoship)		
Description			
Tag			
Start	2023-05-12 15:56:20	End	2023-05-12 15:58:11
Elapsed	1m - 51.681s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.255s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")  Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.446s	PASSED
3	deleteAllCookies()  Delete all cookies successfully	0.030s	PASSED
4	maximizeWindow()  Current window maximized	0.146s	PASSED
5	refresh()  Refresh successfully	0.531s	PASSED
6	delay(3)  Delayed 3 second(s)	3.010s	PASSED
7	click(findTestObject("Footer/divCountryLanguage"))  Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.985s	PASSED

## V Test Case (Autoship)

#	Description	Elapsed	Status
8	click(findTestObject("CountryLanguage/select_en-PT"))  Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.349s	PASSED
9	click(findTestObject("Header/iconGuestProfile"))  Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.315s	PASSED
10	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")  Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.523s	PASSED
11	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")  Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.018s	PASSED
12	click(findTestObject("LoginPage/svgShowPasswordLogin"))  Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.517s	PASSED
13	click(findTestObject("LoginPage/buttonSignIn"))  Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.509s	PASSED
14	click(findTestObject("Header/iconUserProfile"))  Object: 'Object Repository/Header/iconUserProfile' is clicked on	3.724s	PASSED
15	click(findTestObject("Header/divAccountInformationBO"))  Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.178s	PASSED
16	click(findTestObject("BackOffice/divAutoshipPage"))  Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	0.843s	PASSED
17	delay(3)  Delayed 3 second(s)	3.015s	PASSED

## V Test Case (Autoship)

#	Description	Elapsed	Status
18	StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber"))  Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021978'	0.368s	PASSED
19	println(StringlastAutoshipNumber)	0.000s	PASSED
20	lastAutoshipNumber = StringlastAutoshipNumber.toInteger()	0.003s	PASSED
21	println(lastAutoshipNumber)	0.001s	PASSED
22	click(findTestObject("BackOffice/Autoship/buttonNewAutoship"))  Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on	0.589s	PASSED
23	click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct"))  Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on	4.855s	PASSED
24	click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag"))  Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on	2.376s	PASSED
25	click(findTestObject("BackOffice/Autoship/buttonUpQuantity"))  Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	0.615s	PASSED
26	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingDate"))  Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingDate' is clicked on	4.367s	PASSED

## V Test Case (Autoship)

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/Autoship/buttonSelectTodayDate"))  Object: 'Object Repository/BackOffice/Autoship/buttonSelectTodayDate' is clicked on	2.895s	PASSED
28	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingAddress"))  Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingAddress' is clicked on	2.792s	PASSED
29	click(findTestObject("BackOffice/Autoship/buttonCheckFirstShippingAddress"))  Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstShippingAddress' is clicked on	0.636s	PASSED
30	click(findTestObject("BackOffice/Autoship/buttonProceedToPaymentInfo"))  Object: 'Object Repository/BackOffice/Autoship/buttonProceedToPaymentInfo' is clicked on	2.824s	PASSED
31	click(findTestObject("BackOffice/Autoship/buttonCheckFirstPaymentMethod"))  Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstPaymentMethod' is clicked on	0.644s	PASSED
32	delay(2)  Delayed 2 second(s)	2.017s	PASSED
33	click(findTestObject("BackOffice/Autoship/inputCVV"))  Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.518s	PASSED
34	delay(2)  Delayed 2 second(s)	2.005s	PASSED
35	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333")  Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.921s	PASSED



## V Test Case (Autoship)

#	Description	Elapsed	Status
36	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.525s	PASSED
37	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	2.903s	PASSED
38	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	4.501s	PASSED
39	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	8.080s	PASSED
40	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	5.900s	PASSED
41	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	2.830s	PASSED
42	delay(2) Delayed 2 second(s)	2.017s	PASSED
43	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.507s	PASSED
44	delay(2) Delayed 2 second(s)	2.005s	PASSED
45	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.956s	PASSED

## V Test Case (Autoship)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv"))  Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.512s	PASSED
47	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship"))  Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	3.196s	PASSED
48	click(findTestObject("BackOffice/Autoship/buttonSwitchAutoship"))  Object: 'Object Repository/BackOffice/Autoship/buttonSwitchAutoship' is clicked on	2.941s	PASSED
49	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship"))  Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	3.793s	PASSED
50	delay(3)  Delayed 3 second(s)	3.012s	PASSED
51	StringlastNewAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber"))  Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021979'	6.713s	PASSED
52	lastNewAutoshipNumber = StringlastNewAutoshipNumber.toInteger()	0.002s	PASSED
53	println("Last New Autoship Number: " + lastNewAutoshipNumber)	0.001s	PASSED
54	assert lastAutoshipNumber != lastNewAutoshipNumber	0.002s	PASSED

## V Test Case (Autoship)

---

#	Description	Elapsed	Status
55	if (lastAutoshipNumber != lastNewAutoshipNumber)	0.002s	PASSED
56	click(findTestObject("BackOffice/Autoship/buttonFirstRemoveAutoship"))  Object: 'Object Repository/BackOffice/Autoship/buttonFirstRemoveAutoship' is clicked on	0.516s	PASSED
57	delay(4)  Delayed 4 second(s)	4.004s	PASSED
58	Start listener action : terminateRunningWebDrivers	0.597s	PASSED
59	Video  Video recording for test case 'Test Cases/V Test Case (Autoship)' .	0.000s	PASSED