BO - Smoke Test

Execution Environment

Host name WIN10 - FINMX-L12 Local OS Windows 10 64bit

Katalon version 8.5.5.208

Browser Chrome 113.0.0.0

Summary

ID Test Suites/BO - Smoke Test

Description

Total 2

Passed 0 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2023-05-14 20:47:54 End 2023-05-14 20:50:33

Elapsed 2m - 38.826s

#	ID	Description	Status
1	Test Cases/II Test Case (View My Orders)		FAILED
2	Test Cases/IV Test Case (Privacy Communication)		FAILED

Information

ID Test Cases/II Test Case (View My Orders)

Description

Tag

Start 2023-05-14 20:47:54 End 2023-05-14 20:50:25

Elapsed 2m - 31.093s

Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.657s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	6.496s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.046s	PASSED
4	maximizeWindow() Current window maximized	0.174s	PASSED
5	refresh() Refresh successfully	0.793s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.106)'	34.151s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.003s	PASSED


#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage"))	2.828s	PASSED
	Object: 'Object Repository/Footer/divCountryLanguage' is clicked on		
9	click(findTestObject("CountryLanguage/select_en-PT"))	3.939s	PASSED
	Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on		
10	click(findTestObject("Header/iconGuestProfile"))	1.137s	PASSED
	Object: 'Object Repository/Header/iconGuestProfile' is clicked on		
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")	1.516s	PASSED
	Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'		
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")	1.019s	PASSED
	Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'		
13	click(findTestObject("LoginPage/svgShowPasswordLogin"))	0.507s	PASSED
	Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on		
14	click(findTestObject("LoginPage/buttonSignIn"))	0.510s	PASSED
	Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on		
15	click(findTestObject("Header/iconUserProfile"))	3.999s	PASSED
	Object: 'Object Repository/Header/iconUserProfile' is clicked on		
16	click(findTestObject("Header/divAccountInformationBO"))	1.200s	PASSED
	Object: 'Object Repository/Header/divAccountInformationBO' is clicked on		
17	click(findTestObject("BackOffice/divViewMyOrdersPage"))	0.889s	PASSED
	Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on		

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/ViewMyOrders/svg1ViewDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/svg1ViewDetailOrder' is clicked on	1.751s	PASSED
	Object. Object (repository/backOffice/viewinyOfders/svg) (view Detail Ofder is dicked off		
19	delay(3) Delayed 3 second(s)	3.037s	PASSED
	Boldyod o docorid(o)		
20	verifyElementVisible(findTestObject("BackOffice/ViewMyOrders/assertViewOrder"))	0.369s	PASSED
	Object 'Object Repository/BackOffice/ViewMyOrders/assertViewOrder' is visible		
21	click(findTestObject("BackOffice/ViewMyOrders/buttonGoBackDetailOrder"))	0.533s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/buttonGoBackDetailOrder' is clicked on		
22	invoice_number = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0].i nvoice_number;", null)	0.047s	PASSED
	Execute JavaScript 'return		
23	println(invoice_number)	0.001s	PASSED
24	click(findTestObject("BackOffice/ViewMyOrders/button1RepeatOrder"))	0.615s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/button1RepeatOrder' is clicked on		
25	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity"))	2.923s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity' is clicked on		
26	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout"))	0.620s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on		

27 click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) 3.851s	PASSED
Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	
28 delay(5) 5.015s	PASSED
Delayed 5 second(s)	
29 urlCheckout = getUrl() 0.028s	PASSED
Current window's url is: 'https://ecommerce-test.softmetrixgroup.com/en-US/backoffice/view-orders/'	
30 println(urlCheckout) 0.001s	PASSED
31 if (urlCheckout.contains("checkout")) 0.001s	PASSED
32 else 15.994s	PASSED
Delayed 3 second(s)	
32 else 15.994s	

#	Description	Elapsed	Status
33	if (invoice_number.contains("US"))	51.151s	FAILED
00	" ("TVOICE_TRITIBET.COTRUITS("CO"))	01.1013	TAILLD
	Unable to click on object 'Object Repository/CheckoutPage/divCreditCardMethod' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object		
	'Object Repository/CheckoutPage/divCreditCardMethod'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
	(WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$5.call		
	(Unknown Source)		
	at II Test Case (View My Orders).run(II Test Case (View My Orders):127) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36)		
	Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web		
	element with id: 'Object Repository/CheckoutPage/divCreditCardMethod' located by '(//div		
	[@class= 'w-100'])[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement		
	(WebUiCommonHelper.java:1370)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.		
	findWebElement(WebUIAbstractKeyword.groovy:27)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.		
	doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call		
	(ClickKeyword.groovy)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	at com kine katalon cote Medili kelimoto dilitin i jiekk elimoto elievii jiekk elimoto		

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.



Video recording for test case 'Test Cases/II Test Case (View My Orders)' .

Information

ID Test Cases/IV Test Case (Privacy Communication)

Description

Tag

Start 2023-05-14 20:50:25 End 2023-05-14 20:50:33

Elapsed 7.417s
Status FAILED

Details

Description Elapsed Status

Unable to open browser with urit: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with urit: " at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:84) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:28) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowser(OpenBrowserKeyword.groovy:87) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowser(OpenBrowser(Neyword.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.openBrowser (WebUlBuiltinKeywords.groovy:54) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.openBrowser (WebUlBuiltinKeywords.groovy:54) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.openBrowser.atll (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:19) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:141) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseExecutor.java:100) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteGo	Description	on	Elapsed	Statu
StepFailedException: Unable to open browser with utr:" at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:84) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowser(OpenBrowserKeyword.groovy:91) at com.kms.katalon.core.webui.keyword.webuiltin.OpenBrowserKeyword.execute (OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBrowser(OpenBr	openBrow	ser("")	4.620s	FAILE
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUlBuiltinKeywords.openBrowser (WebUBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.openBrowser. (WebUBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCocali(Unknow) succe) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCocali(Unknow) succe) at com.kms.katalon.core.main.TestCaseMain.startTestS				
(WebUlKeywordMain,grooy:54) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.grooy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowserKeyword.grooy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.grooy:67) at com.kms.katalon.core.keyword.grooy:74) at com.kms.katalon.core.keyword.grooy:743 at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser (WebUlBuiltInKeywords.grooy:64) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser. (WebUlBuiltInKeywords.grooy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser. at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser. at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.penBrowser.call (Unincom Source) at com.kms.katalon.core.main.ScriptEngine.run(CriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:418) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:418) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:418) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:418) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:418) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.				
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groov):26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groov):67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPaltorm(KeywordExecutor.groov):74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser (WebUlBuiltInKeywords.groov):64) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser (WebUlBuiltInKeywords.groov):64) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptTagine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:119) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:416) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:416) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:153 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseExecutor.java:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 108) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109) at com.kms.katalon.core.main.Test				
(WebUlKeywordMain_groovy:26) at com.kms katalon.core webulkeyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core webulkeyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core webulkeyword.WebUlBuiltInKeywords.openBrowser (WebUlBuiltInKeywords.groovy:64) at com.kms.katalon.core webulkeyword.WebUlBuiltInKeywords\$openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy) Communication);20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:48) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.grootesExecutor.processExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:161) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:165) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:165) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteGxeQuilon.pava:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteGxeQuilon.pava:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteGxeQuilon.pava:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteGxe				
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy;81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy;67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPalform(KeywordExecutor.groovy;74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy;64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywordsSopenBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication);20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.processExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 107 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 108 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(FestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(FestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(FestCaseMain.java:				
openBrowser(OpenBrowserKeyword groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordGroPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywordsOpenBrowser.call (Unknown Source) at N Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:199) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutorInPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestGuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuiteExecutor.java:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuiteExecutor.java:165) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuiteExec				
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywords.openBrowser (WebUlBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUlBuiltInKeywordsSopenBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.				
(OpenBrowserKeyword groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.openBrowser (WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.				
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.openBrowser (WebUiBuiltinKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywordsSopenBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:148) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java:186) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:186) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:186) at com.kms.katalon				
execute/ReywordFor/Platform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptI(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.j				
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 189) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at com.kms.katalon.core.main.Test				
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:419) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:56) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon				
(Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication).20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhostylo.00.00.00.00.00.00.00.00.00.00.00.00.00				
at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) build info: version: 18.00.000.000.000.000.000.000.000.0000.0000		at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:419) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:485) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.c				
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:165) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) but com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) but com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) but com.kms.katalon.core.main				
at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 186) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 188) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 189) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 189) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 189) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 180) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 180) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 180) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 181) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 182) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 183) but com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 184) but				
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.				
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestC		at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) bit at com.kms.katalon.core.main.TestSuite(TestCaseMain.java: 185) bit at com.kms.ka		at som kma katalan sara main TostCosaEvagutar runSarint/TostCosaEvagutar		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMa		at com.kms.katalon.core.main.restCaseExecutor.runochpi(restCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain*startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CchromeDriver.java:		at com kms katalon core main TestCaseEvecutor doEvecute/TestCaseEvecutor		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(DestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(DestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(DestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(DestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(DestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(DestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(DestCaseMain.java: 187) at com.kms.katalon.core.main.T		at com.htms.hataion.core.main.restoaseExecutor.acExecuto(restoaseExecutor.		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(Outline) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CChromeDriver.java:		at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:00:00:00:01:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FiNMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CChromeDriver.java:				
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:00:00:01:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CChromeDriver.java:				
java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CChromeDriver.java:	(TestCase	Executor.java:410)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:00:00:00:01:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CchromeDriver.java:		at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:	•			
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CchromeDriver.java:				
(TestSuiteExecutor,java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CchromeDriver.java:				
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CchromeDriver.java:				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown) Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(CChromeDriver.java:				
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		at com.kms.katalon.core.main.restoulteExecutor.execute(restoulteExecutor.java.		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		at com kms katalon core main TestCaseMain startTestSuite/TestCaseMain java:		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:				
at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver		at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:				
to connect to localhost/0:0:0:0:0:0:0:0:1:3311 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		at TempTestSuite1684090067371.run(TempTestSuite1684090067371.groovy:36)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:				
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver				
os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver				
Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:				
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:				
(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		· · · · · · · · · · · · · · · · · · ·		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:				
java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:				
at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		at org.openga.seleman.remote.Nemotevvebbnver.execute(NemotevvebbNVer.		
		at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.iava		
		2. 2		

 $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$

java:609)

Desc	ription	Elapsed	Status
DUSC		Біарэса	Otatus
452)	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:		
102)	at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1		
(Eve	ntFiringWebDriver.java:105)		
•	at com.sun.proxy.\$Proxy12.quit(Unknown Source)		
	at org.openqa.selenium.support.events.EventFiringWebDriver.quit		
(Eve	ntFiringWebDriver.java:211)		
	at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver		
(Driv	erFactory.java:1501)		
	at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser		
(Driv	erFactory.java:343)		
(D :	at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver		
(Driv	erFactory.java:254)		
Once	at com.kms.katalon.core.webui.keyword.builtin. nBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)		
Opei	at com.kms.katalon.core.webui.keyword.builtin.		
Oner	nBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)		
Opei	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Web	UIKeywordMain.groovy:20)		
(****	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
open	Browser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(Ope	nBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
exec	uteKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(Web	UiBuiltInKeywords.groovy:64)		
(1.1.1	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unk	nown Source)		
	at Script1683200246433.run(Script1683200246433.groovy:20)		
Cauc	13 more sed by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3311		
Caus	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.		
java:			
java.	at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)		
	at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.		
java:	·		
1	at okhttp3.internal.connection.StreamAllocation.findHealthyConnection		
(Stre	amAllocation.java:135)		
	at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.		
java:			
	at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.		
java:			
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
147)			
404	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
121)	at alkhtta? internal acaba Caabalataraanta- internant/Caabalataraanta- income		
	at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
147)	at okhtips.internat.http.keaiinterceptoronain.proceed(keaiinterceptoronain.java:		
141)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
121)	ас октаролнаетнал перлучанна говрого пашлугос в ванта говрого пашлувув.		
121)	at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)		
	at okhttp3.internal.http.Bridgemterceptor.intercept(Bridgemterceptor.java.so) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java.		
147)	The state of the s		
,	at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept		
(D-4)	vAndEnlaw InIntercentar java:126)		

 $at\ okhttp 3. internal. http. RealInterceptor Chain. proceed (RealInterceptor Chain. java:$

(RetryAndFollowUpInterceptor.java:126)

#	# Description		Status
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.457s	PASSED
3	Video	0.000s	PASSED

Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .