BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test
Description	

Total	3		
Passed	1	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-16 11:27:07	End	2023-05-16 11:30:28
Elapsed	3m - 21.448s		

#	ID	Description	Status
1	Test Cases/II Test Case (View My Orders)		FAILED
2	Test Cases/III Test Case (View Payments)		FAILED
3	Test Cases/IV Test Case (Privacy Communication)		PASSED

II Test Case (View My Orders)

Information

ID   Test Cases/II Test Case (View My Orders)

Description

Tag

Start   2023-05-16 11:27:07   End   2023-05-16 11:29:37

Elapsed   2m - 30.119s

Status   FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.589s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")	2.462s	PASSED
	Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully		
3	deleteAllCookies()	0.037s	PASSED
	Delete all cookies successfully		
4	maximizeWindow()	0.163s	PASSED
	Current window maximized		
5	refresh()	0.668s	PASSED
	Refresh successfully		
6	shopVersion = getText(findTestObject("Footer/shopVersion"))	3.673s	PASSED
	Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'		
7	println("Version of origin/test is: " + shopVersion)	0.004s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.830s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.408s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.427s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	2.057s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.008s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.507s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.528s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	3.472s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.829s	PASSED
17	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	1.009s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/ViewMyOrders/svg1ViewDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/svg1ViewDetailOrder' is clicked on	2.419s	PASSED
19	delay(3) Delayed 3 second(s)	3.044s	PASSED
20	verifyElementVisible(findTestObject("BackOffice/ViewMyOrders/assertViewOrder")) Object 'Object Repository/BackOffice/ViewMyOrders/assertViewOrder' is visible	0.373s	PASSED
21	click(findTestObject("BackOffice/ViewMyOrders/buttonGoBackDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/buttonGoBackDetailOrder' is clicked on	0.532s	PASSED
22	invoice_number = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0].invoice_number;", null) Execute JavaScript 'return	0.036s	PASSED
23	println(invoice_number)	0.002s	PASSED
24	click(findTestObject("BackOffice/ViewMyOrders/button1RepeatOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/button1RepeatOrder' is clicked on	0.636s	PASSED
25	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity' is clicked on	2.280s	PASSED
26	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	0.632s	PASSED

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout"))	3.473s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on		
28	delay(5)	5.015s	PASSED
	Delayed 5 second(s)		
29	urlCheckout = getUrl()	0.020s	PASSED
	Current window's url is: 'https://ecommerce-test.softmetrixgroup.com/en-ZA/backoffice/view-orders/'		
30	println(urlCheckout)	0.001s	PASSED
31	if (urlCheckout.contains("checkout"))	0.001s	PASSED
32	else	12.015s	PASSED
	Delayed 3 second(s)		
33	if (invoice_number.contains("US"))	0.001s	PASSED
34	else if (invoice_number.contains("AU"))	0.000s	PASSED
35	else if (invoice_number.contains("ZA"))	43.971s	PASSED
	Delayed 10 second(s)		

II Test Case (View My Orders)

#	Description	Elapsed	Status
36	script = null	0.001s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
37	try	0.350s	FAILED

Unable to execute JavaScript. (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to execute JavaScript.
　　　　at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
　　　　at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
　　　　at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
executeJavascript(ExecuteJavascriptKeyword.groovy:42)
　　　　at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
execute(ExecuteJavascriptKeyword.groovy:37)
　　　　at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
　　　　at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
executeJavaScript(WebUiBuiltInKeywords.groovy:4873)
　　　　at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$executeJavaScript$8.call(Unknown Source)
　　　　at II Test Case (View My Orders).run(II Test Case (View My Orders):296)
　　　　at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
　　　　at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
　　　　at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
　　　　at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
　　　　at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
　　　　at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
　　　　at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
　　　　at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
　　　　at TempTestSuite1684229220764.run(TempTestSuite1684229220764.groovy:36)
Caused by: org.openqa.selenium.JavascriptException: javascript error: Cannot read
properties of null (reading 'status_code')
  (Session info: chrome=113.0.5672.93)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '1.8.0_282'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae...,
userDataDir: C:\Users\WIN10\AppData\Loca...}, goog:chromeOptions: {debuggerAddress:
localhost:52918}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,

#	Description	Elapsed	Status

webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 8df8f0b2317ecb983d264f01e16d5eb8
      at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
      at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
      at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
      at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
      at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
      at org.openqa.selenium.remote.RemoteWebDriver.executeScript
(RemoteWebDriver.java:489)
      at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1
(EventFiringWebDriver.java:105)
      at com.sun.proxy.$Proxy12.executeScript(Unknown Source)
      at org.openqa.selenium.support.events.EventFiringWebDriver.executeScript
(EventFiringWebDriver.java:229)
      at com.kms.katalon.core.webui.keyword.builtin.
ExecuteJavaScriptKeyword$_executeJavascript_closure1.doCall
(ExecuteJavascriptKeyword.groovy:48)
      at com.kms.katalon.core.webui.keyword.builtin.
ExecuteJavaScriptKeyword$_executeJavascript_closure1.call(ExecuteJavascriptKeyword.
groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
      at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
executeJavascript(ExecuteJavascriptKeyword.groovy:42)
      at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
execute(ExecuteJavascriptKeyword.groovy:37)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
executeJavaScript(WebUiBuiltInKeywords.groovy:4873)
      at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$executeJavaScript$8.call(Unknown Source)
      at Script1682598283514.run(Script1682598283514.groovy:296)
      ... 13 more
)

II Test Case (View My Orders)

#	Description	Elapsed	Status
38	catch (Exception e) Error while loading script: Unable to execute JavaScript.	0.057s	PASSED
39	if (script == null || script.equals(""))	0.004s	PASSED
40	statusCode = Integer.parseInt(script)	0.002s	PASSED

#	Description	Elapsed	Status
41	if (statusCode == 0)	46.269s	FAILED

Unable to click on object 'Object Repository/Page ThreeDS ACS Emulator (SafeCharge)/button3dsSuccessAuthentication' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/Page ThreeDS ACS Emulator (SafeCharge)/button3dsSuccessAuthentication'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$5.call (Unknown Source)
        at II Test Case (View My Orders).run(II Test Case (View My Orders):314)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1684229220764.run(TempTestSuite1684229220764.groovy:36)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page ThreeDS ACS Emulator (SafeCharge)/button3dsSuccessAuthentication' located by '//button[@id = 'btn1']' not found
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$5.call (Unknown Source)		
	at Script1682598283514.run(Script1682598283514.groovy:314)		
	... 13 more		
	)		

ORGANO   Some button   Q ♡ 1 🛍 0 S   🇿🇦 South Africa | EN ⌄

CONGRATULATIONS

👍

DEAR CUSTOMER THANK YOU FOR YOUR ORDER ⓘ

#	Description	Elapsed	Status
42	Start listener action : terminateRunningWebDrivers	0.575s	PASSED
43	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/II Test Case (View My Orders)' .		

III Test Case (View Payments)

Information

ID	Test Cases/III Test Case (View Payments)
Description	
Tag	

Start	2023-05-16 11:29:37	End	2023-05-16 11:29:45
Elapsed	7.467s		
Status	FAILED		

Details

#	Description	Elapsed	Status

III Test Case (View Payments)

#	Description	Elapsed	Status
1	openBrowser("")	4.621s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
    at III Test Case (View Payments).run(III Test Case (View Payments):20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
    at TempTestSuite1684229220764.run(TempTestSuite1684229220764.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed
to connect to localhost/0:0:0:0:0:0:0:1:32448
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: EventFiringWebDriver
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:92)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:

#	Description	Elapsed	Status

452)
       at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1
(EventFiringWebDriver.java:105)
       at com.sun.proxy.$Proxy12.quit(Unknown Source)
       at org.openqa.selenium.support.events.EventFiringWebDriver.quit
(EventFiringWebDriver.java:211)
       at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1501)
       at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:343)
       at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
       at Script1683121456443.run(Script1683121456443.groovy:20)
       ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:32448
       at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
       at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
       at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
       at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
       at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
       at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)

#	Description	Elapsed	Status
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.432s	PASSED
3	Video	0.000s	PASSED

Video recording for test case 'Test Cases/III Test Case (View Payments)' .

IV Test Case (Privacy Communication)

Information

ID   Test Cases/IV Test Case (Privacy Communication)

Description

Tag

Start   2023-05-16 11:29:45   End   2023-05-16 11:30:28

Elapsed   43.533s

Status   PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.308s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")	2.091s	PASSED
	Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully		
3	deleteAllCookies()	0.031s	PASSED
	Delete all cookies successfully		
4	maximizeWindow()	0.150s	PASSED
	Current window maximized		
5	refresh()	0.553s	PASSED
	Refresh successfully		
6	shopVersion = getText(findTestObject("Footer/shopVersion"))	3.240s	PASSED
	Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'		
7	println("Version of origin/test is: " + shopVersion)	0.001s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.777s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.282s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.313s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.538s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	0.993s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.514s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.516s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.524s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.192s	PASSED
17	click(findTestObject("BackOffice/divPrivacyCommunicationPage")) Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.973s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonUpdate")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonUpdate' is clicked on	1.389s	PASSED
19	click(findTestObject("BackOffice/PrivacyAndCommunication/divLanguageDropdown")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divLanguageDropdown' is clicked on	0.619s	PASSED
20	click(findTestObject("BackOffice/PrivacyAndCommunication/divFirstLanguageSelect")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divFirstLanguageSelect' is clicked on	0.616s	PASSED
21	click(findTestObject("BackOffice/PrivacyAndCommunication/divTimeZoneDropdown")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divTimeZoneDropdown' is clicked on	0.636s	PASSED
22	click(findTestObject("BackOffice/PrivacyAndCommunication/div2SelectTimeZone")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/div2SelectTimeZone' is clicked on	2.802s	PASSED
23	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch1")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch1' is clicked on	2.792s	PASSED
24	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch2")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch2' is clicked on	2.840s	PASSED
25	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSaveChanges")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSaveChanges' is clicked on	2.767s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
26	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertLanguageEnglish")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertLanguageEnglish' is visible	2.897s	PASSED
27	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertTimeZoneTitle")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertTimeZoneTitle' is visible	0.343s	PASSED
28	Start listener action : terminateRunningWebDrivers	0.488s	PASSED
29	Video Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .	0.000s	PASSED