BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	5		
Passed	3	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-14 20:41:48	End	2023-05-14 20:47:11
Elapsed	5m - 23.007s		

#	ID	Description	Status
1	Test Cases/I Test Case (AccountInformation)	starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products	PASSED
2	Test Cases/II Test Case (View My Orders)		FAILED
3	Test Cases/III Test Case (View Payments)		PASSED
4	Test Cases/IV Test Case (Privacy Communication)		FAILED
5	Test Cases/V Test Case (Autoship)		PASSED

I Test Case (AccountInformation)

Information

ID	Test Cases/I Test Case (AccountInformation)
Description	starting smoke test with this test case
Tag	-change country -registration -login -BO
Start	-change password -change language and check categories and products
Elapsed	smoketest
Status	

2023-05-14 20:41:49	End	2023-05-14 20:43:59
2m - 10.389s		
PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	3.219s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.453s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.043s	PASSED
4	maximizeWindow() Current window maximized	0.180s	PASSED
5	refresh() Refresh successfully	0.581s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.106)'	3.355s	PASSED

#	Description	Elapsed	Status
7	println("Version of origin/test is: " + shopVersion)	0.006s	PASSED
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.836s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.365s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	2.248s	PASSED
11	click(findTestObject("LoginPage/buttonRegisterNewAccount")) Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on	3.219s	PASSED
12	setText(findTestObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName'	1.131s	PASSED
13	setText(findTestObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName'	1.011s	PASSED
14	randomEmail = Script1680713356350.generateRandomEmail(10)	0.002s	PASSED
15	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.001s	PASSED
16	email = new java.lang.StringBuilder()	0.014s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
17	random = new java.util.Random()	0.005s	PASSED
18	for ([i = 0, i < length, (i++)])	0.017s	PASSED
19	email.append("@gmail.com")	0.002s	PASSED
20	return email.toString()	0.002s	PASSED
21	println(randomEmail)	0.001s	PASSED
22	setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail) Text '72w0gbyiua@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister'	1.105s	PASSED
23	password = "SmokeTest123@"	0.001s	PASSED
24	newPassword = "Test123@"	0.001s	PASSED
25	setText(findTestObject("LoginPage/inputPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister'	1.041s	PASSED

#	Description	Elapsed	Status
26	setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister'	1.236s	PASSED
27	click(findTestObject("LoginPage/inputEmailRegister")) Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on	0.664s	PASSED
28	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.739s	PASSED
29	click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on	0.511s	PASSED
30	click(findTestObject("LoginPage/buttonCreateAnAccount")) Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on	2.708s	PASSED
31	randomEmail2 = Script1680713356350.generateRandomEmail(10)	0.002s	PASSED
32	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.001s	PASSED
33	email = new java.lang.StringBuilder()	0.002s	PASSED
34	random = new java.util.Random()	0.001s	PASSED
35	for ([i = 0, i < length, (i++)])	0.010s	PASSED

#	Description	Elapsed	Status
36	email.append("@gmail.com")	0.001s	PASSED
37	return email.toString()	0.002s	PASSED
38	println("Generated new mail: " + randomEmail2)	0.001s	PASSED
39	isPresentAllertWindowRegistration = waitForAlert(5) No alert found after 5 second(s).	5.687s	PASSED
40	if (isPresentAllertWindowRegistration == true)	0.000s	PASSED
41	else	0.003s	PASSED
42	delay(3) Delayed 3 second(s)	3.039s	PASSED
43	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.516s	PASSED
44	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.416s	PASSED
45	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	0.879s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/divViewPaymentsPage"))	2.109s	PASSED
	Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on		
47	click(findTestObject("BackOffice/divAutoshipPage"))	0.982s	PASSED
	Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on		
48	click(findTestObject("BackOffice/divPrivacyCommunicationPage"))	0.954s	PASSED
	Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on		
49	click(findTestObject("BackOffice/divAccountInformationPage"))	0.946s	PASSED
	Object: 'Object Repository/BackOffice/divAccountInformationPage' is clicked on		
50	click(findTestObject("BackOffice/AccountInformation/pAddressInformationLabel"))	0.958s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/pAddressInformationLabel' is clicked on		
51	click(findTestObject("BackOffice/AccountInformation/AddressInformation/pAddNewAddress"))	0.644s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/pAddNewAddress' is clicked on		
52	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputAddressTitle"), "test address")	1.169s	PASSED
	Text 'test address' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputAddressTitle'		
53	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputFirstName"), "smoke")	1.024s	PASSED
	Text 'smoke' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputFirstName'		

#	Description	Elapsed	Status
54	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputLastName"), "test") Text 'test' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputLastName'	1.002s	PASSED
55	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputPhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputPhoneNumber'	1.042s	PASSED
56	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputStreetAddress"), "test1") Text 'test1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputStreetAddress'	0.978s	PASSED
57	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputApartment"), "1") Text '1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputApartment'	0.999s	PASSED
58	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divCountryDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divCountryDropdown' is clicked on	2.775s	PASSED
59	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry' is clicked on	0.662s	PASSED
60	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown' is clicked on	1.498s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
61	click(findTestObject("BackOffice/AccountInformation/AddressInformation/div1SelectState"))	0.648s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/div1SelectState' is clicked on		
62	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputCity"), "Lisboa")	1.234s	PASSED
	Text 'Lisboa' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputCity'		
63	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode"), "5000")	0.963s	PASSED
	Text '5000' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode'		
64	click(findTestObject("BackOffice/AccountInformation/AddressInformation/buttonSave"))	2.766s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/buttonSave' is clicked on		
65	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertAddressTitle"), STOP_ON_FAILURE)	4.356s	PASSED
	Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertAddressTitle' is visible		
66	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel"))	2.748s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on		
67	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword"))	0.619s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on		

I Test Case (AccountInformation)

#	Description	Elapsed	Status
68	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), password)	1.099s	PASSED
	Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'		
69	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), newPassword)	1.022s	PASSED
	Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'		
70	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), newPassword)	0.940s	PASSED
	Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'		
71	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave"))	2.699s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on		
72	delay(3)	3.010s	PASSED
	Delayed 3 second(s)		
73	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone"))	0.533s	PASSED
	Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone' is clicked on		
74	delay(3)	3.009s	PASSED
	Delayed 3 second(s)		

I Test Case (AccountInformation)

#	Description	Elapsed	Status
75	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber'	0.989s	PASSED
76	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.730s	PASSED
77	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertPhoneNumber")) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertPhoneNumber' is visible	2.783s	PASSED
78	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber' is clicked on	0.507s	PASSED
79	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber' is clicked on	0.635s	PASSED
80	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.380s	PASSED
81	click(findTestObject("Header/pLogOut")) Object: 'Object Repository/Header/pLogOut' is clicked on	0.618s	PASSED
82	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	2.659s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
83	if (isPresentAllertWindowRegistration == true)	0.000s	PASSED
84	else Text '72w0gbyiua@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.161s	PASSED
85	setText(findTestObject("LoginPage/inputPasswordLogin"), newPassword) Text 'Test123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.231s	PASSED
86	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.550s	PASSED
87	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.527s	PASSED
88	delay(5) Delayed 5 second(s)	5.005s	PASSED
89	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.525s	PASSED
90	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	0.767s	PASSED
91	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	0.631s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
92	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	2.714s	PASSED
93	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.071s	PASSED
94	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	1.012s	PASSED
95	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	1.009s	PASSED
96	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.736s	PASSED
97	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	5.527s	PASSED
98	click(findTestObject("Header/pLogOut")) Object: 'Object Repository/Header/pLogOut' is clicked on	0.612s	PASSED
99	verifyElementVisible(findTestObject("Header/iconGuestProfile"), STOP_ON_FAILURE) Object 'Object Repository/Header/iconGuestProfile' is visible	2.092s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
100	Start listener action : terminateRunningWebDrivers	0.596s	PASSED
101	Video	0.000s	PASSED

Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .

II Test Case (View My Orders)

Information

ID	Test Cases/II Test Case (View My Orders)
Description	
Tag	

Start	2023-05-14 20:43:59	End	2023-05-14 20:44:07
Elapsed	7.629s		
Status	FAILED		

Details

#	Description	Elapsed	Status

II Test Case (View My Orders)

#	Description	Elapsed	Status
1	openBrowser("")	4.755s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call (Unknown Source)
    at II Test Case (View My Orders).run(II Test Case (View My Orders):20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
    at TempTestSuite1684089701162.run(TempTestSuite1684089701162.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:7842
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: EventFiringWebDriver
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:609)
    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:

#	Description	Elapsed	Status

452)
  at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1
(EventFiringWebDriver.java:105)
  at com.sun.proxy.$Proxy12.quit(Unknown Source)
  at org.openqa.selenium.support.events.EventFiringWebDriver.quit
(EventFiringWebDriver.java:211)
  at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1501)
  at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:343)
  at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
  at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
  at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
  at Script1682598283514.run(Script1682598283514.groovy:20)
  ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:7842
  at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
  at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
  at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
  at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
  at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
  at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
  at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
  at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
  at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)

#	Description	Elapsed	Status
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)		
	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)		
	at okhttp3.RealCall.execute(RealCall.java:77)		
	at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)		
	... 32 more		
	Caused by: java.net.ConnectException: Connection refused: connect		
	at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)		
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245)		
	... 52 more		
	)		
2	Start listener action : terminateRunningWebDrivers	0.445s	PASSED
3	Video	0.000s	PASSED

Video recording for test case 'Test Cases/II Test Case (View My Orders)' .

III Test Case (View Payments)

Information

ID   Test Cases/III Test Case (View Payments)

Description

Tag

Start   2023-05-14 20:44:07   End   2023-05-14 20:45:26

Elapsed   1m - 19.258s

Status   PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.258s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")	2.806s	PASSED
	Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully		
3	deleteAllCookies()	0.020s	PASSED
	Delete all cookies successfully		
4	maximizeWindow()	0.163s	PASSED
	Current window maximized		
5	refresh()	0.544s	PASSED
	Refresh successfully		
6	shopVersion = getText(findTestObject("Footer/shopVersion"))	3.350s	PASSED
	Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.106)'		
7	println("Version of origin/test is: " + shopVersion)	0.001s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.757s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.307s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.326s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.983s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.052s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.523s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.505s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.059s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	2.277s	PASSED
17	click(findTestObject("BackOffice/divViewPaymentsPage")) Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	0.980s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
18	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod' is clicked on	1.499s	PASSED
19	click(findTestObject("Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' is clicked on	0.634s	PASSED
20	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonContinue")) Object: 'Object Repository/BackOffice/ViewPayments/buttonContinue' is clicked on	0.534s	PASSED
21	delay(2) Delayed 2 second(s)	2.005s	PASSED
22	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardHolder"), "CL-BRW2") Text 'CL-BRW2' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardHolder'	0.992s	PASSED
23	delay(2) Delayed 2 second(s)	2.016s	PASSED
24	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "1111-1111-1111-1111") Text '1111-1111-1111-1111' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.036s	PASSED
25	delay(2) Delayed 2 second(s)	2.008s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
26	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on	0.528s	PASSED
27	click(findTestObject("Object Repository/BackOffice/ViewPayments/li4SelectMonth")) Object: 'Object Repository/BackOffice/ViewPayments/li4SelectMonth' is clicked on	0.613s	PASSED
28	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on	0.743s	PASSED
29	click(findTestObject("Object Repository/BackOffice/ViewPayments/li2027SelectYear")) Object: 'Object Repository/BackOffice/ViewPayments/li2027SelectYear' is clicked on	0.623s	PASSED
30	delay(2) Delayed 2 second(s)	2.008s	PASSED
31	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "252") Text '252' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.976s	PASSED
32	delay(2) Delayed 2 second(s)	2.010s	PASSED
33	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' is clicked on	2.734s	PASSED
34	click(findTestObject("Object Repository/BackOffice/ViewPayments/liFirstSelectAddress")) Object: 'Object Repository/BackOffice/ViewPayments/liFirstSelectAddress' is clicked on	0.660s	PASSED
35	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonSave")) Object: 'Object Repository/BackOffice/ViewPayments/buttonSave' is clicked on	4.069s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
36	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertVisiblePaymentMethod")) Object 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' is visible	1.787s	PASSED
37	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertCardNumber")) Object 'Object Repository/BackOffice/ViewPayments/assertCardNumber' is visible	0.341s	PASSED
38	click(findTestObject("Object Repository/BackOffice/ViewPayments/span2EditMethod")) Object: 'Object Repository/BackOffice/ViewPayments/span2EditMethod' is clicked on	0.538s	PASSED
39	delay(3) Delayed 3 second(s)	3.016s	PASSED
40	click(findTestObject("BackOffice/ViewPayments/inputCardNumber")) Object: 'Object Repository/BackOffice/ViewPayments/inputCardNumber' is clicked on	0.513s	PASSED
41	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "2222-2222-2222-2222") Text '2222-2222-2222-2222' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.310s	PASSED
42	delay(2) Delayed 2 second(s)	2.007s	PASSED
43	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "2222-2222-2222-2222") Text '2222-2222-2222-2222' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.051s	PASSED
44	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on	0.515s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
45	click(findTestObject("Object Repository/BackOffice/ViewPayments/li5SelectMonth")) Object: 'Object Repository/BackOffice/ViewPayments/li5SelectMonth' is clicked on	0.634s	PASSED
46	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on	0.710s	PASSED
47	click(findTestObject("Object Repository/BackOffice/ViewPayments/li2026SelectYear")) Object: 'Object Repository/BackOffice/ViewPayments/li2026SelectYear' is clicked on	0.627s	PASSED
48	delay(2) Delayed 2 second(s)	2.011s	PASSED
49	click(findTestObject("BackOffice/ViewPayments/inputCVV")) Object: 'Object Repository/BackOffice/ViewPayments/inputCVV' is clicked on	0.540s	PASSED
50	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "242") Text '242' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.953s	PASSED
51	delay(2) Delayed 2 second(s)	2.006s	PASSED
52	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "242") Text '242' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.974s	PASSED
53	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' is clicked on	0.471s	PASSED
54	click(findTestObject("Object Repository/BackOffice/ViewPayments/liFirstSelectAddress")) Object: 'Object Repository/BackOffice/ViewPayments/liFirstSelectAddress' is clicked on	0.606s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
55	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonSave")) Object: 'Object Repository/BackOffice/ViewPayments/buttonSave' is clicked on	1.301s	PASSED
56	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertNewCardNumber")) Object 'Object Repository/BackOffice/ViewPayments/assertNewCardNumber' is visible	1.534s	PASSED
57	click(findTestObject("Object Repository/BackOffice/ViewPayments/button2Remove")) Object: 'Object Repository/BackOffice/ViewPayments/button2Remove' is clicked on	0.497s	PASSED
58	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAcceptDeleteMethod")) Object: 'Object Repository/BackOffice/ViewPayments/buttonAcceptDeleteMethod' is clicked on	0.615s	PASSED
59	verifyElementNotPresent(findTestObject("BackOffice/ViewPayments/assertVisiblePayment Method"), 2) Web element with id: 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' located by 'By.xpath: (//div[@class = 'viewPaymentRow'])[2]' is not present after '2' second(s)	1.130s	PASSED
60	Start listener action : terminateRunningWebDrivers	0.563s	PASSED
61	Video Video recording for test case 'Test Cases/III Test Case (View Payments)' .	0.000s	PASSED

IV Test Case (Privacy Communication)

Information

ID	Test Cases/IV Test Case (Privacy Communication)
Description	
Tag	

Start	2023-05-14 20:45:26	End	2023-05-14 20:45:33
Elapsed	7.457s		
Status	FAILED		

Details

#	Description	Elapsed	Status

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
1	openBrowser("")	4.639s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
      at IV Test Case (Privacy Communication).run(IV Test Case (Privacy
Communication):20)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
      at TempTestSuite1684089701162.run(TempTestSuite1684089701162.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed
to connect to localhost/0:0:0:0:0:0:0:1:41259
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: EventFiringWebDriver
      at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:92)
      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
      at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
      at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)

#	Description	Elapsed	Status

at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: 452)

at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1 (EventFiringWebDriver.java:105)

at com.sun.proxy.$Proxy12.quit(Unknown Source)

at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211)

at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501)

at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343)

at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254)

at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call (Unknown Source)

at Script1683200246433.run(Script1683200246433.groovy:20)

... 13 more

Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:41259

at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247)

at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)

at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257)

at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135)

at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114)

at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)

at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)

at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)

at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126)

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:

#	Description	Elapsed	Status
	147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.475s	PASSED
3	Video	0.000s	PASSED

Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .

V Test Case (Autoship)

Information

ID   Test Cases/V Test Case (Autoship)

Description

Tag

Start   2023-05-14 20:45:33   End   2023-05-14 20:47:11

Elapsed   1m - 37.939s

Status   PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.262s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")	2.099s	PASSED
	Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully		
3	deleteAllCookies()	0.024s	PASSED
	Delete all cookies successfully		
4	maximizeWindow()	0.148s	PASSED
	Current window maximized		
5	refresh()	0.539s	PASSED
	Refresh successfully		
6	shopVersion = getText(findTestObject("Footer/shopVersion"))	3.848s	PASSED
	Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.106)'		
7	println("Version of origin/test is: " + shopVersion)	0.001s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage"))	2.790s	PASSED
	Object: 'Object Repository/Footer/divCountryLanguage' is clicked on		
9	click(findTestObject("CountryLanguage/select_en-PT"))	1.303s	PASSED
	Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on		
10	click(findTestObject("Header/iconGuestProfile"))	1.292s	PASSED
	Object: 'Object Repository/Header/iconGuestProfile' is clicked on		
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")	1.532s	PASSED
	Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'		
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")	0.955s	PASSED
	Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'		
13	click(findTestObject("LoginPage/svgShowPasswordLogin"))	0.511s	PASSED
	Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on		
14	click(findTestObject("LoginPage/buttonSignIn"))	0.523s	PASSED
	Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on		
15	click(findTestObject("Header/iconUserProfile"))	3.861s	PASSED
	Object: 'Object Repository/Header/iconUserProfile' is clicked on		
16	click(findTestObject("Header/divAccountInformationBO"))	1.414s	PASSED
	Object: 'Object Repository/Header/divAccountInformationBO' is clicked on		
17	click(findTestObject("BackOffice/divAutoshipPage"))	0.990s	PASSED
	Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on		

V Test Case (Autoship)

#	Description	Elapsed	Status
18	delay(3) Delayed 3 second(s)	3.007s	PASSED
19	StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021991'	0.364s	PASSED
20	println(StringlastAutoshipNumber)	0.001s	PASSED
21	lastAutoshipNumber = StringlastAutoshipNumber.toInteger()	0.001s	PASSED
22	println(lastAutoshipNumber)	0.001s	PASSED
23	click(findTestObject("BackOffice/Autoship/buttonNewAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on	0.515s	PASSED
24	click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on	3.630s	PASSED
25	click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag")) Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on	2.245s	PASSED
26	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	0.643s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingDate"))	4.501s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingDate' is clicked on		
28	click(findTestObject("BackOffice/Autoship/buttonSelectTodayDate"))	2.895s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/buttonSelectTodayDate' is clicked on		
29	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingAddress"))	2.853s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingAddress' is clicked on		
30	click(findTestObject("BackOffice/Autoship/buttonCheckFirstShippingAddress"))	0.738s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstShippingAddress' is clicked on		
31	click(findTestObject("BackOffice/Autoship/buttonProceedToPaymentInfo"))	2.831s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/buttonProceedToPaymentInfo' is clicked on		
32	click(findTestObject("BackOffice/Autoship/buttonCheckFirstPaymentMethod"))	0.641s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstPaymentMethod' is clicked on		
33	delay(2)	2.008s	PASSED
	Delayed 2 second(s)		
34	click(findTestObject("BackOffice/Autoship/inputCVV"))	0.493s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on		
35	delay(2)	2.005s	PASSED
	Delayed 2 second(s)		

V Test Case (Autoship)

#	Description	Elapsed	Status
36	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.940s	PASSED
37	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.550s	PASSED
38	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	2.776s	PASSED
39	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	4.373s	PASSED
40	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	4.632s	PASSED
41	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	2.924s	PASSED
42	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	2.747s	PASSED
43	delay(2) Delayed 2 second(s)	2.012s	PASSED
44	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.510s	PASSED
45	delay(2) Delayed 2 second(s)	2.007s	PASSED

#	Description	Elapsed	Status
46	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.927s	PASSED
47	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.497s	PASSED
48	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	3.010s	PASSED
49	click(findTestObject("BackOffice/Autoship/buttonSwitchAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSwitchAutoship' is clicked on	2.801s	PASSED
50	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	3.926s	PASSED
51	delay(3) Delayed 3 second(s)	3.004s	PASSED
52	StringlastNewAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021993'	0.367s	PASSED
53	lastNewAutoshipNumber = StringlastNewAutoshipNumber.toInteger()	0.001s	PASSED
54	println("Last New Autoship Number: " + lastNewAutoshipNumber)	0.001s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
55	assert lastAutoshipNumber != lastNewAutoshipNumber	0.002s	PASSED
56	if (lastAutoshipNumber != lastNewAutoshipNumber)	0.002s	PASSED
57	click(findTestObject("BackOffice/Autoship/buttonFirstRemoveAutoship"))	0.505s	PASSED
	Object: 'Object Repository/BackOffice/Autoship/buttonFirstRemoveAutoship' is clicked on		
58	delay(4)	4.012s	PASSED
	Delayed 4 second(s)		
59	Start listener action : terminateRunningWebDrivers	0.575s	PASSED
60	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/V Test Case (Autoship)' .		