

BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	2		
Passed	1	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-12 15:58:54	End	2023-05-12 16:01:41
Elapsed	2m - 47.530s		

#	ID	Description	Status
1	Test Cases/II Test Case (View My Orders)		PASSED
2	Test Cases/IV Test Case (Privacy Communication)		FAILED

II Test Case (View My Orders)

Information

ID	Test Cases/II Test Case (View My Orders)		
Description			
Tag			
Start	2023-05-12 15:58:54	End	2023-05-12 16:01:34
Elapsed	2m - 39.563s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.943s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.196s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.031s	PASSED
4	maximizeWindow() Current window maximized	0.175s	PASSED
5	refresh() Refresh successfully	0.632s	PASSED
6	delay(3) Delayed 3 second(s)	3.051s	PASSED
7	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.936s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
8	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.445s	PASSED
9	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.481s	PASSED
10	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.978s	PASSED
11	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.035s	PASSED
12	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.643s	PASSED
13	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.654s	PASSED
14	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	10.828s	PASSED
15	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	2.116s	PASSED
16	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	1.010s	PASSED
17	click(findTestObject("BackOffice/ViewMyOrders/svg1ViewDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/svg1ViewDetailOrder' is clicked on	1.450s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
18	delay(3) Delayed 3 second(s)	3.015s	PASSED
19	verifyElementVisible(findTestObject("BackOffice/ViewMyOrders/assertViewOrder")) Object 'Object Repository/BackOffice/ViewMyOrders/assertViewOrder' is visible	0.389s	PASSED
20	click(findTestObject("BackOffice/ViewMyOrders/buttonGoBackDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/buttonGoBackDetailOrder' is clicked on	0.547s	PASSED
21	invoice_number = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0].invoice_number;", null) Execute JavaScript 'return	0.046s	PASSED
22	println(invoice_number)	0.005s	PASSED
23	click(findTestObject("BackOffice/ViewMyOrders/button1RepeatOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/button1RepeatOrder' is clicked on	0.627s	PASSED
24	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity' is clicked on	2.968s	PASSED
25	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	0.636s	PASSED
26	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	2.718s	PASSED


II Test Case (View My Orders)

#	Description	Elapsed	Status
27	delay(5) Delayed 5 second(s)	5.005s	PASSED
28	urlCheckout = getUrl() Current window's url is: 'https://ecommerce-test.softmetrixgroup.com/en-PT/checkout/'	0.021s	PASSED
29	println(urlCheckout)	0.002s	PASSED
30	if (urlCheckout.contains("checkout"))	0.004s	PASSED
31	if (invoice_number.contains("US"))	0.000s	PASSED
32	else if (invoice_number.contains("AU"))	0.000s	PASSED
33	else if (invoice_number.contains("ZA"))	0.001s	PASSED
34	else Delayed 10 second(s)	47.498s	PASSED
35	script = null	0.001s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
36	try Unable to execute JavaScript. (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to execute JavaScript. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.executeJavascript(ExecuteJavascriptKeyword.groovy:42) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.execute(ExecuteJavascriptKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.executeJavaScript(WebUiBuiltInKeywords.groovy:4873) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$executeJavaScript\$7.call(Unknown Source) at II Test Case (View My Orders).run(II Test Case (View My Orders):294) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683899927034.run(TempTestSuite1683899927034.groovy:36) Caused by: org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'status_code') (Session info: chrome=113.0.5672.93) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.selenium.driver.CCChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\WIN10\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:63023}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,	0.362s	FAILED

II Test Case (View My Orders)

#	Description	Elapsed	Status
	<pre>webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4c91b26ce464de28c6b8aa89762632cd at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.executeScript (RemoteWebDriver.java:489) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.executeScript(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.executeScript (EventFiringWebDriver.java:229) at com.kms.katalon.core.webui.keyword.builtin. ExecuteJavaScriptKeyword\$_executeJavascript_closure1.doCall (ExecuteJavaScriptKeyword.groovy:48) at com.kms.katalon.core.webui.keyword.builtin. ExecuteJavaScriptKeyword\$_executeJavascript_closure1.call(ExecuteJavaScriptKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword. executeJavascript(ExecuteJavaScriptKeyword.groovy:42) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword. execute(ExecuteJavaScriptKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. executeJavaScript(WebUiBuiltInKeywords.groovy:4873) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$executeJavaScript\$7.call(Unknown Source) at Script1682598283514.run(Script1682598283514.groovy:294) ... 13 more)</pre>		
			

II Test Case (View My Orders)

#	Description	Elapsed	Status
37	catch (Exception e) Error while loading script: Unable to execute JavaScript.	0.070s	PASSED
38	if (script == null script.equals(""))	0.002s	PASSED
39	statusCode = Integer.parseInt(script)	0.002s	PASSED
40	if (statusCode == 0) Object 'Object Repository/Header/iconUserProfile' is visible	44.321s	PASSED
41	orderScriptFP = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).checkout).paymentResponse.order_number;", null) Execute JavaScript 'return'	0.023s	PASSED
42	orderNumberFP = Integer.parseInt(orderScriptFP)	0.000s	PASSED
43	println("Order Number Finish-Payment: " + orderNumberFP)	0.001s	PASSED
44	verifyElementVisible(findTestObject("Header/iconUserProfile")) Object 'Object Repository/Header/iconUserProfile' is visible	0.363s	PASSED
45	verifyElementVisible(findTestObject("FinishPaymentPage/h1Congratulations")) Object 'Object Repository/FinishPaymentPage/h1Congratulations' is visible	0.394s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
46	click(findTestObject("Object Repository/FinishPaymentPage/buttonYourOrders")) Object: 'Object Repository/FinishPaymentPage/buttonYourOrders' is clicked on	2.754s	PASSED
47	delay(5) Delayed 5 second(s)	5.015s	PASSED
48	orderScriptBO = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0].order_number;", null) Execute JavaScript 'return	0.025s	PASSED
49	orderNumberBO = Integer.parseInt(orderScriptBO)	0.000s	PASSED
50	println("Order Number BO: " + orderNumberBO)	0.001s	PASSED
51	if (orderNumberFP == orderNumberBO) Object: 'Object Repository/BackOffice/ViewMyOrders/ahrefFirstInvoiceBO' is clicked on	2.590s	PASSED
52	assert orderNumberFP == orderNumberBO	0.003s	PASSED
53	click(findTestObject("BackOffice/ViewMyOrders/ahrefFirstInvoiceBO")) Object: 'Object Repository/BackOffice/ViewMyOrders/ahrefFirstInvoiceBO' is clicked on	2.031s	PASSED
54	Start listener action : terminateRunningWebDrivers	0.778s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
55	Video	0.001s	PASSED

[Video recording for test case 'Test Cases/II Test Case \(View My Orders\)' .](#)

IV Test Case (Privacy Communication)

Information

ID	Test Cases/IV Test Case (Privacy Communication)		
Description			
Tag			
Start	2023-05-12 16:01:34	End	2023-05-12 16:01:41
Elapsed	7.600s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683899927034.run(TempTestSuite1683899927034.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:46370 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p>	4.631s	FAILED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683200246433.run(Script1683200246433.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:46370 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
147)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
121)	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:		
103)	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.550s	PASSED
3	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .		