

# BO - Smoke Test

## Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

## Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-16 11:34:12	End	2023-05-16 11:36:01
Elapsed	1m - 48.492s		

#	ID	Description	Status
1	Test Cases/II Test Case (View My Orders)		FAILED
2	Test Cases/III Test Case (View Payments)		FAILED

## II Test Case (View My Orders)

### Information

ID	Test Cases/II Test Case (View My Orders)		
Description			
Tag			
Start	2023-05-16 11:34:13	End	2023-05-16 11:35:53
Elapsed	1m - 40.591s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.963s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")  Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.610s	PASSED
3	deleteAllCookies()  Delete all cookies successfully	0.045s	PASSED
4	maximizeWindow()  Current window maximized	0.182s	PASSED
5	refresh()  Refresh successfully	0.660s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion"))  Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'	3.125s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.006s	PASSED

## II Test Case (View My Orders)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage"))  Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	3.058s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT"))  Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.458s	PASSED
10	click(findTestObject("Header/iconGuestProfile"))  Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.238s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")  Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	2.039s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")  Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.042s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin"))  Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.547s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn"))  Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.725s	PASSED
15	click(findTestObject("Header/iconUserProfile"))  Object: 'Object Repository/Header/iconUserProfile' is clicked on	3.622s	PASSED
16	click(findTestObject("Header/divAccountInformationBO"))  Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	2.099s	PASSED
17	click(findTestObject("BackOffice/divViewMyOrdersPage"))  Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	0.920s	PASSED

## II Test Case (View My Orders)

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/ViewMyOrders/svg1ViewDetailOrder"))  Object: 'Object Repository/BackOffice/ViewMyOrders/svg1ViewDetailOrder' is clicked on	1.764s	PASSED
19	delay(3)  Delayed 3 second(s)	3.043s	PASSED
20	verifyElementVisible(findTestObject("BackOffice/ViewMyOrders/assertViewOrder"))  Object 'Object Repository/BackOffice/ViewMyOrders/assertViewOrder' is visible	0.376s	PASSED
21	click(findTestObject("BackOffice/ViewMyOrders/buttonGoBackDetailOrder"))  Object: 'Object Repository/BackOffice/ViewMyOrders/buttonGoBackDetailOrder' is clicked on	0.536s	PASSED
22	invoice_number = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0].invoice_number;", null)  Execute JavaScript 'return	0.039s	PASSED
23	println(invoice_number)	0.002s	PASSED
24	click(findTestObject("BackOffice/ViewMyOrders/button1RepeatOrder"))  Object: 'Object Repository/BackOffice/ViewMyOrders/button1RepeatOrder' is clicked on	0.609s	PASSED
25	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity"))  Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity' is clicked on	2.255s	PASSED
26	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout"))  Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	0.610s	PASSED

## II Test Case (View My Orders)

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout"))  Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	3.035s	PASSED
28	delay(5)  Delayed 5 second(s)	5.003s	PASSED
29	urlCheckout = getUrl()  Current window's url is: 'https://ecommerce-test.softmetrixgroup.com/en-ZA/backoffice/view-orders/'	0.022s	PASSED
30	println(urlCheckout)	0.000s	PASSED
31	if (urlCheckout.contains("checkout"))	0.001s	PASSED
32	else  Delayed 3 second(s)	12.023s	PASSED
33	if (invoice_number.contains("US"))	0.001s	PASSED
34	else if (invoice_number.contains("AU"))	0.000s	PASSED

## II Test Case (View My Orders)

#	Description	Elapsed	Status
35	else if (invoice_number.contains("ZA"))  Unable to set text '657' of object 'Object Repository/CheckoutPage/Payment Methods/inputCvv' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text '657' of object 'Object Repository/CheckoutPage/Payment Methods/inputCvv' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$6.call (Unknown Source) at II Test Case (View My Orders).run(II Test Case (View My Orders):237) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684229644797.run(TempTestSuite1684229644797.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:13717 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.findElements	41.774s	FAILED

## II Test Case (View My Orders)

#	Description	Elapsed	Status
	(RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$6.call (Unknown Source) at Script1682598283514.run(Script1682598283514.groovy:237) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:13717 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.		

## II Test Case (View My Orders)

#	Description	Elapsed	Status
	<pre>java:42)   at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)   at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)   at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)   at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)   at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)   at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)   at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)   at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126)   at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)   at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)   at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)   at okhttp3.RealCall.execute(RealCall.java:77)   at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103)   at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)   ... 40 more Caused by: java.net.ConnectException: Connection refused: connect   at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)   at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245)   ... 60 more )</pre>		
36	Start listener action : terminateRunningWebDrivers	0.458s	PASSED
37	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/II Test Case (View My Orders)' .		



## III Test Case (View Payments)

---

### Information

ID	Test Cases/III Test Case (View Payments)		
Description			
Tag			
Start	2023-05-16 11:35:53	End	2023-05-16 11:36:01
Elapsed	7.482s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
---	-------------	---------	--------

### III Test Case (View Payments)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at III Test Case (View Payments).run(III Test Case (View Payments):20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1684229644797.run(TempTestSuite1684229644797.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:13717</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: EventFiringWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.628s	FAILED

### III Test Case (View Payments)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683121456443.run(Script1683121456443.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:13717 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)		

### III Test Case (View Payments)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more )		
2	Start listener action : terminateRunningWebDrivers	0.430s	PASSED
3	Video Video recording for test case 'Test Cases/III Test Case (View Payments)' .	0.000s	PASSED