BO - Smoke Test

Execution Environment

Host name WIN10 - FINMX-L12 Local OS Windows 10 64bit

Katalon version 8.5.5.208

Browser Chrome 113.0.0.0

Summary

ID Test Suites/BO - Smoke Test

Description

Total 5

Passed 2 Failed 3
Error 0 Incomplete 0

Skipped 0

Start 2023-05-16 11:20:44 End 2023-05-16 11:26:16

Elapsed 5m - 31.594s

| # | ID | Description | Status |
|---|---|--|--------|
| 1 | Test Cases/I Test Case (AccountInformation) | starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products | PASSED |
| 2 | Test Cases/II Test Case (View My Orders) | | FAILED |
| 3 | Test Cases/III Test Case (View Payments) | | FAILED |
| 4 | Test Cases/IV Test Case (Privacy Communication) | | FAILED |
| 5 | Test Cases/V Test Case (Autoship) | | PASSED |

Information

ID Test Cases/I Test Case (AccountInformation)

Description starting smoke test with this test case

-change country

Tag -registration

-login -BO

Start -change password

-change language and check categories and products

Elapsed smoketest

Status

2023-05-16 11:20:45 End 2023-05-16 11:22:55

2m - 10.503s

PASSED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | openBrowser("") | 2.600s | PASSED |
| | Browser is opened with url: " | | |
| | | | |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") | 3.258s | PASSED |
| | Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | | |
| | | | |
| 3 | deleteAllCookies() | 0.036s | PASSED |
| | Delete all cookies successfully | | |
| | | | |
| 4 | maximizeWindow() | 0.164s | PASSED |
| | Current window maximized | | |
| | | | |
| 5 | refresh() | 0.575s | PASSED |
| | Refresh successfully | | |
| | | | |
| 6 | shopVersion = getText(findTestObject("Footer/shopVersion")) | 3.744s | PASSED |
| | Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)' | | |
| | | | |
| | | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | println("Version of origin/test is: " + shopVersion) | 0.003s | PASSED |
| 8 | click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on | 2.867s | PASSED |
| 9 | click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | 1.428s | PASSED |
| 10 | click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on | 1.432s | PASSED |
| 11 | click(findTestObject("LoginPage/buttonRegisterNewAccount")) Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on | 3.210s | PASSED |
| 12 | setText(findTestObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName' | 1.120s | PASSED |
| 13 | setText(findTestObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' | 1.080s | PASSED |
| 14 | randomEmail = Script1680713356350.generateRandomEmail(10) | 0.004s | PASSED |
| 15 | allowedChars = "abcdefghijkImnopqrstuvwxyz0123456789" | 0.002s | PASSED |
| 16 | email = new java.lang.StringBuilder() | 0.024s | PASSED |
| | | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 17 | random = new java.util.Random() | 0.012s | PASSED |
| 18 | for ([i = 0, i < length, (i++)]) | 0.024s | PASSED |
| 19 | email.append("@gmail.com") | 0.002s | PASSED |
| 20 | return email.toString() | 0.003s | PASSED |
| 21 | println(randomEmail) | 0.002s | PASSED |
| 22 | setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail) Text 'q5wrswo9jl@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister' | 1.462s | PASSED |
| 23 | password = "SmokeTest123@" | 0.001s | PASSED |
| 24 | newPassword = "Test123@" | 0.002s | PASSED |
| 25 | setText(findTestObject("LoginPage/inputPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister' | 1.258s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 26 | setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister' | 1.220s | PASSED |
| 27 | click(findTestObject("LoginPage/inputEmailRegister")) Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on | 0.682s | PASSED |
| 28 | click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | 0.755s | PASSED |
| 29 | click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on | 0.519s | PASSED |
| 30 | click(findTestObject("LoginPage/buttonCreateAnAccount")) Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on | 2.783s | PASSED |
| 31 | randomEmail2 = Script1680713356350.generateRandomEmail(10) | 0.000s | PASSED |
| 32 | allowedChars = "abcdefghijkImnopqrstuvwxyz0123456789" | 0.001s | PASSED |
| 33 | email = new java.lang.StringBuilder() | 0.001s | PASSED |
| 34 | random = new java.util.Random() | 0.001s | PASSED |
| 35 | for ([i = 0, i < length, (i++)]) | 0.015s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 36 | email.append("@gmail.com") | 0.001s | PASSED |
| 37 | return email.toString() | 0.001s | PASSED |
| 38 | println("Generated new mail: " + randomEmail2) | 0.002s | PASSED |
| 39 | isPresentAllertWindowRegistration = waitForAlert(5) No alert found after 5 second(s). | 5.928s | PASSED |
| 40 | if (isPresentAllertWindowRegistration == true) | 0.001s | PASSED |
| 41 | else | 0.002s | PASSED |
| 42 | delay(3) Delayed 3 second(s) | 3.035s | PASSED |
| 43 | click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on | 0.489s | PASSED |
| 44 | click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | 1.334s | PASSED |
| 45 | click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on | 0.905s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 46 | click(findTestObject("BackOffice/divViewPaymentsPage")) | 1.928s | PASSED |
| | Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on | | |
| 47 | click(findTestObject("BackOffice/divAutoshipPage")) | 1.311s | PASSED |
| | Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on | | |
| 48 | click(findTestObject("BackOffice/divPrivacyCommunicationPage")) | 0.966s | PASSED |
| | Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on | | |
| 49 | click(findTestObject("BackOffice/divAccountInformationPage")) | 1.085s | PASSED |
| | Object: 'Object Repository/BackOffice/divAccountInformationPage' is clicked on | | |
| 50 | click(findTestObject("BackOffice/AccountInformation/pAddressInformationLabel")) | 0.867s | PASSED |
| | Object: 'Object Repository/BackOffice/AccountInformation/pAddressInformationLabel' is clicked on | | |
| 51 | click(findTestObject("BackOffice/AccountInformation/AddressInformation/pAddNewAddress")) | 1.076s | PASSED |
| | Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/pAddNewAddress' is clicked on | | |
| 52 | setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputAddressTitle"), "test address") | 1.161s | PASSED |
| | Text 'test address' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputAddressTitle' | | |
| 53 | set Text (find Test Object ("Back Office/Account Information/Address Information/input First Name"), "smoke") | 0.997s | PASSED |
| | Text 'smoke' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputFirstName' | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 54 | setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputLastName"), "test") Text 'test' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputLastName' | 0.970s | PASSED |
| 55 | setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputPhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputPhoneNumber' | 1.006s | PASSED |
| 56 | setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputStreetAddress"), "test1") Text 'test1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputStreetAddress' | 1.007s | PASSED |
| 57 | setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputApartment"), "1") Text '1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputApartment' | 0.969s | PASSED |
| 58 | click(findTestObject("BackOffice/AccountInformation/AddressInformation/divCountryDropdo wn")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divCountryDropdown' is clicked on | 2.709s | PASSED |
| 59 | click(findTestObject("BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry' is clicked on | 0.652s | PASSED |
| 60 | click(findTestObject("BackOffice/AccountInformation/AddressInformation/divSelectStateDro pdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown' is clicked on | 1.283s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 61 | click(findTestObject("BackOffice/AccountInformation/AddressInformation/div1SelectState")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/div1SelectState' is clicked on | 0.637s | PASSED |
| 62 | setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputCity"), "Lisboa") Text 'Lisboa' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputCity' | 1.226s | PASSED |
| 63 | setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputZipOrPost alCode"), "5000") Text '5000' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode' | 0.962s | PASSED |
| 64 | click(findTestObject("BackOffice/AccountInformation/AddressInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/buttonSave' is clicked on | 2.713s | PASSED |
| 65 | verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/as sertAddressTitle"), STOP_ON_FAILURE) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertAddressTitle' is visible | 4.160s | PASSED |
| 66 | click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on | 2.724s | PASSED |
| 67 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on | 0.610s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 68 | setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldP assword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword' | 1.080s | PASSED |
| 69 | setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword' | 0.927s | PASSED |
| 70 | setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNe wPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword' | 0.940s | PASSED |
| 71 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on | 2.740s | PASSED |
| 72 | delay(3) Delayed 3 second(s) | 3.006s | PASSED |
| 73 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone' is clicked on | 0.494s | PASSED |
| 74 | delay(3) Delayed 3 second(s) | 3.017s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 75 | setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber' | 0.926s | PASSED |
| 76 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on | 2.708s | PASSED |
| 77 | verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/as sertPhoneNumber")) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertPhoneNumber' is visible | 2.892s | PASSED |
| 78 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhone Number' is clicked on | 0.479s | PASSED |
| 79 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAcceptRemo vePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhone Number' is clicked on | 0.627s | PASSED |
| 80 | click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on | 4.220s | PASSED |
| 81 | click(findTestObject("Header/pLogOut")) Object: 'Object Repository/Header/pLogOut' is clicked on | 0.611s | PASSED |
| 82 | click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on | 2.613s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 83 | if (isPresentAllertWindowRegistration == true) | 0.000s | PASSED |
| 84 | else Text 'q5wrswo9jl@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin' | 1.122s | PASSED |
| 85 | setText(findTestObject("LoginPage/inputPasswordLogin"), newPassword) Text 'Test123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin' | 1.206s | PASSED |
| 86 | click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | 0.494s | PASSED |
| 87 | click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on | 0.528s | PASSED |
| 88 | delay(5) Delayed 5 second(s) | 5.017s | PASSED |
| 89 | click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on | 0.478s | PASSED |
| 90 | click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | 0.778s | PASSED |
| 91 | click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on | 0.727s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 92 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on | 2.672s | PASSED |
| 93 | setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldP assword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword' | 1.041s | PASSED |
| 94 | setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword' | 0.942s | PASSED |
| 95 | setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNe wPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword' | 0.921s | PASSED |
| 96 | click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on | 2.653s | PASSED |
| 97 | click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on | 5.406s | PASSED |
| 98 | click(findTestObject("Header/pLogOut")) Object: 'Object Repository/Header/pLogOut' is clicked on | 0.591s | PASSED |
| 99 | verifyElementVisible(findTestObject("Header/iconGuestProfile"), STOP_ON_FAILURE) Object 'Object Repository/Header/iconGuestProfile' is visible | 2.449s | PASSED |

| # | Description | Elapsed | Status |
|-----|--|---------|--------|
| 100 | Start listener action : terminateRunningWebDrivers | 0.509s | PASSED |
| | | | |
| | | | |
| | | | |
| 101 | Video | 0.001s | PASSED |

Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .

Information

ID Test Cases/II Test Case (View My Orders)

Description

Tag

Start 2023-05-16 11:22:55 End 2023-05-16 11:23:03

Elapsed 7.615s Status FAILED

Details

Description Elapsed Status

| Description | Elapsed | Status |
|--|---------|--------|
| openBrowser("") | 4.678s | FAILED |
| Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. | | |
| StepFailedException: Unable to open browser with url: " | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| openBrowser(OpenBrowserKeyword.groovy:81) | | |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| (OpenBrowserKeyword.groovy:67) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| (Unknown Source) | | |
| at II Test Case (View My Orders).run(II Test Case (View My Orders):20) | | |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCaseExecutor.java:418) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCaseExecutor.java:410) | | |
| $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ | | |
| java:285) | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:151) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 185) | | |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | | |
| at TempTestSuite1684228837676.run(TempTestSuite1684228837676.groovy:36) | | |
| Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:23480 | | |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', | | |
| os.version: '10.0', java.version: '1.8.0_282' | | |
| Driver info: driver.version: EventFiringWebDriver | | |
| at org.openqa.selenium.remote.service.DriverCommandExecutor.execute | | |
| (DriverCommandExecutor.java:92) | | |
| at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. | | |
| java:552) | | |
| at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: | | |
| 19) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. | | |
| iava:609) | | |

 $at\ or g. open qa. selenium. remote. Remote Web Driver. quit (Remote Web Driver. java:$

java:609)

| Description | Elapsed | Status |
|--|---------|--------|
| 452) | | |
| at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 | | |
| (EventFiringWebDriver.java:105) | | |
| at com.sun.proxy.\$Proxy12.quit(Unknown Source) | | |
| at org.openqa.selenium.support.events.EventFiringWebDriver.quit | | |
| (EventFiringWebDriver.java:211) | | |
| at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver | | |
| (DriverFactory.java:1501) | | |
| at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser | | |
| (DriverFactory.java:343) | | |
| at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver | | |
| (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. | | |
| OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.builtin. | | |
| OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebUIKeywordMain.groovy:20) | | |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| openBrowser(OpenBrowserKeyword.groovy:81) | | |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| (OpenBrowserKeyword.groovy:67) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| (WebUiBuiltInKeywords.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| (Unknown Source) | | |
| at Script1682598283514.run(Script1682598283514.groovy:20) | | |
| 13 more | | |
| Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:23480 | | |
| at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. | | |
| java:247) | | |
| at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) | | |
| at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. | | |
| java:257) | | |
| at okhttp3.internal.connection.StreamAllocation.findHealthyConnection | | |
| (StreamAllocation.java:135) | | |
| at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114) | | |
| at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. | | |
| java:42) | | |
| at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 147) | | |
| at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 121) | | |
| at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) | | |
| at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 147) | | |
| at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 121) | | |
| at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) | | |
| at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 147) | | |
| at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept | | |
| (RetryAndFollowUpInterceptor.java:126) | | |
| at okhttn3 internal http://www.neartorChain.proceed/RealIntercentorChain.java | | |

 $at\ okhttp 3. internal. http. RealInterceptor Chain. proceed (RealInterceptor Chain. java:$

147)

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more) | | |
| 2 | Start listener action : terminateRunningWebDrivers | 0.446s | PASSED |
| 3 | Video | 0.001s | PASSED |

Video recording for test case 'Test Cases/II Test Case (View My Orders)' .

Information

ID Test Cases/III Test Case (View Payments)

Description

Tag

Start 2023-05-16 11:23:03 End 2023-05-16 11:24:30

Elapsed 1m - 27.184s

Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1.274s | PASSED |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | 2.317s | PASSED |
| 3 | deleteAllCookies() Delete all cookies successfully | 0.029s | PASSED |
| 4 | maximizeWindow() Current window maximized | 0.164s | PASSED |
| 5 | refresh() Refresh successfully | 0.625s | PASSED |
| 6 | shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)' | 2.868s | PASSED |
| 7 | println("Version of origin/test is: " + shopVersion) | 0.001s | PASSED |


| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 8 | click(findTestObject("Footer/divCountryLanguage")) | 2.820s | PASSED |
| | Object: 'Object Repository/Footer/divCountryLanguage' is clicked on | | |
| 9 | click(findTestObject("CountryLanguage/select_en-PT")) | 1.374s | PASSED |
| | Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | | |
| 10 | click(findTestObject("Header/iconGuestProfile")) | 1.201s | PASSED |
| | Object: 'Object Repository/Header/iconGuestProfile' is clicked on | | |
| 11 | setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") | 1.512s | PASSED |
| | Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin' | | |
| 12 | setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") | 0.990s | PASSED |
| | Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin' | | |
| 13 | click(findTestObject("LoginPage/svgShowPasswordLogin")) | 0.518s | PASSED |
| | Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | | |
| 14 | click(findTestObject("LoginPage/buttonSignIn")) | 0.518s | PASSED |
| | Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on | | |
| 15 | click(findTestObject("Header/iconUserProfile")) | 3.984s | PASSED |
| | Object: 'Object Repository/Header/iconUserProfile' is clicked on | | |
| 16 | click(findTestObject("Header/divAccountInformationBO")) | 1.530s | PASSED |
| | Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | | |
| 17 | click(findTestObject("BackOffice/divViewPaymentsPage")) | 0.915s | PASSED |
| | Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 18 | click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod' is clicked on | 1.277s | PASSED |
| 19 | click(findTestObject("Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' is clicked on | 0.625s | PASSED |
| 20 | click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonContinue")) Object: 'Object Repository/BackOffice/ViewPayments/buttonContinue' is clicked on | 0.536s | PASSED |
| 21 | delay(2) Delayed 2 second(s) | 2.008s | PASSED |
| 22 | setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardHolder"), "CL-BRW2") Text 'CL-BRW2' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardHolder' | 0.976s | PASSED |
| 23 | delay(2) Delayed 2 second(s) | 2.003s | PASSED |
| 24 | setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "1111-1111-1111-1111") Text '1111-1111-1111' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber' | 1.046s | PASSED |
| 25 | delay(2) Delayed 2 second(s) | 2.018s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 26 | click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown")) | 0.505s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on | | |
| 27 | click(findTestObject("Object Repository/BackOffice/ViewPayments/li4SelectMonth")) | 0.652s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/li4SelectMonth' is clicked on | | |
| 28 | click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown")) | 0.711s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on | | |
| 29 | click(findTestObject("Object Repository/BackOffice/ViewPayments/li2027SelectYear")) | 0.608s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/li2027SelectYear' is clicked on | | |
| 30 | delay(2) | 2.003s | PASSED |
| | Delayed 2 second(s) | | |
| 31 | setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "252") | 0.933s | PASSED |
| | Text '252' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV' | | |
| 32 | delay(2) | 2.010s | PASSED |
| | Delayed 2 second(s) | | |
| 33 | click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown")) | 2.731s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' is clicked on | | |
| 34 | click(findTestObject("Object Repository/BackOffice/ViewPayments/liFirstSelectAddress")) | 0.603s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/liFirstSelectAddress' is clicked on | | |
| 35 | click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonSave")) | 3.998s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/buttonSave' is clicked on | | |

Description Elapsed Status

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 36 | verifyElementVisible(findTestObject ("BackOffice/ViewPayments/assertVisiblePaymentMethod")) | 36.342s | FAILED |
| | Unable to verify object 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' is visible (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' is visible at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword.verifyElementVisible(VerifyElementVisibleKeyword.groovy:97) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementVisibleKeyword.execute(VerifyElementVisibleKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. | | |
| | verifyElementVisible(WebUiBuiltInKeywords.groovy:376) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementVisible\$9.call(Unknown Source) | | |
| | at III Test Case (View Payments).run(III Test Case (View Payments):90) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| | Source) at TempTestSuite1684228837676.run(TempTestSuite1684228837676.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' located by | | |
| | '(//div[@class = 'viewPaymentRow'])[2]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.doCall (VerifyElementVisibleKeyword.groovy:89) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. VerifyElementVisibleKeyword\$_verifyElementVisible_closure1.call (VerifyElementVisibleKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |



Information

ID Test Cases/IV Test Case (Privacy Communication)

Description

Tag

Start 2023-05-16 11:24:30 End 2023-05-16 11:24:37

Elapsed 7.383s Status FAILED

Details

Description Elapsed Status

| Descri | ption | Elapsed | Status |
|--------------------|--|---------|--------|
| openB | rowser("") | 4.621s | FAILE |
| | e to open browser with url: " (Root cause: com.kms.katalon.core.exception. | | |
| StepFa | ailedException: Unable to open browser with url: " | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (Webl | IIKeywordMain.groovy:64) | | |
| (\A/-I-I | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (webt | IIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| onenR | rowser(OpenBrowserKeyword.groovy:81) | | |
| орепь | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| (Open | BrowserKeyword.groovy:67) | | |
| (Opon | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| execut | eKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| (Webl | liBuiltInKeywords.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| (Unkno | own Source) | | |
| | at IV Test Case (Privacy Communication).run(IV Test Case (Privacy | | |
| Comm | unication):20) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:1 | | | |
| java:4 | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java. 4 | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:43 | | | |
| java. K | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestC | aseExecutor.java:418) | | |
| · · | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestC | aseExecutor.java:410) | | |
| | $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$ | | |
| java:28 | | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (Comn | nonExecutor.java:65) | | |
| (T 10 | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestS | uiteExecutor.java:151) | | |
| 106) | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 185) | at confirms. Ratalon.core. main. restoasemain. start restoute(restoasemain.java. | | |
| 100) | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source | | | |
| | at TempTestSuite1684228837676.run(TempTestSuite1684228837676.groovy:36) | | |
| Cause | d by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed | | |
| to con | nect to localhost/0:0:0:0:0:0:1:15163 | | |
| | nfo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| | n info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', | | |
| | sion: '10.0', java.version: '1.8.0_282' | | |
| Driver | info: driver.version: EventFiringWebDriver | | |
| (D : | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute | | |
| (Drive | CommandExecutor.java:92) | | |
| iovo:Fl | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. | | |
| java:5 | at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: | | |
| 19) | at com.kms.katalon.selemium.unven.comoniephven.execute(comoniephven.java. | | |
| 10) | | | |

 $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$

java:609)

| Des | cription | Elapsed | Status |
|-------------|--|---------|--------|
| | at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: | Біароба | Otatao |
| 452) | | | |
| .02) | at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 | | |
| (Eve | ntFiringWebDriver.java:105) | | |
| | at com.sun.proxy.\$Proxy12.quit(Unknown Source) | | |
| | at org.openqa.selenium.support.events.EventFiringWebDriver.quit | | |
| (Eve | ntFiringWebDriver.java:211) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver | | |
| (Driv | erFactory.java:1501) | | |
| (D : | at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser | | |
| (Driv | rerFactory.java:343) | | |
| (Data | at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver | | |
| (טווע | rerFactory.java:254) | | |
| Ono | at com.kms.katalon.core.webui.keyword.builtin. nBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) | | |
| Ope | at com.kms.katalon.core.webui.keyword.builtin. | | |
| One | nBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) | | |
| Орс | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (We | bUIKeywordMain.groovy:20) | | |
| (| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| oper | nBrowser(OpenBrowserKeyword.groovy:81) | | |
| - 1 | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| (Ope | enBrowserKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| exec | euteKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| (We | pUiBuiltInKeywords.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| (Unk | nown Source) | | |
| | at Script1683200246433.run(Script1683200246433.groovy:20) | | |
| | 13 more | | |
| Cau | sed by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:15163 | | |
| | at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. | | |
| java | 247) | | |
| | at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) | | |
| iava | at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. 257) | | |
| java | at okhttp3.internal.connection.StreamAllocation.findHealthyConnection | | |
| (Stre | eamAllocation.java:135) | | |
| (500 | at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. | | |
| java | 114) | | |
| , | at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. | | |
| java | | | |
| • | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 147) | | | |
| , | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 121) | | | |
| | at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) | | |
| | $at\ okhttp 3. internal. http. RealInterceptor Chain. proceed (RealInterceptor Chain. java:$ | | |
| 147) | | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 121) | | | |
| | at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) | | |
| 4 4-1 | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 147) | | | |
| (D = 1 | at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept | | |
| | | | |

 $at\ okhttp 3. internal. http. RealInterceptor Chain. proceed (RealInterceptor Chain. java:$

(RetryAndFollowUpInterceptor.java:126)

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more) | | |
| 2 | Start listener action : terminateRunningWebDrivers | 0.433s | PASSED |
| 3 | Video | 0.001s | PASSED |

Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .

Information

ID Test Cases/V Test Case (Autoship)

Description

Tag

Start 2023-05-16 11:24:37 End 2023-05-16 11:26:16

Elapsed 1m - 38.591s

Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1.296s | PASSED |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | 2.255s | PASSED |
| 3 | deleteAllCookies() Delete all cookies successfully | 0.019s | PASSED |
| 4 | maximizeWindow() Current window maximized | 0.150s | PASSED |
| 5 | refresh() Refresh successfully | 0.577s | PASSED |
| 6 | shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)' | 3.049s | PASSED |
| 7 | println("Version of origin/test is: " + shopVersion) | 0.003s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 8 | click(findTestObject("Footer/divCountryLanguage")) | 2.804s | PASSED |
| | Object: 'Object Repository/Footer/divCountryLanguage' is clicked on | | |
| 9 | click(findTestObject("CountryLanguage/select_en-PT")) | 1.252s | PASSED |
| | Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | | |
| 10 | click(findTestObject("Header/iconGuestProfile")) | 1.315s | PASSED |
| | Object: 'Object Repository/Header/iconGuestProfile' is clicked on | | |
| 11 | setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") | 2.021s | PASSED |
| | Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin' | | |
| 12 | setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") | 0.998s | PASSED |
| | Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin' | | |
| 13 | click(findTestObject("LoginPage/svgShowPasswordLogin")) | 0.511s | PASSED |
| | Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | | |
| 14 | click(findTestObject("LoginPage/buttonSignIn")) | 0.511s | PASSED |
| | Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on | | |
| 15 | click(findTestObject("Header/iconUserProfile")) | 3.631s | PASSED |
| | Object: 'Object Repository/Header/iconUserProfile' is clicked on | | |
| 16 | click(findTestObject("Header/divAccountInformationBO")) | 0.951s | PASSED |
| | Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | | |
| 17 | click(findTestObject("BackOffice/divAutoshipPage")) | 1.767s | PASSED |
| | Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on | | |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 18 | delay(3) | 3.008s | PASSED |
| | Delayed 3 second(s) | | |
| 19 | StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) | 0.346s | PASSED |
| | Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100022003' | | |
| 20 | println(StringlastAutoshipNumber) | 0.000s | PASSED |
| 21 | lastAutoshipNumber = StringlastAutoshipNumber.toInteger() | 0.001s | PASSED |
| | | | |
| 22 | println(lastAutoshipNumber) | 0.002s | PASSED |
| | | | |
| 23 | click(findTestObject("BackOffice/Autoship/buttonNewAutoship")) | 0.522s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on | | |
| 24 | click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct")) | 3.690s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on | | |
| 25 | click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag")) | 2.361s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on | | |
| 26 | click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) | 0.669s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on | | |
| | | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 27 | click(findTestObject("BackOffice/Autoship/buttonProceedToShippingDate")) | 4.519s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingDate' is clicked on | | |
| 28 | click(findTestObject("BackOffice/Autoship/buttonSelectTodayDate")) | 2.954s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonSelectTodayDate' is clicked on | | |
| 29 | click(findTestObject("BackOffice/Autoship/buttonProceedToShippingAddress")) | 2.839s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingAddress' is clicked on | | |
| 30 | click(findTestObject("BackOffice/Autoship/buttonCheckFirstShippingAddress")) | 0.631s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstShippingAddress' is clicked on | | |
| 31 | click(findTestObject("BackOffice/Autoship/buttonProceedToPaymentInfo")) | 2.788s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonProceedToPaymentInfo' is clicked on | | |
| 32 | click(findTestObject("BackOffice/Autoship/buttonCheckFirstPaymentMethod")) | 0.619s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstPaymentMethod' is clicked on | | |
| 33 | delay(2) | 2.009s | PASSED |
| | Delayed 2 second(s) | | |
| 34 | click(findTestObject("BackOffice/Autoship/inputCVV")) | 0.509s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on | | |
| 35 | delay(2) | 2.008s | PASSED |
| | Delayed 2 second(s) | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 36 | setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") | 0.893s | PASSED |
| | Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV' | | |
| 37 | click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) | 0.520s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on | | |
| 38 | click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) | 3.145s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on | | |
| 39 | click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) | 4.329s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on | | |
| 40 | click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) | 4.791s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on | | |
| 41 | click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) | 2.734s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on | | |
| 42 | click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) | 2.795s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on | | |
| 43 | delay(2) | 2.007s | PASSED |
| | Delayed 2 second(s) | | |
| 44 | click(findTestObject("BackOffice/Autoship/inputCVV")) | 0.497s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on | | |
| 45 | delay(2) | 2.012s | PASSED |
| | Delayed 2 second(s) | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 46 | setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") | 0.919s | PASSED |
| | Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV' | | |
| 47 | click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) | 0.488s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on | | |
| 48 | click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) | 3.438s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on | | |
| 49 | click(findTestObject("BackOffice/Autoship/buttonSwitchAutoship")) | 2.814s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonSwitchAutoship' is clicked on | | |
| 50 | click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) | 3.889s | PASSED |
| | Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on | | |
| 51 | delay(3) | 3.008s | PASSED |
| | Delayed 3 second(s) | | |
| 52 | StringlastNewAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) | 0.336s | PASSED |
| | Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100022010' | | |
| 53 | lastNewAutoshipNumber = StringlastNewAutoshipNumber.toInteger() | 0.000s | PASSED |
| 54 | println("Last New Autoship Number: " + lastNewAutoshipNumber) | 0.001s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 55 | assert lastAutoshipNumber != lastNewAutoshipNumber | 0.001s | PASSED |
| 56 | if (lastAutoshipNumber != lastNewAutoshipNumber) | 0.001s | PASSED |
| 57 | click(findTestObject("BackOffice/Autoship/buttonFirstRemoveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstRemoveAutoship' is clicked on | 0.498s | PASSED |
| 58 | delay(4) Delayed 4 second(s) | 4.004s | PASSED |
| 59 | Start listener action : terminateRunningWebDrivers | 0.494s | PASSED |
| 60 | Video recording for test case 'Test Cases/V Test Case (Autoship)' . | 0.000s | PASSED |