BO - Smoke Test

Execution Environment

Host name WIN10 - FINMX-L12 Local OS Windows 10 64bit

Katalon version 8.5.5.208

Browser Chrome 112.0.0.0

Summary

ID Test Suites/BO - Smoke Test

Description

Total 4

Passed 2 Failed 2
Error 0 Incomplete 0

Skipped 0

Start 2023-05-05 13:16:07 End 2023-05-05 13:19:33

Elapsed 3m - 26.090s

#	ID	Description	Status
1	Test Cases/II Test Case (View My Orders)		PASSED
2	Test Cases/III Test Case (View Payments)		FAILED
3	Test Cases/IV Test Case (Privacy Communication)		PASSED
4	Test Cases/V Test Case (Autoship)		FAILED

Information

ID Test Cases/II Test Case (View My Orders)

Object: 'Object Repository/Footer/divCountryLanguage' is clicked on

Description

Tag

Start 2023-05-05 13:16:07 End 2023-05-05 13:18:29

Elapsed 2m - 21.738s

Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.579s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.194s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.036s	PASSED
4	maximizeWindow() Current window maximized	0.151s	PASSED
5	refresh() Refresh successfully	0.778s	PASSED
6	delay(3) Delayed 3 second(s)	3.043s	PASSED
7	click(findTestObject("Footer/divCountryLanguage"))	3.283s	PASSED

#	Description	Elapsed	Status
8	click(findTestObject("CountryLanguage/select_en-PT"))	1.516s	PASSED
	Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on		
9	click(findTestObject("Header/iconGuestProfile"))	1.500s	PASSED
	Object: 'Object Repository/Header/iconGuestProfile' is clicked on		
10	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")	2.214s	PASSED
	Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'		
11	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")	1.374s	PASSED
	Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'		
12	click(findTestObject("LoginPage/svgShowPasswordLogin"))	0.756s	PASSED
	Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on		
13	click(findTestObject("LoginPage/buttonSignIn"))	0.743s	PASSED
	Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on		
14	click(findTestObject("Header/iconUserProfile"))	5.845s	PASSED
	Object: 'Object Repository/Header/iconUserProfile' is clicked on		
15	click(findTestObject("Header/divAccountInformationBO"))	1.146s	PASSED
	Object: 'Object Repository/Header/divAccountInformationBO' is clicked on		
16	click(findTestObject("BackOffice/divViewMyOrdersPage"))	1.626s	PASSED
	Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on		
17	click(findTestObject("BackOffice/ViewMyOrders/svg1ViewDetailOrder"))	2.693s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/svg1ViewDetailOrder' is clicked on		

#	Description	Elapsed	Status
18	delay(3) Delayed 3 second(s)	3.009s	PASSED
19	click(findTestObject("BackOffice/ViewMyOrders/buttonGoBackDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/buttonGoBackDetailOrder' is clicked on	0.709s	PASSED
20	click(findTestObject("BackOffice/ViewMyOrders/button1RepeatOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/button1RepeatOrder' is clicked on	0.794s	PASSED
21	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity' is clicked on	2.740s	PASSED
22	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	0.811s	PASSED
23	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	2.438s	PASSED
24	setText(findTestObject("Object Repository/CheckoutPage/Contact Information/inputPhoneNumberContact"), "305345345") Text '305345345' is set on object 'Object Repository/CheckoutPage/Contact Information/inputPhoneNumberContact'	3.712s	PASSED
25	click(findTestObject("CheckoutPage/Shipping Addres/Shipping/checkSavedShippingAddress")) Object: 'Object Repository/CheckoutPage/Shipping Addres/Shipping/checkSavedShippingAddress' is clicked on	3.122s	PASSED

 $Addres/Shipping/checkSavedShippingAddress'\ is\ clicked\ on$

#	Description	Elapsed	Status
26	click(findTestObject("Object Repository/CheckoutPage/Shipping Addres/buttonContinueToPayment")) Object: 'Object Repository/CheckoutPage/Shipping Addres/buttonContinueToPayment' is clicked on	3.251s	PASSED
27	click(findTestObject("Object Repository/CheckoutPage/divCreditCardMethod")) Object: 'Object Repository/CheckoutPage/divCreditCardMethod' is clicked on	4.405s	PASSED
28	delay(2) Delayed 2 second(s)	2.012s	PASSED
29	setText(findTestObject("CheckoutPage/Payment Methods/inputCardNumber"), "4000020951595032") Text '4000020951595032' is set on object 'Object Repository/CheckoutPage/Payment Methods/inputCardNumber'	1.447s	PASSED
30	delay(2) Delayed 2 second(s)	2.008s	PASSED
31	setText(findTestObject("CheckoutPage/Payment Methods/inputCardHolder"), "CL-BRW2") Text 'CL-BRW2' is set on object 'Object Repository/CheckoutPage/Payment Methods/inputCardHolder'	1.356s	PASSED
32	delay(2) Delayed 2 second(s)	2.017s	PASSED
33	setText(findTestObject("CheckoutPage/Payment Methods/inputCardExpire"), "02/25") Text '02/25' is set on object 'Object Repository/CheckoutPage/Payment Methods/inputCardExpire'	1.339s	PASSED
34	delay(2) Delayed 2 second(s)	2.016s	PASSED

#	Description	Elapsed	Status
35	setText(findTestObject("CheckoutPage/Payment Methods/inputCvv"), "657") Text '657' is set on object 'Object Repository/CheckoutPage/Payment Methods/inputCvv'	1.355s	PASSED
36	click(findTestObject("Object Repository/CheckoutPage/buttonPayNow")) Object: 'Object Repository/CheckoutPage/buttonPayNow' is clicked on	3.232s	PASSED
37	delay(10) Delayed 10 second(s)	10.015s	PASSED
38	script = null	0.001s	PASSED

#	Description	Elapsed	Status
39		0,227s	FAILED
39	try	0.2275	FAILED
	Unable to execute JavaScript. (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to execute JavaScript.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.		
	executeJavascript(ExecuteJavascriptKeyword.groovy:42)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.		
	execute(ExecuteJavascriptKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	executeJavaScript(WebUiBuiltInKeywords.groovy:4873)		
	at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$executeJavaScript\$6.call(Unknown Source)		
	at II Test Case (View My Orders).run(II Test Case (View My Orders):97)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	at com.kms.kataion.core.main.restSuiteExecutor.execute(restSuiteExecutor.java.		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1683285359898.run(TempTestSuite1683285359898.groovy:36)		
	Caused by: org.openqa.selenium.JavascriptException: javascript error: Cannot read		
	properties of null (reading 'checkout')		
	(Session info: chrome=112.0.5615.139) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: Version: 3.141.59°, revision: 'e82be7d358°, time: 2018-11-14108:25:53° System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',		
	os.version: '10.0', java.version: '1.8.0_282'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	112.0.5615.139, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63,		
	userDataDir: C:\Users\WIN10\AppData\Loca}, goog:chromeOptions: {debuggerAddress:		
	localhost:64582}, javascriptEnabled: true, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		

300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,

Elapsed

Status

```
Description
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 32f282182605c313ccd845be1a6be76e
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.executeScript
(RemoteWebDriver.java:489)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at com.sun.proxy.$Proxy12.executeScript(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.executeScript
(EventFiringWebDriver.iava:229)
          at com.kms.katalon.core.webui.keyword.builtin.
ExecuteJavaScriptKeyword$_executeJavascript_closure1.doCall
(ExecuteJavascriptKeyword.groovy:48)
          at com.kms.katalon.core.webui.keyword.builtin.
ExecuteJavaScriptKeyword$_executeJavascript_closure1.call(ExecuteJavascriptKeyword.
groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
executeJavascript(ExecuteJavascriptKeyword.groovy:42)
          at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
execute(ExecuteJavascriptKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
executeJavaScript(WebUiBuiltInKeywords.groovy:4873)
          at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$executeJavaScript$6.call(Unknown Source)
          at Script1682598283514.run(Script1682598283514.groovy:97)
          ... 13 more
ThreeDS ACS Emulator - Challenge Page
 Notification URL:
http://json.softmetrixgroup.com/finish-test.php
 DsTransID:
81d7c995-05ff-4e14-bef9-5c3ee1cbcb68
ThreeDSServerTransID:
a9db9256-5a2e-4d8c-9e03-bfe10fed66ae
```

665879-e812-42d3-9452-95751e89ab24

#	Description	Elapsed	Status
40	catch (Exception e) Error while loading script: Unable to execute JavaScript.	0.057s	PASSED
41	if (script == null script.equals(""))	0.003s	PASSED
42	statusCode = Integer.parseInt(script)	0.002s	PASSED
43	<pre>if (statusCode == 0) Object 'Object Repository/Header/iconUserProfile' is visible</pre>	41.702s	PASSED
44	orderScriptFP = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).checkout).paymentResponse.or der_number;", null) Execute JavaScript 'return	0.025s	PASSED
45	orderNumberFP = Integer.parseInt(orderScriptFP)	0.000s	PASSED
46	println("Order Number Finish-Payment: " + orderNumberFP)	0.001s	PASSED
47	verifyElementVisible(findTestObject("Header/iconUserProfile")) Object 'Object Repository/Header/iconUserProfile' is visible	0.349s	PASSED
48	verifyElementVisible(findTestObject("FinishPaymentPage/h1Congratulations")) Object 'Object Repository/FinishPaymentPage/h1Congratulations' is visible	0.352s	PASSED

#	Description	Elapsed	Status
49	click(findTestObject("Object Repository/FinishPaymentPage/buttonYourOrders")) Object: 'Object Repository/FinishPaymentPage/buttonYourOrders' is clicked on	3.173s	PASSED
50	delay(5) Delayed 5 second(s)	5.009s	PASSED
51	orderScriptBO = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0]. order_number;", null) Execute JavaScript 'return	0.021s	PASSED
52	orderNumberBO = Integer.parseInt(orderScriptBO)	0.001s	PASSED
53	println("Order Number BO: " + orderNumberBO)	0.001s	PASSED
54	<pre>if (orderNumberFP == orderNumberBO) Object: 'Object Repository/BackOffice/ViewMyOrders/ahrefFirstInvoiceBO' is clicked on</pre>	4.210s	PASSED
55	assert orderNumberFP == orderNumberBO	0.002s	PASSED
56	Start listener action : terminateRunningWebDrivers	0.680s	PASSED
57	Video Video recording for test case 'Test Cases/II Test Case (View My Orders)' .	0.001s	PASSED

Information

ID Test Cases/III Test Case (View Payments)

Description

Tag

Start 2023-05-05 13:18:29 End 2023-05-05 13:18:37

Elapsed 7.604s
Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	openBrowser("")	4.746s	FAILED
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to open browser with url: "		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	(OpenBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
	(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
	(Unknown Source)		
	at III Test Case (View Payments).run(III Test Case (View Payments):20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1683285359898.run(TempTestSuite1683285359898.groovy:36)		
	Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed		
	to connect to localhost/0:0:0:0:0:0:1:42696		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'		
	Driver info: driver.version: EventFiringWebDriver		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:92)		
	$at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	iava:600)		

 $at\ org. open qa. selenium. remote. Remote Web Driver. quit (Remote Web Driver. java:$

java:609)

```
Description
                                                                                             Elapsed
                                                                                                               Status
452)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at com.sun.proxy.$Proxy12.quit(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.quit
(EventFiringWebDriver.java:211)
          at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1501)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:343)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
          at Script1683121456443.run(Script1683121456443.groovy:20)
          ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:42696
          at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
          at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
          at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
          at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
          at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
          at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
          at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
          at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
```

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:

(RetryAndFollowUpInterceptor.java:126)

147)

#	Description	Elapsed	Status
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.473s	PASSED
3	Video	0.000s	PASSED

Video recording for test case 'Test Cases/III Test Case (View Payments)' .

IV Test Case (Privacy Communication)

Information

ID Test Cases/IV Test Case (Privacy Communication)

Object: 'Object Repository/Footer/divCountryLanguage' is clicked on

Description

Tag

Start 2023-05-05 13:18:37 End 2023-05-05 13:19:26

Elapsed 48.934s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.230s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.701s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.027s	PASSED
4	maximizeWindow() Current window maximized	0.151s	PASSED
5	refresh() Refresh successfully	0.723s	PASSED
6	delay(3) Delayed 3 second(s)	3.016s	PASSED
7	click(findTestObject("Footer/divCountryLanguage"))	3.553s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
8	click(findTestObject("CountryLanguage/select_en-PT"))	1.516s	PASSED
	Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on		
9	click(findTestObject("Header/iconGuestProfile"))	1.529s	PASSED
	Object: 'Object Repository/Header/iconGuestProfile' is clicked on		
10	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")	2.200s	PASSED
	Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'		
11	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")	1.360s	PASSED
	Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'		
12	click(findTestObject("LoginPage/svgShowPasswordLogin"))	0.696s	PASSED
	Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on		
13	click(findTestObject("LoginPage/buttonSignIn"))	0.706s	PASSED
	Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on		
14	click(findTestObject("Header/iconUserProfile"))	5.572s	PASSED
	Object: 'Object Repository/Header/iconUserProfile' is clicked on		
15	click(findTestObject("Header/divAccountInformationBO"))	2.000s	PASSED
	Object: 'Object Repository/Header/divAccountInformationBO' is clicked on		
16	click(findTestObject("BackOffice/divPrivacyCommunicationPage"))	1.589s	PASSED
	Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on		
17	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonUpdate"))	2.199s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonUpdate' is clicked on		

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/PrivacyAndCommunication/divLanguageDropdown"))	0.811s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divLanguageDropdown' is clicked on		
19	click(findTestObject("BackOffice/PrivacyAndCommunication/divFirstLanguageSelect"))	0.827s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divFirstLanguageSelect' is clicked on		
20	click(findTestObject("BackOffice/PrivacyAndCommunication/divTimeZoneDropdown"))	0.821s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divTimeZoneDropdown' is clicked on		
21	click(findTestObject("BackOffice/PrivacyAndCommunication/div2SelectTimeZone"))	3.202s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/div2SelectTimeZone' is clicked on		
22	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch1"))	3.153s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch1' is clicked on		
23	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch2"))	3.231s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch2' is clicked on		
24	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSaveChanges"))	3.183s	PASSED
	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSaveChanges' is clicked on		
25	Start listener action : terminateRunningWebDrivers	0.569s	PASSED
26	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .		

Information

ID Test Cases/V Test Case (Autoship)

Description

Tag

Start 2023-05-05 13:19:26 End 2023-05-05 13:19:33

Elapsed 7.465s Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	openBrowser("")	4.632s	FAILED
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: "		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
	(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)		
	at V Test Case (Autoship).run(V Test Case (Autoship):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TostSuiteExecutor.iovo:151)		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1683285359898.run(TempTestSuite1683285359898.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:38550		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',		
	os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		

 $at\ or g. open qa. selenium. remote. Remote Web Driver. quit (Remote Web Driver. java:$

java:609)

```
Description
                                                                                             Elapsed
                                                                                                               Status
452)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at com.sun.proxy.$Proxy12.quit(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.quit
(EventFiringWebDriver.java:211)
          at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1501)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:343)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
          at Script1683275531328.run(Script1683275531328.groovy:20)
          ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:38550
          at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
          at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
          at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
          at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
          at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
          at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
          at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
          at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
```

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:

(RetryAndFollowUpInterceptor.java:126)

147)

#	Description	Elapsed	Status
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.467s	PASSED
3	Video	0.000s	PASSED

Video recording for test case 'Test Cases/V Test Case (Autoship)' .