BO - Smoke Test

Execution Environment

Host name WIN10 - FINMX-L12 Local OS Windows 10 64bit

Katalon version 8.5.5.208

Browser Chrome 112.0.0.0

Summary

ID Test Suites/BO - Smoke Test

Description

Total 5

Passed 0 Failed 4
Error 1 Incomplete 0

Skipped 0

Start 2023-05-11 12:28:28 End 2023-05-11 12:31:42

Elapsed 3m - 13.706s

| # | ID | Description | Status |
|---|---|--|--------|
| 1 | Test Cases/I Test Case (AccountInformation) | starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products | ERROR |
| 2 | Test Cases/II Test Case (View My Orders) | | FAILED |
| 3 | Test Cases/III Test Case (View Payments) | | FAILED |
| 4 | Test Cases/IV Test Case (Privacy Communication) | | FAILED |
| 5 | Test Cases/V Test Case (Autoship) | | FAILED |

Information

ID Test Cases/I Test Case (AccountInformation)

Description starting smoke test with this test case

-change country

Tag -registration

-login -BO

Start -change password

-change language and check categories and products

Elapsed smoketest

Status

2023-05-11 12:28:29 End 2023-05-11 12:29:10

41.606s

ERROR

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") | 2.627s | PASSED |
| | Browser is opened with url: " | | |
| | | | |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") | 2.834s | PASSED |
| | Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | | |
| | | | |
| 3 | deleteAllCookies() | 0.035s | PASSED |
| | Delete all cookies successfully | | |
| | | | |
| 4 | maximizeWindow() | 0.170s | PASSED |
| | Current window maximized | | |
| | | | |
| 5 | refresh() | 0.552s | PASSED |
| | Refresh successfully | | |
| | | | |
| 6 | delay(3) | 3.044s | PASSED |
| | Delayed 3 second(s) | | |
| | | | |
| | | | |

| 7 click(findTesiObject("FooieridivCountryLanguage")) Object: Object Repository/FooteridivCountryLanguage's is clicked on 8 click(findTesiObject("CountryLanguage'select_en-PT")) Object: Object Repository/CountryLanguage'select_en-PT" is clicked on 9 click(findTesiObject("Header/iconGuestProfile")) Object: Object Repository/Header/iconGuestProfile is clicked on 10 click(findTesiObject("LoginPage/buttonRegisterNewAccount")) Object: Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on 11 setText(findTesiObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName' 12 setText(findTesiObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' 13 randomEmail = Script1680713356350.generateRandomEmail(10) 14 allowedChars = "abcdefghijkImnopqrstuvvxxyz0123456789" 15 email = new java.titLRandom() 16 random = new java.utitLRandom() 17 passed | # | Description | Elapsed | Status |
|---|----|---|---------|--------|
| Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on 1.449s PASSED Object: 'Object Repository/Header/iconGuestProfile'')) Object: 'Object Repository/Header/iconGuestProfile' is clicked on 10 click(findTestObject("LoginPage/buttonRegisterNewAccount")) Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on 11 setText(findTestObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName' 12 setText(findTestObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' 13 randomEmail = Script1680713356350.generateRandomEmail(10) 14 allowedChars = "abcdefghijkImnopqrstuvwxyz0123456789" O.002s PASSED 15 email = new java.lang.StringBuilder() O.019s PASSED | 7 | | 3.326s | PASSED |
| Object: 'Object Repository/Header/iconGuestProfile' is clicked on 10 click(findTestObject("LoginPage/buttonRegisterNewAccount")) Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on 11 setText(findTestObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName' 12 setText(findTestObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' 13 randomEmail = Script1680713356350.generateRandomEmail(10) 14 allowedChars = "abcdefghijkImnopqrstuvwxyz0123456789" 15 email = new java.lang.StringBuilder() PASSED | 8 | | 1.301s | PASSED |
| Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on 11 setText(findTestObject("LoginPage/inputFirstName"), "Smoke") 1.079s PASSED Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName' 12 setText(findTestObject("LoginPage/inputLastName"), "Test") 0.954s PASSED Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' 13 randomEmail = Script1680713356350.generateRandomEmail(10) 0.001s PASSED 14 allowedChars = "abcdefghijkImnopqrstuvwxyz0123456789" 0.002s PASSED 15 email = new java.lang.StringBuilder() 0.019s PASSED | 9 | | 1.449s | PASSED |
| Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName' 12 setText(findTestObject("LoginPage/inputLastName"), "Test") 0.954s PASSED Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' 13 randomEmail = Script1680713356350.generateRandomEmail(10) 0.001s PASSED 14 allowedChars = "abcdefghijkImnopqrstuvwxyz0123456789" 0.002s PASSED 15 email = new java.lang.StringBuilder() 0.019s PASSED | 10 | | 3.167s | PASSED |
| Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' 13 randomEmail = Script1680713356350.generateRandomEmail(10) 0.001s PASSED 14 allowedChars = "abcdefghijkImnopqrstuvwxyz0123456789" 0.002s PASSED 15 email = new java.lang.StringBuilder() 0.019s PASSED | 11 | | 1.079s | PASSED |
| 14 allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789" 0.002s PASSED 15 email = new java.lang.StringBuilder() 0.019s PASSED | 12 | | 0.954s | PASSED |
| 15 email = new java.lang.StringBuilder() 0.019s PASSED | 13 | randomEmail = Script1680713356350.generateRandomEmail(10) | 0.001s | PASSED |
| | 14 | allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789" | 0.002s | PASSED |
| 16 random = new java.util.Random() 0.005s PASSED | 15 | email = new java.lang.StringBuilder() | 0.019s | PASSED |
| | 16 | random = new java.util.Random() | 0.005s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 17 | for ([i = 0, i < length, (i++)]) | 0.024s | PASSED |
| 18 | email.append("@gmail.com") | 0.001s | PASSED |
| 19 | return email.toString() | 0.002s | PASSED |
| 20 | println(randomEmail) | 0.005s | PASSED |
| 21 | setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail) Text 'mjz5lqk3r2@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister' | 1.068s | PASSED |
| 22 | password = "SmokeTest123@" | 0.002s | PASSED |
| 23 | newPassword = "Test123@" | 0.002s | PASSED |
| 24 | setText(findTestObject("LoginPage/inputPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister' | 1.028s | PASSED |
| 25 | setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister' | 1.135s | PASSED |

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 26 | click(findTestObject("LoginPage/inputEmailRegister")) | 0.630s | PASSED |
| | Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on | | |
| 27 | click(findTestObject("LoginPage/svgShowPasswordLogin")) | 0.702s | PASSED |
| | Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | | |
| 28 | click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) | 0.508s | PASSED |
| | Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on | | |
| 29 | click(findTestObject("LoginPage/buttonCreateAnAccount")) | 2.731s | PASSED |
| | Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on | | |
| 30 | delay(5) | 5.013s | PASSED |
| | Delayed 5 second(s) | | |
| 31 | click(findTestObject("Header/iconUserProfile")) | 0.965s | PASSED |
| | Object: 'Object Repository/Header/iconUserProfile' is clicked on | | |
| 32 | click(findTestObject("Header/divAccountInformationBO")) | 1.191s | PASSED |
| | Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | | |
| 33 | click(findTestObject("BackOffice/divViewMyOrdersPage")) | 0.855s | PASSED |
| | Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on | | |
| 34 | click(findTestObject("BackOffice/divViewPaymentsPage")) | 1.103s | PASSED |
| | Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on | | |

| Description | Elapsed | Status |
|---|---|--|
| _ | 0.874s | ERROR |
| Test Cases/I Test Case (AccountInformation) FAILED. Reason: java.lang.NullPointerException: Cannot get property '_' on null object at I Test Case (AccountInformation).run(I Test Case (AccountInformation):149) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 187) | 0.874s | ERROR |
| | | |
| | | |
| Start listener action : terminateRunningWebDrivers | 0.630s | PASSED |
| | Test Cases/I Test Case (AccountInformation) FAILED. Reason: java.lang.NullPointerException: Cannot get property '_' on null object at I Test Case (AccountInformation).run(I Test Case (AccountInformation):149) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 185) | Test Cases/I Test Case (AccountInformation) FAILED. Reason: java.lang.NullPointerException: Cannot get property'_' on null object at I Test Case (AccountInformation).run(I Test Case (AccountInformation):149) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.common.CommonExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 188) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 189) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) |

0.001s

PASSED

Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .

Video

Information

ID Test Cases/II Test Case (View My Orders)

Description

Tag

Start 2023-05-11 12:29:10 End 2023-05-11 12:29:18

Elapsed 7.480s Status FAILED

Details

Description Elapsed Status

| Description | Elapsed | Status |
|--|---------|--------|
| openBrowser("") | 4.601s | FAILED |
| | | |
| Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. | | |
| StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebUlKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebUlKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| openBrowser(OpenBrowserKeyword.groovy:81) | | |
| at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| (OpenBrowserKeyword.groovy:67) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| (WebUiBuiltInKeywords.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| (Unknown Source) | | |
| at II Test Case (View My Orders).run(II Test Case (View My Orders):20) | | |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:439) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCaseExecutor.java:418) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCaseExecutor.java:410) | | |
| $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$ | | |
| java:285) | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:151) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 185) | | |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | | |
| at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) | | |
| Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed | | |
| to connect to localhost/0:0:0:0:0:0:1:3239 | | |
| Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', | | |
| os.version: '10.0', java.version: '1.8.0_282' | | |
| Driver info: driver.version: EventFiringWebDriver | | |
| at org.openqa.selenium.remote.service.DriverCommandExecutor.execute | | |
| (DriverCommandExecutor.java:92) | | |
| at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. | | |
| java:552) | | |
| at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: | | |
| 19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. | | |
| iava:609) | | |

 $at\ or g. open qa. selenium. remote. Remote Web Driver. quit (Remote Web Driver. java:$

java:609)

| ‡ | Description | Elapsed | Status |
|---|--|---------|--------|
| | 452) | · | |
| | at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 | | |
| | (EventFiringWebDriver.java:105) | | |
| | at com.sun.proxy.\$Proxy12.quit(Unknown Source) | | |
| | at org.openqa.selenium.support.events.EventFiringWebDriver.quit | | |
| | (EventFiringWebDriver.java:211) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver | | |
| | (DriverFactory.java:1501) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser | | |
| | (DriverFactory.java:343) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver | | |
| | (DriverFactory.java:254) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. | | |
| | OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUlKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| | openBrowser(OpenBrowserKeyword.groovy:81) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| | (OpenBrowserKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| | (WebUiBuiltInKeywords.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| | (Unknown Source) | | |
| | at Script1682598283514.run(Script1682598283514.groovy:20) | | |
| | 13 more | | |
| | Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:3239 | | |
| | at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. | | |
| | java:247) | | |
| | at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) | | |
| | at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. | | |
| | java:257) | | |
| | at okhttp3.internal.connection.StreamAllocation.findHealthyConnection | | |
| | (StreamAllocation.java:135) | | |
| | at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. | | |
| | java:114) | | |
| | at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. | | |
| | java:42) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| | 147) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| | 121) | | |
| | at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| | 147) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| | 121) | | |
| | at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| | 147) | | |
| | at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept | | |

 $at\ okhttp 3. internal. http. RealInterceptor Chain. proceed (RealInterceptor Chain. java:$

(RetryAndFollowUpInterceptor.java:126)

147)

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more) | | |
| 2 | Start listener action : terminateRunningWebDrivers | 0.476s | PASSED |
| 3 | Video | 0.001s | PASSED |

Video recording for test case 'Test Cases/II Test Case (View My Orders)' .

Information

ID Test Cases/III Test Case (View Payments)

Object: 'Object Repository/Footer/divCountryLanguage' is clicked on

Description

Tag

Start 2023-05-11 12:29:18 End 2023-05-11 12:30:22

Elapsed 1m - 3.729s

Status FAILED

Details


| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1.260s | PASSED |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | 2.489s | PASSED |
| 3 | deleteAllCookies() Delete all cookies successfully | 0.027s | PASSED |
| 4 | maximizeWindow() Current window maximized | 0.182s | PASSED |
| 5 | refresh() Refresh successfully | 0.536s | PASSED |
| 6 | delay(3) Delayed 3 second(s) | 3.016s | PASSED |
| 7 | click(findTestObject("Footer/divCountryLanguage")) | 2.828s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 8 | click(findTestObject("CountryLanguage/select_en-PT")) | 1.315s | PASSED |
| | Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | | |
| 9 | click(findTestObject("Header/iconGuestProfile")) | 1.408s | PASSED |
| | Object: 'Object Repository/Header/iconGuestProfile' is clicked on | | |
| 10 | setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") | 1.490s | PASSED |
| | Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin' | | |
| 11 | setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") | 0.978s | PASSED |
| | Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin' | | |
| 12 | click(findTestObject("LoginPage/svgShowPasswordLogin")) | 0.502s | PASSED |
| | Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | | |
| 13 | click(findTestObject("LoginPage/buttonSignIn")) | 0.507s | PASSED |
| | Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on | | |
| 14 | click(findTestObject("Header/iconUserProfile")) | 4.182s | PASSED |
| | Object: 'Object Repository/Header/iconUserProfile' is clicked on | | |
| 15 | click(findTestObject("Header/divAccountInformationBO")) | 1.474s | PASSED |
| | Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | | |
| 16 | click(findTestObject("BackOffice/divViewPaymentsPage")) | 1.082s | PASSED |
| | Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on | | |

| # | Description | Elapsed | Status |
|-----|---|---------|--------|
| 17 | click(findTestObject("Object | 1.160s | PASSED |
| • • | Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod")) | | |

Object: 'Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod' is clicked on

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 18 | click(findTestObject("Object | 36.330s | FAILED |
| | Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod")) | | |
| | Unable to click on object 'Object | | |
| | Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' (Root cause: com. | | |
| | kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object | | |
| | Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| | (WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| | (WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| | groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute | | |
| | (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| | (WebUiBuiltInKeywords.groovy:620) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call | | |
| | (Unknown Source) | | |
| | at III Test Case (View Payments).run(III Test Case (View Payments):54) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:448) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| | java:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| | (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| | java:285) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| | (CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| | (TestSuiteExecutor.java:151) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| | 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| | 185) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) | | |
| | Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web | | |
| | element with id: 'Object | | |
| | Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' located by '(//span | | |
| | [@class = 'radio '])[1]' not found | | |
| | at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement | | |
| | (WebUiCommonHelper.java:1370) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. | | |
| | findWebElement(WebUIAbstractKeyword.groovy:27) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. | | |
| | doCall(ClickKeyword.groovy:65) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call | | |
| | (ClickKeyword.groovy) | | |



Information

ID Test Cases/IV Test Case (Privacy Communication)

Description

Tag

Start 2023-05-11 12:30:22 End 2023-05-11 12:30:29

Elapsed 7.401s Status FAILED

Details

Description Elapsed Status

| | on | Elapsed | Sta |
|----------------------------|--|---------|------|
| openBrov | | 4.586s | FAIL |
| · | | | |
| | open browser with url: " (Root cause: com.kms.katalon.core.exception. | | |
| StepFaile | dException: Unable to open browser with url: " | | |
| (Mahi III/ | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (webulk | eywordMain.groovy:64) | | |
| (Mobi IIK | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword eywordMain.groovy:26) | | |
| (vvebonv | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| openBrov | vser(OpenBrowserKeyword.groovy:81) | | |
| 000.12.0 | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| (OpenBro | owserKeyword.groovy:67) | | |
| V 1 | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeK | eywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| (WebUiB | uiltInKeywords.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| (Unknow | n Source) | | |
| | at IV Test Case (Privacy Communication).run(IV Test Case (Privacy | | |
| Commun | ication):20) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) | | |
| iovo(110) | at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| java:119) | at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| java:448) | | | |
| java.++o) | at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. | | |
| java:439) | | | |
| java. 100) | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase | | |
| (TestCas | eExecutor.java:418) | | |
| • | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase | | |
| (TestCas | eExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:285) | | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (Commo | nExecutor.java:65) | | |
| - | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuit | eExecutor.java:151) | | |
| 400) | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 185) | at conf.kms.katalon.core.main.restCaseMain.startrestSuite(restCaseMain.java. | | |
| 100) | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown | | |
| Source) | at communications.core.main.roctoacomanipotarri octoacope.cam(cintriomi | | |
| 3 3 3 3 3 3 3 3 3 3 | at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) | | |
| Caused b | y: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed | | |
| | et to localhost/0:0:0:0:0:0:0:1:5697 | | |
| Build info | : version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' | | |
| System in | nfo: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', | | |
| | n: '10.0', java.version: '1.8.0_282' | | |
| Driver inf | o: driver.version: EventFiringWebDriver | | |
| /D : = | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute | | |
| (DriverCo | ommandExecutor.java:92) | | |
| iove:FFO | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. | | |
| java:552) | at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: | | |
| • | | | |

 $at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$

java:609)

| Descr | intion | Elapsed | Status |
|-------------|--|---------|--------|
| Dogoi | | Енароса | Otatas |
| 452) | at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: | | |
| .02) | at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 | | |
| (Even | FiringWebDriver.java:105) | | |
| | at com.sun.proxy.\$Proxy12.quit(Unknown Source) | | |
| | at org.openqa.selenium.support.events.EventFiringWebDriver.quit | | |
| (Even | FiringWebDriver.java:211) | | |
| (D : | at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver | | |
| (Drive | rFactory.java:1501) | | |
| (Drive | at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser rFactory.java:343) | | |
| (DIIVE | at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver | | |
| (Drive | rFactory.java:254) | | |
| (= | at com.kms.katalon.core.webui.keyword.builtin. | | |
| OpenI | BrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) | | |
| • | at com.kms.katalon.core.webui.keyword.builtin. | | |
| OpenI | BrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (Webl | JIKeywordMain.groovy:20) | | |
| _ | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| openE | rowser(OpenBrowserKeyword.groovy:81) | | |
| (0 | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute | | |
| (Open | BrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| AVACII | teKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| CACCU | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser | | |
| (Webl | JiBuiltInKeywords.groovy:64) | | |
| (1100) | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call | | |
| (Unkn | own Source) | | |
| | at Script1683200246433.run(Script1683200246433.groovy:20) | | |
| | 13 more | | |
| Cause | d by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:5697 | | |
| | at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. | | |
| java:2 | | | |
| | at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) | | |
| iovo:2 | at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. | | |
| java:2 | at okhttp3.internal.connection.StreamAllocation.findHealthyConnection | | |
| (Strea | mAllocation.java:135) | | |
| (000 | at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. | | |
| java:1 | | | |
| | at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. | | |
| java:4 | 2) | | |
| | $at\ okhttp 3. internal. http. RealInterceptor Chain. proceed (RealInterceptor Chain. java:$ | | |
| 147) | | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 121) | | | |
| | at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) | | |
| 1.47\ | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 147) | at alkhttp2 internal http://paulintercenterChair.presead/PaulintercenterChair.io.co. | | |
| 121) | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |
| 121) | at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) | | |
| | at okhttp3.internal.http.BhdgefinterceptorChain.proceed(RealInterceptorChain.java: | | |
| 147) | at an imposition and the interest of an interest of | | |
| , | at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept | | |
| (Dotm) | AndFollow InIntercentor iava:126) | | |

 $at\ okhttp 3. internal. http. RealInterceptor Chain. proceed (RealInterceptor Chain. java:$

(RetryAndFollowUpInterceptor.java:126)

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more) | | |
| 2 | Start listener action : terminateRunningWebDrivers | 0.489s | PASSED |
| 3 | Video | 0.000s | PASSED |

Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .

Information

ID Test Cases/V Test Case (Autoship)

Object: 'Object Repository/Footer/divCountryLanguage' is clicked on

Description

Tag

Start 2023-05-11 12:30:29 End 2023-05-11 12:31:42

Elapsed 1m - 13.156s

Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 1.297s | PASSED |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | 3.277s | PASSED |
| 3 | deleteAllCookies() Delete all cookies successfully | 0.023s | PASSED |
| 4 | maximizeWindow() Current window maximized | 0.149s | PASSED |
| 5 | refresh() Refresh successfully | 0.553s | PASSED |
| 6 | delay(3) Delayed 3 second(s) | 3.013s | PASSED |
| 7 | click(findTestObject("Footer/divCountryLanguage")) | 2.936s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 8 | click(findTestObject("CountryLanguage/select_en-PT")) | 1.276s | PASSED |
| | Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | | |
| 9 | click(findTestObject("Header/iconGuestProfile")) | 1.434s | PASSED |
| | Object: 'Object Repository/Header/iconGuestProfile' is clicked on | | |
| 10 | setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") | 1.470s | PASSED |
| | Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin' | | |
| 11 | setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") | 0.971s | PASSED |
| | Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin' | | |
| 12 | click(findTestObject("LoginPage/svgShowPasswordLogin")) | 0.499s | PASSED |
| | Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | | |
| 13 | click(findTestObject("LoginPage/buttonSignIn")) | 0.489s | PASSED |
| | Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on | | |
| 14 | click(findTestObject("Header/iconUserProfile")) | 3.748s | PASSED |
| | Object: 'Object Repository/Header/iconUserProfile' is clicked on | | |
| 15 | click(findTestObject("Header/divAccountInformationBO")) | 1.158s | PASSED |
| | Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | | |
| 16 | click(findTestObject("BackOffice/divAutoshipPage")) | 0.854s | PASSED |
| | Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on | | |
| 17 | delay(3) | 3.016s | PASSED |
| | Delayed 3 second(s) | | |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 18 | StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021960' | 0.344s | PASSED |
| 19 | println(StringlastAutoshipNumber) | 0.001s | PASSED |
| 20 | lastAutoshipNumber = StringlastAutoshipNumber.toInteger() | 0.001s | PASSED |
| 21 | println(lastAutoshipNumber) | 0.001s | PASSED |
| 22 | click(findTestObject("BackOffice/Autoship/buttonNewAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on | 0.505s | PASSED |
| 23 | click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on | 3.990s | PASSED |
| 24 | click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag")) Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on | 2.346s | PASSED |
| 25 | click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on | 0.589s | PASSED |

| delick(findTesiObject("BackOffice/Autoship/buttonContinue")) Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' (Root clause: com.kms.kstation.core exception.StapFailledException: Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' at com.kms.kstation.core veebulickeyword.internal.WebUlKeywordMain.stepFailed (WabUlKeywordMain.groovy.64) at com.kms.kstation.core webulickeyword.internal.WebUlKeywordMain.runKeyword (WabUlKeywordMain.groovy.26) at com.kms.kstation.core webulickeyword.bultin.ClickKeyword.click(ClickKeyword.groovy.74) at com.kms.kstation.core webulickeyword bultin.ClickKeyword.execute (ClickKeyword.groovy.74) (ClickKeyword.groopy.62) at com.kms.kstation.core webulickeyword.WebUlBultinKeywords.click (ClickKeyword.groovy.62) at com.kms.kstation.core.webulickeyword.WebUlBultinKeywords.click (WebUlBultinKeywords.groovy.620) at com.kms.kstation.core.webulickeyword.WebUlBultinKeywords.click (WebUlBultinKeywords.groovy.620) at com.kms.kstation.core.webulickeyword.WebUlBultinKeywords.SclickS4-call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship).70) at com.kms.kstation.core.mein.TestCaseExecutor.nunScriptCreatCaseExecutor.paya-49) at com.kms.kstation.core.mein.TestCaseExecutor.nunScriptCreatCaseExecutor.paya-49) at com.kms.kstation.core.mein.TestCaseExecutor.processExecutor.paya-49) at com.kms.kstation.core.mein.TestCaseExecutor.processExecutor.phase (TestCaseExecutor.paya-419) at com.kms.kstation.core.mein.TestCaseExecutor.accessMainPhase (TestCaseExecutor.paya-419) at com.kms.kstation.core.mein.TestCaseExecutor.accessMainPhase (TestCaseExecutor.paya-419) at com.kms.kstation.core.mein.TestCaseExecutor.accessTestCaseMain.phase (TestCaseExecutor.paya-410) at com.kms.kstation.core.mein.TestCaseExecutor.accessTestCaseMain.phase (TestCaseExecutor.paya-410) at com.kms.kstation.core.mein.TestCaseExecutor.accessTestCaseMain.phase (TestCaseExecutor.paya-410) at com.kms.kstation.core.mein.TestCaseExecutor.accessTestCas | | | | |
|---|----|--|---------|--------|
| Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' at com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' at com.kms.katalon.core.exebul.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.grovy-76) at com.kms.katalon.core.exebul.keyword.builin.ClickKeyword.click(ClickKeyword.grovy-774) at com.kms.katalon.core.exebul.keyword.builin.ClickKeyword.execute (ClickKeyword.grovy-774) at com.kms.katalon.core.exebul.keyword.builin.ClickKeyword.execute (ClickKeyword.grovy-74) at com.kms.katalon.core.exebul.keyword.webUlBuilitClickKeyword.execute (ClickKeyword.grovy-74) at com.kms.katalon.core.exebul.keyword.webUlBuilitClickYeyword.execute (WebUlBuilitKeywords.grovy-620) at Com.kms.katalon.core.exebul.keyword.webUlBuilitClickYeywords.click (WebUlBuilitKeywords.grovy-620) at Com.kms.katalon.core.exebul.keyword.webUlBuilitClickYeywords.ClickSet.com.grovy-620) at Com.kms.katalon.core.exebul.keyword.webUlBuilitClickYeywords.ClickSet.com.grovy-620) at Com.kms.katalon.core.exebul.keyword.webUlBuilitClickYeywords.ClickSet.com.grovy-620) at Com.kms.katalon.core.exebul.keyword.webUlBuilitClickYeywords.ClickSet.com.grovy-620) at Com.kms.katalon.core.exebul.keyword.webUlBuilitClickYeywords.ClickSet.com.grovy-620) at Com.kms.katalon.core.exebul.exebul.grovy-6200 at Com.kms.katalon.core.exebul.exebul.grovy-6200 at Com.kms.katalon.core.exebul.exebul.grovy-6200 at Com.kms.katalon.core.exebul.exebul.grovy-6200 at Com.kms.katalon.core.exebul.exebul.exebul.exebul.grovy-6200 at Com.kms.katalon.core.exebul.exeb | # | Description | Elapsed | Status |
| Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' at com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' at com.kms.katalon.core.exebul.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.grovy-76) at com.kms.katalon.core.exebul.keyword.builuin.ClickKeyword.click(ClickKeyword.grovy-74) at com.kms.katalon.core.exebul.keyword.builuin.ClickKeyword.execute (ClickKeyword.grovy-74) at com.kms.katalon.core.exebul.keyword.builuin.ClickKeyword.execute (ClickKeyword.grovy-74) at com.kms.katalon.core.exebul.keyword.webul.BuilutReywordExecutor.executeKeywordForPathorMicKeywordExecutor.grovy-74) at com.kms.katalon.core.exebul.keyword.WebUlBuiltReywordSclick\$(WebUlBuiltReywordSclick\$1) at com.kms.katalon.core.exebul.keyword.WebUlBuiltReywords.click (WebUlBuiltReywords.grovy-762)) at Com.kms.katalon.core.exebul.keyword.WebUlBuiltReywords.click (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com.kms.katalon.core.exebul.exebu | 26 | click(findTestObject("BackOffice/Autoship/buttonContinue")) | 36.264s | FAILED |
| cause: com. kms. katalon. core. exception. StopFailadeException: Unable to click on object Object Repository/Back/Clinica/Nuchis/buttonContinue' at com. kms. katalon.core. webul. keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groov;26) at com. kms. katalon.core. webul. keyword. internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groov;26) at com. kms. katalon.core. webul. keyword. builtin. ClickKeyword. click(ClickKeyword. grovy;74) at com. kms. katalon.core. webul. keyword. builtin. ClickKeyword. execute (ClickKeyword groov;40) at com. kms. katalon.core. webul. keyword. builtin. ClickKeyword. execute (ClickKeyword provy;40) at com. kms. katalon.core. webul. keyword. builtin. ClickKeyword. executor. executeKeyword ForPlatform(KeywordExecutor.groov;74) at com. kms. katalon.core. webul. keyword. WebUlBuiltinKeywords. click (WebUlBuiltinKeywords.groov;620) at com. kms. katalon.core. webul. keyword. WebUlBuiltinKeywords. click (WebUlBuiltinKeywords.groov;620) at com. kms. katalon.core. amain. ScriptEngine. runKerpitgnije. java: 194) at com. kms. katalon.core. amain. ScriptEngine. runKerpitgnije. java: 194) at com. kms. katalon.core. amain. TestCaseExecutor. runScript[TestCaseExecutor.] java:119) at com. kms. katalon.core. amain. TestCaseExecutor. runScript[TestCaseExecutor.] java:449) at com. kms. katalon.core. amain. TestCaseExecutor. dexecute(TestCaseExecutor.] java:439) at com. kms. katalon.core. amain. TestCaseExecutor. accessMainPhase (TestCaseExecutor.java:410) at com. kms. katalon.core. amain. TestCaseExecutor. accessTestCaseMainPhase (TestCaseExecutor.java:410) at com. kms. katalon.core. amain. TestCaseExecutor. accessTestCaseMainPhase (TestCaseExecutor.java:45) at com. kms. katalon.core. amain. TestCaseMain.startTestSuiteExecutor. java:260) at com. kms. katalon.core. amain. TestCaseMain.startTestSuiteMainPhase (TestSuteExecutor.java:151) at com. kms. katalon.core. amain. TestCaseMain.startTestSuiteGxecutor. at com. kms. katalon.core. amain. TestCaseMain.startTestSuiteGx | | | | |
| Cibject Repository/BackOffice/Auchship/buttonContinue' at com.kms.katalon.core webulk.eyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groovy;26) at com.kms.katalon.core.webulk.eyword.builtin.ClickKeyword.click(ClickKeyword.groovy;74) at com.kms.katalon.core.webulk.eyword.builtin.ClickKeyword.click(ClickKeyword.groovy;74) at com.kms.katalon.core.webulk.eyword.builtin.ClickKeyword.execute (ClickKeyword.groovy;40) at com.kms.katalon.core.webulk.eyword.builtin.ClickKeyword.execute (ClickKeyword.groovy;40) at com.kms.katalon.core.webulk.eyword.builtin.ClickKeyword.execute (ClickKeyword.groovy;40) at com.kms.katalon.core.webulk.eyword.WebUlBuiltin.Keywords.click (WebUlBuiltin.Keywords.groovy;620) at com.kms.katalon.core.webulk.eyword.WebUlBuiltin.Keywords.click (WebUlBuiltin.Keywords.groovy;620) at com.kms.katalon.core.webulk.eyword.WebUlBuiltin.Keywords.click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship);70) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:48) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.processExecutor.java:48) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.Phase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.grocessTestCaseMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestCaseMainStartTestSuiteExecutor.grocessTestCaseMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMainStartTestSuiteOxocate | | | | |
| at com.kms.katalon.core.webuk.keyword.internal.WebUlKeywordMain.stepFailed (WebUlKeywordMain.groopy.26) at com.kms.katalon.core webuk.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groopy.26) at com.kms.katalon.core.webuk.keyword.builtin.ClickKeyword.click(ClickKeyword.groopy.74) at com.kms.katalon.core.webuk.keyword.builtin.ClickKeyword.execute (ClickKeyword.groopy.40) at com.kms.katalon.core.webuk.keyword.builtin.ClickKeyword.scetor. executeKeywordForPlatform(KeywordExecutor.groopy.74) at com.kms.katalon.core.webuk.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groopy.620) at com.kms.katalon.core.webuk.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groopy.620) at com.kms.katalon.core.webuk.keyword.WebUlBuiltinKeywords.Sclick\$4.call (Uknown Source) at V.Test Case (Autoship).run(V Test Case (Autoship).70) at com.kms.katalon.core.main.ScriptEngine.tunScriptEngine.java.194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java.419) at com.kms.katalon.core.main.TestCaseExecutor.dexecute(TestCaseExecutor.java.439) at com.kms.katalon.core.main.TestCaseExecutor.groopseExecutionPhase (TestCaseExecutor.java.418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java.418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java.418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java.416) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuteExecutor.java.416) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java.166) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseMain.java.165) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseMain.java.165) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteCaseMain.java.165) at com.kms.katalon.core.webuk.exeputor.webUlCommonHelper.findWebElement (WebUlCommonHelper.java.1370) at com.kms.katalon.core.webuk.expword.internal.WebUlAbstractKeyword. internal.WebUlKeyw | | | | |
| (WebUlKeywordMain_groovy;64) at om_kms_katalon_core_webui.keyword.internal.WebUlKeywordMain_runKeyword (WebUlKeywordMain_groovy;26) at oom_kms_katalon_core_webui.keyword_builtin_ClickKeyword_click(ClickKeyword_groovy;74) at oom_kms_katalon_core_webui.keyword_builtin_ClickKeyword_execute (ClickKeyword groovy;40) at oom_kms_katalon_core_keyword_internal.KeywordExecutor_groovy;74) at oom_kms_katalon_core_webui.keyword_webUlBuiltinKeyword_click (WebUlBuiltinKeywords_groovy;620) at oom_kms_katalon_core_webui.keyword.WebUlBuiltinKeywords_click (WebUlBuiltinKeywords_groovy;620) at oom_kms_katalon_core_webui.keyword.WebUlBuiltinKeywords_click (WebUlBuiltinKeywords_groovy;620) at oom_kms_katalon_core_webui.keyword.WebUlBuiltinKeywords_click_4_call (Unknown_Source) at oom_kms_katalon_core_main_ScriptEngine_trun(ScriptEngine_java:194) at oom_kms_katalon_core_main_ScriptEngine_trun(ScriptEngine_java:194) at oom_kms_katalon_core_main_TestCaseExecutor_trunScriptAsRewText(ScriptEngine_java:194) at oom_kms_katalon_core_main_TestCaseExecutor_trunScriptAsRewText(ScriptEngine_java:48) at oom_kms_katalon_core_main_TestCaseExecutor_trunScriptCaseExecutor_java:48) at oom_kms_katalon_core_main_TestCaseExecutor_trunCaseExecutor_processExecutor_java:49) at oom_kms_katalon_core_main_TestCaseExecutor_cruncessMainPhase (TestCaseExecutor_java:410) at oom_kms_katalon_core_main_TestCaseExecutor_accessTestCaseMainPhase (CommonExecutor_java:85) at oom_kms_katalon_core_main_TestSuiteExecutor_accessTestSuiteMainPhase (CommonExecutor_java:85) at oom_kms_katalon_core_main_TestSuiteExecutor_accessTestSuiteMainPhase (TestSuiteExecutor_java:151) at oom_kms_katalon_core_main_TestSuiteExecutor_accessTestSuiteMainPhase (TestSuiteExecutor_java:151) at oom_kms_katalon_core_main_TestCaseMain_startTestSuiteSuiteCaseMain_java: 185) at oom_kms_katalon_core_main_TestCaseMain_startTestSuiteSuiteCaseMain_java: 185) at oom_kms_katalon_core_main_TestCaseMain_startTestSuiteSuiteCaseMain_java: 185) at oom_kms_katalon_core_main_TestCaseMain_startTestSuiteSuiteCaseMai | | | | |
| At com. kms. katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy;26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy;74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy;40) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute executeKeywordForPlatform(KeywordExecutor.groovy;74) at com.kms.katalon.core.webui.keyword.WebUBuiltinKeywords.click (WebUlBuiltinKeywords.groovy;620) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy;620) at com.kms.katalon.core.main.ScriptEngine.groovy;74) at com.kms.katalon.core.main.ScriptEngine.groovy;74) at com.kms.katalon.core.main.ScriptEngine.groovy;74) at com.kms.katalon.core.main.ScriptEngine.groovy;74) at com.kms.katalon.core.main.ScriptEngine.groovy;74) at com.kms.katalon.core.main.ScriptEngine.groovy;74) at com.kms.katalon.core.main.TestCaseExecutor.groovy;74) at com.kms.katalon.core.main.TestCaseExecutor.groovy;75) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.groov;35) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFortinteMainPhase (TestSuiteExecutor.java;15) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFortinteMainPhase (TestSuiteExecutor.java;15) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFortinteMainPhase (TestSuiteExecutor.java;15) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteFor | | | | |
| (WebUlKeywordMain_groovy.26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy.40) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute executeKeyword.groovy.620) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy.620) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy.620) at vom.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (Unkonw Source) at v Test Case (Autoship).run(V Test Case (Autoship).70) at com.kms.katalon.core.main.ScroptEngine.run(ScriptEngine.java-194) at com.kms.katalon.core.main.ScroptEngine.run(ScriptEngine.java-194) at com.kms.katalon.core.main.ScroptEngine.runScriptTaRawText(ScriptEngine.java-194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptTestCaseExecutor.java-193) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java-193) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java-193) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java-193) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java-195) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (CommonExecutor.java-165) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java-165) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java-165) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java-165) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuiteExecutor.java-166) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java-186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java-186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java-186) at com.km | | | | |
| groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click ((VebUlBuiltinKeywords.groovy:620) at Com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.Click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com.kms.katalon.core.mebin.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutiorPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.webui.expword.miternal.WebUlAbstractKeyword.findWebElement(WebUlAbstractKeyword.groovy:26) at com.kms.katalon.core | | | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click (WebUlBuiltinKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUlBuiltinKeywords.click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:149) at com.kms.katalon.core.main.TestCaseExecutor.deExecute(TestCaseExecutor.java:149) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:141) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:141) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 108 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109 at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUiAbst | | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| (ClickKeyword_groovy-40) at com_kms_katalon.core_keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com_kms_katalon.core_webui.keyword.WebUiBuiltinKeywords.click (WebUiBuiltinKeywords.groovy:620) at com_kms_katalon.core_webui.keyword.WebUiBuiltinKeywords\$click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com_kms_katalon.core_webui.ScriptEngine_run(ScriptEngine_java:194) at com_kms_katalon.core_main.ScriptEngine.run(ScriptEngine_java:194) at com_kms_katalon.core_main.TestCaseExecutor.runScript(TestCaseExecutor. java:119) at com_kms_katalon.core_main.TestCaseExecutor.deExecute(TestCaseExecutor.java:448) at com_kms_katalon.core_main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com_kms_katalon.core_main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com_kms_katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:245) at com_kms_katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com_kms_katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:351) at com_kms_katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com_kms_katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com_kms_katalon.core.main.TestCaseMain.startTestSuiteExecutor.java: 106) at com_kms_katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com_kms_katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com_kms_katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com_kms_katalon.core.webui.executor.webui.executor.oxecute(TestSuiteExecutor.java: 106) at TempTestSuite16883800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com_kms_katalon.core.webui.executor.oxecute1688800901365.groovy:36) caused by: com_kms_katalon.core.webui.executor.oxecute1688800901365.groovy:36) at com_kms_katalon.core.webui.executor.oxecute1688800901365.groovy:36) a | | | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForHatrom(KeywordExecutor.growy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.funScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.common.CommonExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java: 108) at com.kms.katalon.core.main.TestCaseMain.startTestSuiteExecutor.java: 109) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.webui.exyevord.brion.WebLementNoroundExecutor.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUiAbstractKeyword. findWebElement(WebUiAbstractKeyword.govy:25) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.govy:05) at com. | | | | |
| executek/eywordForPlatform/KeywordExecutor.groovy;74) at com.kms.katalon.core.webui.keyword.WebUBuiltnKeywords.click (WebUBuiltnKeywords.groovy;620) at com.kms.katalon.core.webui.keyword.WebUBuiltnKeywords.click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship);70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.webui.exeeption.WebElementNofFoundExeeption: Web element with id: Object RepositoryBackOffice/Autoship/buttonContinue* located by //button [@ class= binSave;"] not found at com.kms.katalon.core.webui.exeeption.WebElementNofFoundExeeption: Web element with id: Object RepositoryBackOffice/Autoship/buttonContinue* located by //button [@ class= binSave;"] not found at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKey | | | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptTGstCaseExecutor. java:48) at com.kms.katalon.core.main.TestCaseExecutor.runScriptTGstCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:45) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) caused by: com.kms.katalon.core.webui.exeeption.WebElementNofFoundExecption: Web element with id: Object RepositoryBackOffice/Autoship/buttonContinue* located by //button (@class=bhSave*] not found at com.kms.katalon.core.webui.exeeption.WebElementNofFoundExecption: Web element with id: Object RepositoryBackOffice/Autoship/buttonContinue* located by //button (@class=bhSave*] not found at com.kms.katalon.core.webui.exeption.UickExecutor.jourd.clickCeyordS_click_closure1. doCall(ClickKeyword.groovy;26) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. | | | | |
| (WebUlBuitInKeywords.groovy-620) at com.kms.katalon.core.webui.keyword.WebUlBuitInKeywords\$click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:455) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:455) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:156) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:156) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteCxecutor.java:156) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:155) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:155) at com.kms.katalon.core.webui.exeeption.WebElementNotFoundException: Web element with id: Object RepositoryBackOffice/Autoship/buttonContinue* located by //button [@ class="btnSave"]" on tound at com.kms.katalon.core.webui.exeeption.WebElementNotFoundException: Web element with id: Object RepositoryBackOffice/Autoship/buttonContinue* located by //button [@ class="btnSave"]" on tound at com.kms.katalon.core.webui.exeeption.WebElementNotFoundException: Web element with id: Object RepositoryBackOffice/Autoship/buttonContinue* located by //button [@ class="btnSave"]" on tound at com. | | | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$4.call (Unknown Source) at V Test Case (Autoship).run(V Test Case (Autoship):70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptTestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutorPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 108) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 109) at tempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: Object Repository/BackOffice/Autoship/buttonContinue located by //button (@class=btnSave/f) not found at com.kms.katalon.core.webui.common.WebUlCommonHelper.findWebElement (WebUlCommonHelper.java:1370) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findWebElement (WebUlCommonHelper.java:1370) at com.kms.katalon.core.webui.common.WebUlCommonHelper.findWebElement (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeywordS_click_closure1.call (ClickKeyword.groovy) | | | | |
| at V Test Case (Autoship),run(V Test Case (Autoship);70) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:199) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:489) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:485) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:455) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.webui.exeeption.WebElementNotFoundException: Web element with id: Object Repository/BackOffice/Autoship/buttonContinue/located by://button/file/Cases=binSave/j not found at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call | | | | |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 186) at tempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object RepositoryBackOffice/Autoship/buttonContinue' located by '//button [@class="binSave"]' not found at com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element (WebUlCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUlKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.buittin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.buittin.ClickKeyword\$_click_closure1.call | | | | |
| at com.kms.katalon.core.main.TestCaseExecutor.runScriptCrestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.webui.exeception.WebElementNotFoundException:Web element with id: Object Repository/BackOffice/Autoship/buttonContinue* located by //button [@class= binSave]* not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) | | | | |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMainstartTestSuite(TestCaseMain.java: 185) caused by: com.kms.katalon.core.webui.exeeption.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '/button [@class="binSave"] not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.col (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:245) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain*startTestSuite(TestCaseMain.java: 186) at com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: Object Repository/BackOffice/Autoship/buttonContinue' located by '/button [@class="binSave"] not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.coll (ClickKeyword.groovy):20) | | | | |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:451) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.\$tartTestSuite(TestCaseMain.java: 185) caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.exception.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) | | | | |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class='btnSave]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) | | | | |
| TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite(So.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class='btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.\$startTestSuite(TestCaseMain.java: 185) caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordS_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordS_click_closure1.call (ClickKeyword.groovy) | | | | |
| TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:410) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUiAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.internal.WebUIKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeyword\$_click_closure1.call (ClickKeyword.groovy) | | | | |
| (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object RepositoryBackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'binSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUlAbstractKeyword. findWebElement(WebUlAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at TempTestSuite1683800901365.run(TempTestSuite1683800901365.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found | | | | |
| Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found | | | | |
| element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found | | | | |
| [@class= 'btnSave']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | | | |
| (WebUIKeywordMain.groovy:20) | | | | |
| | | | | |
| | | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |

