BO - Smoke Test

Execution Environment

Host name WIN10 - FINMX-L12 Local OS Windows 10 64bit

Katalon version 8.5.5.208

Browser Chrome 113.0.0.0

Summary

ID Test Suites/BO - Smoke Test

Description

Total 3

Passed 2 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2023-05-24 13:04:22 End 2023-05-24 13:07:40

Elapsed 3m - 18.664s

#	ID	Description	Status
1	Test Cases/II Test Case (View My Orders)		PASSED
2	Test Cases/III Test Case (View Payments)		FAILED
3	Test Cases/IV Test Case (Privacy Communication)		PASSED

Information

ID Test Cases/II Test Case (View My Orders)

Description

Tag

Start 2023-05-24 13:04:22 End 2023-05-24 13:06:48

Elapsed 2m - 26.025s

Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.669s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.029s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.042s	PASSED
4	maximizeWindow() Current window maximized	0.166s	PASSED
5	refresh() Refresh successfully	0.668s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.121)'	3.299s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.005s	PASSED

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage"))	2.921s	PASSED
	Object: 'Object Repository/Footer/divCountryLanguage' is clicked on		
9	click(findTestObject("CountryLanguage/select_en-PT"))	1.287s	PASSED
	Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on		
10	click(findTestObject("Header/iconGuestProfile"))	1.491s	PASSED
	Object: 'Object Repository/Header/iconGuestProfile' is clicked on		
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")	2.097s	PASSED
	Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'		
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")	1.068s	PASSED
	Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'		
13	click(findTestObject("LoginPage/svgShowPasswordLogin"))	0.530s	PASSED
	Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on		
14	click(findTestObject("LoginPage/buttonSignIn"))	0.553s	PASSED
	Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on		
15	click(findTestObject("Header/iconUserProfile"))	4.517s	PASSED
	Object: 'Object Repository/Header/iconUserProfile' is clicked on		
16	click(findTestObject("Header/divAccountInformationBO"))	1.683s	PASSED
	Object: 'Object Repository/Header/divAccountInformationBO' is clicked on		
17	click(findTestObject("BackOffice/divViewMyOrdersPage"))	1.159s	PASSED
	Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on		

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/ViewMyOrders/svg1ViewDetailOrder"))	2.012s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/svg1ViewDetailOrder' is clicked on		
19	delay(3)	3.030s	PASSED
	Delayed 3 second(s)		
20	verifyElementVisible(findTestObject("BackOffice/ViewMyOrders/assertViewOrder"))	0.407s	PASSED
	Object 'Object Repository/BackOffice/ViewMyOrders/assertViewOrder' is visible		
21	click(findTestObject("BackOffice/ViewMyOrders/buttonGoBackDetailOrder"))	0.547s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/buttonGoBackDetailOrder' is clicked on		
22	invoice_number = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0].i nvoice_number;", null)	0.044s	PASSED
	Execute JavaScript 'return		
23	println(invoice_number)	0.002s	PASSED
24	click(findTestObject("BackOffice/ViewMyOrders/button1RepeatOrder"))	0.668s	PASSED
24		0.0005	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/button1RepeatOrder' is clicked on		
25	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity"))	2.402s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity' is clicked on		
26	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout"))	0.607s	PASSED
	Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on		

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	2.376s	PASSED
28	delay(5) Delayed 5 second(s)	5.008s	PASSED
29	<pre>urlCheckout = getUrl() Current window's url is: 'https://ecommerce-test.softmetrixgroup.com/en-PT/checkout/'</pre>	0.031s	PASSED
30	println(urlCheckout)	0.001s	PASSED
31	if (urlCheckout.contains("checkout"))	0.004s	PASSED
32	if (invoice_number.contains("US"))	0.001s	PASSED
33	else if (invoice_number.contains("AU"))	0.000s	PASSED
34	else if (invoice_number.contains("ZA"))	0.001s	PASSED
35	else Delayed 15 second(s)	52.090s	PASSED
36	script = null	0.001s	PASSED

Description Elapsed Status

#	Description	Elapsed	Status
37	try	0.197s	FAILED
31	uy	0.1373	TAILLD
	Unable to execute JavaScript. (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to execute JavaScript.		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.		
	executeJavascript(ExecuteJavascriptKeyword.groovy:42)		
	at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.		
	execute(ExecuteJavascriptKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	executeJavaScript(WebUiBuiltInKeywords.groovy:4873)		
	at com.kms.katalon.core.webui.keyword.		
	WebUiBuiltInKeywords\$executeJavaScript\$8.call(Unknown Source)		
	at II Test Case (View My Orders).run(II Test Case (View My Orders):296) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.scriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: the following statement of the context of the c$		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1684926255351.run(TempTestSuite1684926255351.groovy:36)		
	Caused by: org.openqa.selenium.JavascriptException: javascript error: Cannot read		
	properties of null (reading 'checkout')		
	(Session info: chrome=113.0.5672.127)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.25', os.name: 'Windows 10', os.arch: 'amd64',		
	os.version: '10.0', java.version: '1.8.0_282'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae,		
	userDataDir: C:\Users\WIN10\AppData\Loca}, goog:chromeOptions: {debuggerAddress:		
	localhost:61879}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:		
	Your and the second of the sec		

300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,

Elapsed

Status

```
Description
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 02f492e4fd8e0673792a946d20bbc2ac
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.executeScript
(RemoteWebDriver.java:489)
          at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at com.sun.proxy.$Proxy12.executeScript(Unknown Source)
          at org.openga.selenium.support.events.EventFiringWebDriver.executeScript
(EventFiringWebDriver.iava:229)
          at com.kms.katalon.core.webui.keyword.builtin.
ExecuteJavaScriptKeyword$_executeJavascript_closure1.doCall
(ExecuteJavascriptKeyword.groovy:48)
          at com.kms.katalon.core.webui.keyword.builtin.
ExecuteJavaScriptKeyword$_executeJavascript_closure1.call(ExecuteJavascriptKeyword.
groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
executeJavascript(ExecuteJavascriptKeyword.groovy:42)
          at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.
execute(ExecuteJavascriptKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
executeJavaScript(WebUiBuiltInKeywords.groovy:4873)
          at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$executeJavaScript$8.call(Unknown Source)
          at Script1682598283514.run(Script1682598283514.groovy:296)
          ... 13 more
ThreeDS ACS Emulator - Challenge Page
 Notification URL:
http://json.softmetrixgroup.com/finish-test.php
DsTransID:
5935ded3-c4ba-4542-8864-c34c686f720c
ThreeDSServerTransID:
```

eb1ac792-5c61-4440-8dcd-f19119a3b96d **AcsTransID:** 69574d4a-231a-4224-b970-082739faae84

#	Description	Elapsed	Status
38	catch (Exception e) Error while loading script: Unable to execute JavaScript.	0.068s	PASSED
39	if (script == null script.equals(""))	0.002s	PASSED
40	statusCode = Integer.parseInt(script)	0.002s	PASSED
41	<pre>if (statusCode == 0) Object 'Object Repository/Header/iconUserProfile' is visible</pre>	33.457s	PASSED
42	orderScriptFP = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).checkout).paymentResponse.or der_number;", null) Execute JavaScript 'return	0.025s	PASSED
43	orderNumberFP = Integer.parseInt(orderScriptFP)	0.001s	PASSED
44	println("Order Number Finish-Payment: " + orderNumberFP)	0.001s	PASSED
45	verifyElementVisible(findTestObject("Header/iconUserProfile")) Object 'Object Repository/Header/iconUserProfile' is visible	0.420s	PASSED
46	verifyElementVisible(findTestObject("FinishPaymentPage/h1Congratulations")) Object 'Object Repository/FinishPaymentPage/h1Congratulations' is visible	0.421s	PASSED

#	Description	Elapsed	Status
47	click(findTestObject("Object Repository/FinishPaymentPage/buttonYourOrders")) Object: 'Object Repository/FinishPaymentPage/buttonYourOrders' is clicked on	2.844s	PASSED
48	delay(5) Delayed 5 second(s)	5.009s	PASSED
49	orderScriptBO = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0]. order_number;", null) Execute JavaScript 'return	0.043s	PASSED
50	orderNumberBO = Integer.parseInt(orderScriptBO)	0.001s	PASSED
51	println("Order Number BO: " + orderNumberBO)	0.002s	PASSED
52	<pre>if (orderNumberFP == orderNumberBO) Object: 'Object Repository/BackOffice/ViewMyOrders/ahrefFirstInvoiceBO' is clicked on</pre>	2.473s	PASSED
53	assert orderNumberFP == orderNumberBO	0.003s	PASSED
54	click(findTestObject("BackOffice/ViewMyOrders/ahrefFirstInvoiceBO")) Object: 'Object Repository/BackOffice/ViewMyOrders/ahrefFirstInvoiceBO' is clicked on	2.172s	PASSED
55	Start listener action : terminateRunningWebDrivers	0.615s	PASSED

#	Description	Elapsed	Status
56	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/II Test Case (View My Orders)' .		

Information

ID Test Cases/III Test Case (View Payments)

Description

Tag

Start 2023-05-24 13:06:48 End 2023-05-24 13:06:56

Elapsed 7.612s Status FAILED

Details

Description Elapsed Status

ŧ	Description	Elapsed	Status
	openBrowser("")	4.600s	FAILED
	Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to open browser with url: "		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
	openBrowser(OpenBrowserKeyword.groovy:81)		
	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
	(OpenBrowserKeyword.groovy:67)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
	(WebUiBuiltInKeywords.groovy:64)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
	(Unknown Source)		
	at III Test Case (View Payments).run(III Test Case (View Payments):20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1684926255351.run(TempTestSuite1684926255351.groovy:36)		
	Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed		
	to connect to localhost/0:0:0:0:0:0:0:1:45669		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'FINMX-L12', ip: '192.168.0.25', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'		
	Driver info: driver.version: EventFiringWebDriver		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute		
	(DriverCommandExecutor.java:92)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.		
	java:552)		
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:		
	19)		
	$at\ or g. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)$		
	iava:600)		

 $at\ org. open qa. selenium. remote. Remote Web Driver. quit (Remote Web Driver. java:$

java:609)

```
Description
                                                                                             Elapsed
                                                                                                               Status
452)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at com.sun.proxy.$Proxy12.quit(Unknown Source)
          at org.openqa.selenium.support.events.EventFiringWebDriver.quit
(EventFiringWebDriver.java:211)
          at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1501)
          at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:343)
          at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
          at Script1683121456443.run(Script1683121456443.groovy:20)
          ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:45669
          at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
          at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
          at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
          at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
          at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
          at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
          at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
          at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
          at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
          at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
```

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:

(RetryAndFollowUpInterceptor.java:126)

147)

#	Description	Elapsed	Status
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245) 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.488s	PASSED
3	Video	0.000s	PASSED

Video recording for test case 'Test Cases/III Test Case (View Payments)' .

Information

ID Test Cases/IV Test Case (Privacy Communication)

Description

Tag

Start 2023-05-24 13:06:56 End 2023-05-24 13:07:40

Elapsed 44.648s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.339s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.314s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.016s	PASSED
4	maximizeWindow() Current window maximized	0.146s	PASSED
5	refresh() Refresh successfully	0.552s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.121)'	3.945s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.002s	PASSED

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage"))	2.816s	PASSED
	Object: 'Object Repository/Footer/divCountryLanguage' is clicked on		
9	click(findTestObject("CountryLanguage/select_en-PT"))	1.312s	PASSED
	Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on		
10	click(findTestObject("Header/iconGuestProfile"))	1.247s	PASSED
	Object: 'Object Repository/Header/iconGuestProfile' is clicked on		
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")	1.551s	PASSED
	Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'		
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")	1.020s	PASSED
	Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'		
13	click(findTestObject("LoginPage/svgShowPasswordLogin"))	0.511s	PASSED
	Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on		
14	click(findTestObject("LoginPage/buttonSignIn"))	0.538s	PASSED
	Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on		
15	click(findTestObject("Header/iconUserProfile"))	4.495s	PASSED
	Object: 'Object Repository/Header/iconUserProfile' is clicked on		
16	click(findTestObject("Header/divAccountInformationBO"))	1.191s	PASSED
	Object: 'Object Repository/Header/divAccountInformationBO' is clicked on		
17	click(findTestObject("BackOffice/divPrivacyCommunicationPage"))	1.012s	PASSED
	Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on		

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonUpdate")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonUpdate' is clicked on	1.280s	PASSED
19	click(findTestObject("BackOffice/PrivacyAndCommunication/divLanguageDropdown"))	0.625s	PASSED
19	Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divLanguageDropdown' is clicked on	0.0258	PASSED
20	click(findTestObject("BackOffice/PrivacyAndCommunication/divFirstLanguageSelect")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divFirstLanguageSelect' is clicked on	0.682s	PASSED
21	click(findTestObject("BackOffice/PrivacyAndCommunication/divTimeZoneDropdown")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divTimeZoneDropdown' is clicked on	0.635s	PASSED
22	click(findTestObject("BackOffice/PrivacyAndCommunication/div2SelectTimeZone")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/div2SelectTimeZone' is clicked on	2.895s	PASSED
23	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch1")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch1' is clicked on	2.859s	PASSED
24	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch2")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch2' is clicked on	2.839s	PASSED
25	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSaveChanges")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSaveChanges' is clicked on	2.877s	PASSED

#	Description	Elapsed	Status
26	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertLanguag eEnglish")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertLanguageEnglish' is visible	2.588s	PASSED
27	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertTimeZoneTitle")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertTimeZoneTitle' is visible	0.376s	PASSED
28	Start listener action : terminateRunningWebDrivers	0.582s	PASSED
29	Video	0.000s	PASSED

Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .