

BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	5		
Passed	2	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-16 12:41:07	End	2023-05-16 12:45:16
Elapsed	4m - 9.142s		

#	ID	Description	Status
1	Test Cases/I Test Case (AccountInformation)	starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products	FAILED
2	Test Cases/II Test Case (View My Orders)		FAILED
3	Test Cases/III Test Case (View Payments)		PASSED
4	Test Cases/IV Test Case (Privacy Communication)		FAILED
5	Test Cases/V Test Case (Autoship)		PASSED

I Test Case (AccountInformation)

Information

ID	Test Cases/I Test Case (AccountInformation)		
Description	starting smoke test with this test case		
Tag	-change country -registration -login -BO		
Start	-change password -change language and check categories and products		
Elapsed	smoketest		
Status			
	2023-05-16 12:41:08	End	2023-05-16 12:42:02
	54.083s		
	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.401s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.323s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.053s	PASSED
4	maximizeWindow() Current window maximized	0.155s	PASSED
5	refresh() Refresh successfully	0.587s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'	4.837s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
7	println("Version of origin/test is: " + shopVersion)	0.005s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
8	<p>click(findTestObject("Footer/divCountryLanguage"))</p> <p>Unable to click on object 'Object Repository/Footer/divCountryLanguage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Footer/divCountryLanguage'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$5.call (Unknown Source)</p> <p>at I Test Case (AccountInformation).run(I Test Case (AccountInformation):34)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1684233660114.run (TempTestSuite1684233660114.groovy:36)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (1145, 2217) (Session info: chrome=113.0.5672.93)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: com.kms.katalon.selenium.driver.CCChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\WIN10\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:58934}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:</p>	39.569s	FAILED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
	<pre>credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 53cc42c2e94d666c07760aa47a362f65 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at com.sun.proxy.\$Proxy13.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$5.call (Unknown Source) at Script1680713356350.run(Script1680713356350.groovy:34) ... 13 more)</pre>		

I Test Case (AccountInformation)

#	Description	Elapsed	Status
<div><div>What Are You Looking For?</div><div><div><div><div></div><div>Search Organogold.com</div></div></div></div></div>			
9	Start listener action : terminateRunningWebDrivers	0.564s	PASSED
10	Video	0.001s	PASSED
Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .			

II Test Case (View My Orders)

Information

ID	Test Cases/II Test Case (View My Orders)		
Description			
Tag			
Start	2023-05-16 12:42:02	End	2023-05-16 12:42:09
Elapsed	7.564s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

II Test Case (View My Orders)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at II Test Case (View My Orders).run(II Test Case (View My Orders):20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1684233660114.run(TempTestSuite1684233660114.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:3335</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: EventFiringWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.582s	FAILED

II Test Case (View My Orders)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1682598283514.run(Script1682598283514.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:3335 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)		

II Test Case (View My Orders)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.502s	PASSED
3	Video Video recording for test case 'Test Cases/II Test Case (View My Orders)' .	0.001s	PASSED

III Test Case (View Payments)

Information

ID	Test Cases/III Test Case (View Payments)		
Description			
Tag			
Start	2023-05-16 12:42:09	End	2023-05-16 12:43:32
Elapsed	1m - 22.695s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.297s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.275s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.025s	PASSED
4	maximizeWindow() Current window maximized	0.183s	PASSED
5	refresh() Refresh successfully	0.566s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'	3.365s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.001s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.799s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.359s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.383s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.556s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.021s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.504s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.525s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.031s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.562s	PASSED
17	click(findTestObject("BackOffice/divViewPaymentsPage")) Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	0.973s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
18	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod' is clicked on	1.188s	PASSED
19	click(findTestObject("Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' is clicked on	0.627s	PASSED
20	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonContinue")) Object: 'Object Repository/BackOffice/ViewPayments/buttonContinue' is clicked on	0.516s	PASSED
21	delay(2) Delayed 2 second(s)	2.037s	PASSED
22	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardHolder"), "CL-BRW2") Text 'CL-BRW2' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardHolder'	0.956s	PASSED
23	delay(2) Delayed 2 second(s)	2.006s	PASSED
24	click(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), STOP_ON_FAILURE) Object: 'Object Repository/BackOffice/ViewPayments/inputCardNumber' is clicked on	0.502s	PASSED
25	delay(2) Delayed 2 second(s)	2.007s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
26	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "1111-1111-1111-1111") Text '1111-1111-1111-1111' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.267s	PASSED
27	delay(2) Delayed 2 second(s)	2.009s	PASSED
28	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on	0.503s	PASSED
29	click(findTestObject("Object Repository/BackOffice/ViewPayments/li4SelectMonth")) Object: 'Object Repository/BackOffice/ViewPayments/li4SelectMonth' is clicked on	0.648s	PASSED
30	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on	0.750s	PASSED
31	click(findTestObject("Object Repository/BackOffice/ViewPayments/li2027SelectYear")) Object: 'Object Repository/BackOffice/ViewPayments/li2027SelectYear' is clicked on	0.607s	PASSED
32	delay(2) Delayed 2 second(s)	2.011s	PASSED
33	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "252") Text '252' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.978s	PASSED
34	delay(2) Delayed 2 second(s)	2.004s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
35	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' is clicked on	2.727s	PASSED
36	click(findTestObject("Object Repository/BackOffice/ViewPayments/liFirstSelectAddress")) Object: 'Object Repository/BackOffice/ViewPayments/liFirstSelectAddress' is clicked on	0.654s	PASSED
37	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonSave")) Object: 'Object Repository/BackOffice/ViewPayments/buttonSave' is clicked on	3.700s	PASSED
38	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertVisiblePaymentMethod")) Object 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' is visible	1.690s	PASSED
39	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertCardNumber")) Object 'Object Repository/BackOffice/ViewPayments/assertCardNumber' is visible	0.346s	PASSED
40	click(findTestObject("Object Repository/BackOffice/ViewPayments/span2EditMethod")) Object: 'Object Repository/BackOffice/ViewPayments/span2EditMethod' is clicked on	0.534s	PASSED
41	delay(2) Delayed 2 second(s)	2.014s	PASSED
42	click(findTestObject("BackOffice/ViewPayments/inputCardNumber")) Object: 'Object Repository/BackOffice/ViewPayments/inputCardNumber' is clicked on	0.520s	PASSED
43	delay(2) Delayed 2 second(s)	2.004s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
44	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "2222-2222-2222-2222") Text '2222-2222-2222-2222' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.270s	PASSED
45	delay(2) Delayed 2 second(s)	2.011s	PASSED
46	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "2222-2222-2222-2222") Text '2222-2222-2222-2222' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.076s	PASSED
47	delay(2) Delayed 2 second(s)	2.009s	PASSED
48	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on	0.507s	PASSED
49	click(findTestObject("Object Repository/BackOffice/ViewPayments/li5SelectMonth")) Object: 'Object Repository/BackOffice/ViewPayments/li5SelectMonth' is clicked on	0.626s	PASSED
50	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on	0.722s	PASSED
51	click(findTestObject("Object Repository/BackOffice/ViewPayments/li2026SelectYear")) Object: 'Object Repository/BackOffice/ViewPayments/li2026SelectYear' is clicked on	0.616s	PASSED
52	delay(2) Delayed 2 second(s)	2.012s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
53	click(findTestObject("BackOffice/ViewPayments/inputCVV")) Object: 'Object Repository/BackOffice/ViewPayments/inputCVV' is clicked on	0.511s	PASSED
54	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "242") Text '242' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.942s	PASSED
55	delay(2) Delayed 2 second(s)	2.015s	PASSED
56	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "242") Text '242' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	0.951s	PASSED
57	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' is clicked on	0.507s	PASSED
58	click(findTestObject("Object Repository/BackOffice/ViewPayments/liFirstSelectAddress")) Object: 'Object Repository/BackOffice/ViewPayments/liFirstSelectAddress' is clicked on	0.611s	PASSED
59	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonSave")) Object: 'Object Repository/BackOffice/ViewPayments/buttonSave' is clicked on	1.139s	PASSED
60	verifyElementVisible(findTestObject("BackOffice/ViewPayments/assertNewCardNumber")) Object 'Object Repository/BackOffice/ViewPayments/assertNewCardNumber' is visible	1.585s	PASSED
61	click(findTestObject("Object Repository/BackOffice/ViewPayments/button2Remove")) Object: 'Object Repository/BackOffice/ViewPayments/button2Remove' is clicked on	0.511s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
62	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAcceptDeleteMethod")) Object: 'Object Repository/BackOffice/ViewPayments/buttonAcceptDeleteMethod' is clicked on	0.627s	PASSED
63	verifyElementNotPresent(findTestObject("BackOffice/ViewPayments/assertVisiblePayment Method"), 2) Web element with id: 'Object Repository/BackOffice/ViewPayments/assertVisiblePaymentMethod' located by 'By.xpath: (//div[@class = 'viewPaymentRow'])[2]' is not present after '2' second(s)	1.122s	PASSED
64	Start listener action : terminateRunningWebDrivers	0.555s	PASSED
65	Video Video recording for test case 'Test Cases/III Test Case (View Payments)' .	0.000s	PASSED

IV Test Case (Privacy Communication)

Information

ID	Test Cases/IV Test Case (Privacy Communication)		
Description			
Tag			
Start	2023-05-16 12:43:32	End	2023-05-16 12:43:39
Elapsed	7.394s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684233660114.run(TempTestSuite1684233660114.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:30572 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p>	4.581s	FAILED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683200246433.run(Script1683200246433.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:30572 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
147)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
121)	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:		
103)	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.469s	PASSED
3	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .		

V Test Case (Autoship)

Information

ID	Test Cases/V Test Case (Autoship)		
Description			
Tag			
Start	2023-05-16 12:43:39	End	2023-05-16 12:45:16
Elapsed	1m - 36.997s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.296s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.248s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.021s	PASSED
4	maximizeWindow() Current window maximized	0.152s	PASSED
5	refresh() Refresh successfully	0.545s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'	3.679s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.002s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.784s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.344s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.305s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.511s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	0.954s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.514s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.548s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	2.907s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.499s	PASSED
17	click(findTestObject("BackOffice/divAutoshipPage")) Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	0.986s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
18	delay(3) Delayed 3 second(s)	3.009s	PASSED
19	StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100022014'	0.332s	PASSED
20	println(StringlastAutoshipNumber)	0.002s	PASSED
21	lastAutoshipNumber = StringlastAutoshipNumber.toInteger()	0.001s	PASSED
22	println(lastAutoshipNumber)	0.000s	PASSED
23	click(findTestObject("BackOffice/Autoship/buttonNewAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on	0.506s	PASSED
24	click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on	4.559s	PASSED
25	click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag")) Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on	2.320s	PASSED
26	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	0.614s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingDate")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingDate' is clicked on	4.470s	PASSED
28	click(findTestObject("BackOffice/Autoship/buttonSelectTodayDate")) Object: 'Object Repository/BackOffice/Autoship/buttonSelectTodayDate' is clicked on	2.860s	PASSED
29	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingAddress")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingAddress' is clicked on	2.879s	PASSED
30	click(findTestObject("BackOffice/Autoship/buttonCheckFirstShippingAddress")) Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstShippingAddress' is clicked on	0.729s	PASSED
31	click(findTestObject("BackOffice/Autoship/buttonProceedToPaymentInfo")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToPaymentInfo' is clicked on	2.793s	PASSED
32	click(findTestObject("BackOffice/Autoship/buttonCheckFirstPaymentMethod")) Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstPaymentMethod' is clicked on	0.619s	PASSED
33	delay(2) Delayed 2 second(s)	2.005s	PASSED
34	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.482s	PASSED
35	delay(2) Delayed 2 second(s)	2.016s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
36	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.900s	PASSED
37	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.595s	PASSED
38	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	3.031s	PASSED
39	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	4.217s	PASSED
40	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	4.886s	PASSED
41	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	2.777s	PASSED
42	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	2.821s	PASSED
43	delay(2) Delayed 2 second(s)	2.012s	PASSED
44	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.482s	PASSED
45	delay(2) Delayed 2 second(s)	2.008s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
46	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.893s	PASSED
47	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.489s	PASSED
48	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	3.231s	PASSED
49	click(findTestObject("BackOffice/Autoship/buttonSwitchAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSwitchAutoship' is clicked on	1.088s	PASSED
50	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	4.168s	PASSED
51	delay(3) Delayed 3 second(s)	3.012s	PASSED
52	StringlastNewAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100022015'	0.388s	PASSED
53	lastNewAutoshipNumber = StringlastNewAutoshipNumber.toInteger()	0.000s	PASSED
54	println("Last New Autoship Number: " + lastNewAutoshipNumber)	0.001s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
55	assert lastAutoshipNumber != lastNewAutoshipNumber	0.001s	PASSED
56	if (lastAutoshipNumber != lastNewAutoshipNumber)	0.005s	PASSED
57	click(findTestObject("BackOffice/Autoship/buttonFirstRemoveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstRemoveAutoship' is clicked on	0.536s	PASSED
58	delay(4) Delayed 4 second(s)	4.015s	PASSED
59	Start listener action : terminateRunningWebDrivers	0.569s	PASSED
60	Video Video recording for test case 'Test Cases/V Test Case (Autoship)' .	0.000s	PASSED