

BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	4		
Passed	1	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-12 13:16:48	End	2023-05-12 13:20:03
Elapsed	3m - 14.345s		

#	ID	Description	Status
1	Test Cases/I Test Case (AccountInformation)	starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products	FAILED
2	Test Cases/III Test Case (View Payments)		FAILED
3	Test Cases/IV Test Case (Privacy Communication)		PASSED
4	Test Cases/V Test Case (Autoship)		FAILED

I Test Case (AccountInformation)

Information

ID	Test Cases/I Test Case (AccountInformation)		
Description	starting smoke test with this test case		
Tag	-change country -registration -login -BO		
Start	-change password -change language and check categories and products		
Elapsed	smoketest		
Status			
	2023-05-12 13:16:49	End	2023-05-12 13:18:57
	2m - 8.593s		
	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.789s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	3.777s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.044s	PASSED
4	maximizeWindow() Current window maximized	0.179s	PASSED
5	refresh() Refresh successfully	0.578s	PASSED
6	delay(3) Delayed 3 second(s)	3.048s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
7	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	5.256s	PASSED
8	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.629s	PASSED
9	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	4.862s	PASSED
10	click(findTestObject("LoginPage/buttonRegisterNewAccount")) Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on	3.160s	PASSED
11	setText(findTestObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName'	1.145s	PASSED
12	setText(findTestObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName'	0.998s	PASSED
13	randomEmail = Script1680713356350.generateRandomEmail(10)	0.003s	PASSED
14	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.003s	PASSED
15	email = new java.lang.StringBuilder()	0.019s	PASSED
16	random = new java.util.Random()	0.011s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
17	for ([i = 0, i < length, (i++)])	0.025s	PASSED
18	email.append("@gmail.com")	0.008s	PASSED
19	return email.toString()	0.002s	PASSED
20	println(randomEmail)	0.010s	PASSED
21	setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail) Text '8lemvqqfjx@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister'	1.143s	PASSED
22	password = "SmokeTest123@"	0.002s	PASSED
23	newPassword = "Test123@"	0.001s	PASSED
24	setText(findTestObject("LoginPage/inputPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister'	1.147s	PASSED
25	setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister'	1.206s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
26	click(findTestObject("LoginPage/inputEmailRegister")) Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on	0.637s	PASSED
27	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.735s	PASSED
28	click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on	0.545s	PASSED
29	click(findTestObject("LoginPage/buttonCreateAnAccount")) Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on	2.770s	PASSED
30	randomEmail2 = Script1680713356350.generateRandomEmail(10)	0.000s	PASSED
31	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.001s	PASSED
32	email = new java.lang.StringBuilder()	0.002s	PASSED
33	random = new java.util.Random()	0.001s	PASSED
34	for ([i = 0, i < length, (i++)])	0.009s	PASSED
35	email.append("@gmail.com")	0.000s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
36	return email.toString()	0.000s	PASSED
37	println("Generated new mail: " + randomEmail2)	0.002s	PASSED
38	isPresentAlertWindowRegistration = waitForAlert(5) No alert found after 5 second(s).	5.728s	PASSED
39	if (isPresentAlertWindowRegistration == true)	0.001s	PASSED
40	else	0.003s	PASSED
41	delay(3) Delayed 3 second(s)	3.012s	PASSED
42	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.524s	PASSED
43	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.405s	PASSED
44	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	0.930s	PASSED
45	click(findTestObject("BackOffice/divViewPaymentsPage")) Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	2.208s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/divAutoshipPage")) Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	1.108s	PASSED
47	click(findTestObject("BackOffice/divPrivacyCommunicationPage")) Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.863s	PASSED
48	click(findTestObject("BackOffice/divAccountInformationPage")) Object: 'Object Repository/BackOffice/divAccountInformationPage' is clicked on	1.100s	PASSED
49	click(findTestObject("BackOffice/AccountInformation/pAddressInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAddressInformationLabel' is clicked on	0.880s	PASSED
50	click(findTestObject("BackOffice/AccountInformation/AddressInformation/pAddNewAddress")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/pAddNewAddress' is clicked on	1.010s	PASSED
51	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputAddressTitle"), "test address") Text 'test address' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputAddressTitle'	1.169s	PASSED
52	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputFirstName"), "smoke") Text 'smoke' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputFirstName'	1.019s	PASSED
53	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputLastName"), "test") Text 'test' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputLastName'	0.987s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
54	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputPhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputPhoneNumber'	1.033s	PASSED
55	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputStreetAddress"), "test1") Text 'test1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputStreetAddress'	0.991s	PASSED
56	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputApartment"), "1") Text '1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputApartment'	0.975s	PASSED
57	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divCountryDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divCountryDropdown' is clicked on	2.755s	PASSED
58	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry' is clicked on	0.678s	PASSED
59	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown' is clicked on	1.334s	PASSED
60	click(findTestObject("BackOffice/AccountInformation/AddressInformation/div1SelectState")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/div1SelectState' is clicked on	0.724s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
61	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputCity"), "Lisboa") Text 'Lisboa' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputCity'	1.326s	PASSED
62	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode"), "5000") Text '5000' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode'	1.117s	PASSED
63	click(findTestObject("BackOffice/AccountInformation/AddressInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/buttonSave' is clicked on	2.835s	PASSED
64	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertAddressTitle"), STOP_ON_FAILURE) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertAddressTitle' is visible	5.235s	PASSED
65	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	2.695s	PASSED
66	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	0.649s	PASSED
67	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.120s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
68	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	1.020s	PASSED
69	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	1.035s	PASSED
70	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.727s	PASSED
71	delay(2) Delayed 2 second(s)	2.015s	PASSED
72	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone' is clicked on	0.966s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
73	<p>setText(findTestObject ("BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber"), "305 345 345")</p> <p>Unable to set text '305 345 345' of object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text '305 345 345' of object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$5.call (Unknown Source) at I Test Case (AccountInformation).run(I Test Case (AccountInformation):166) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683890202568.run(TempTestSuite1683890202568.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber' located by '//input[@class= 'form-control ']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)</p>	36.363s	FAILED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$5.call (Unknown Source) at Script1680713356350.run(Script1680713356350.groovy:166) ... 13 more)</pre> <div><div><div>EMAIL </div><div> UPDATE</div><div>Email8lemvqqfjx@gmail.com</div></div><div><div>PASSWORD </div><div> UPDATE</div><div>Password*****</div></div><div><div>PHONE BOOK </div><div>Mobile Phone Number ADD PHONE</div><div>Landline Number ADD PHONE</div></div></div>		
74	Start listener action : terminateRunningWebDrivers	0.632s	PASSED
75	Video	0.001s	PASSED
	Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .		

III Test Case (View Payments)

Information

ID	Test Cases/III Test Case (View Payments)		
Description			
Tag			
Start	2023-05-12 13:18:57	End	2023-05-12 13:19:05
Elapsed	7.672s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

III Test Case (View Payments)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at III Test Case (View Payments).run(III Test Case (View Payments):20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1683890202568.run(TempTestSuite1683890202568.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:6945</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: EventFiringWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.629s	FAILED

III Test Case (View Payments)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683121456443.run(Script1683121456443.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:6945 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)		

III Test Case (View Payments)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.513s	PASSED
3	Video Video recording for test case 'Test Cases/III Test Case (View Payments)' .	0.000s	PASSED

IV Test Case (Privacy Communication)

Information

ID	Test Cases/IV Test Case (Privacy Communication)		
Description			
Tag			
Start	2023-05-12 13:19:05	End	2023-05-12 13:19:55
Elapsed	49.991s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.300s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.465s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.033s	PASSED
4	maximizeWindow() Current window maximized	0.152s	PASSED
5	refresh() Refresh successfully	0.571s	PASSED
6	delay(3) Delayed 3 second(s)	3.017s	PASSED
7	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.807s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
8	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.407s	PASSED
9	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.510s	PASSED
10	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	2.022s	PASSED
11	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	0.979s	PASSED
12	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.500s	PASSED
13	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.533s	PASSED
14	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.833s	PASSED
15	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	5.258s	PASSED
16	click(findTestObject("BackOffice/divPrivacyCommunicationPage")) Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.987s	PASSED
17	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonUpdate")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonUpdate' is clicked on	1.818s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/PrivacyAndCommunication/divLanguageDropdown")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divLanguageDropdown' is clicked on	0.684s	PASSED
19	click(findTestObject("BackOffice/PrivacyAndCommunication/divFirstLanguageSelect")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divFirstLanguageSelect' is clicked on	0.665s	PASSED
20	click(findTestObject("BackOffice/PrivacyAndCommunication/divTimeZoneDropdown")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divTimeZoneDropdown' is clicked on	0.653s	PASSED
21	click(findTestObject("BackOffice/PrivacyAndCommunication/div2SelectTimeZone")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/div2SelectTimeZone' is clicked on	2.880s	PASSED
22	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch1")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch1' is clicked on	2.876s	PASSED
23	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch2")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch2' is clicked on	2.832s	PASSED
24	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSaveChanges")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSaveChanges' is clicked on	2.837s	PASSED
25	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertLanguageEnglish")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertLanguageEnglish' is visible	2.977s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
26	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertTimeZoneTitle")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertTimeZoneTitle' is visible	0.346s	PASSED
27	Start listener action : terminateRunningWebDrivers	0.644s	PASSED
28	Video Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .	0.001s	PASSED

V Test Case (Autoship)

Information

ID	Test Cases/V Test Case (Autoship)		
Description			
Tag			
Start	2023-05-12 13:19:55	End	2023-05-12 13:20:03
Elapsed	7.719s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

V Test Case (Autoship)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at V Test Case (Autoship).run(V Test Case (Autoship):20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1683890202568.run(TempTestSuite1683890202568.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:22599</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: EventFiringWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.610s	FAILED

V Test Case (Autoship)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683275531328.run(Script1683275531328.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:22599 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)		

V Test Case (Autoship)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.513s	PASSED
3	Video Video recording for test case 'Test Cases/V Test Case (Autoship)' .	0.000s	PASSED