

BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	5		
Passed	2	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-24 12:57:44	End	2023-05-24 13:03:33
Elapsed	5m - 49.754s		

#	ID	Description	Status
1	Test Cases/I Test Case (AccountInformation)	starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products	PASSED
2	Test Cases/II Test Case (View My Orders)		FAILED
3	Test Cases/III Test Case (View Payments)		FAILED
4	Test Cases/IV Test Case (Privacy Communication)		FAILED
5	Test Cases/V Test Case (Autoship)		PASSED

I Test Case (AccountInformation)

Information

ID	Test Cases/I Test Case (AccountInformation)		
Description	starting smoke test with this test case		
Tag	-change country -registration -login -BO		
Start	-change password -change language and check categories and products		
Elapsed	smoketest		
Status			
	2023-05-24 12:57:44	End	2023-05-24 12:59:56
	2m - 11.750s		
	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.928s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.225s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.049s	PASSED
4	maximizeWindow() Current window maximized	0.180s	PASSED
5	refresh() Refresh successfully	0.649s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.121)'	3.345s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
7	println("Version of origin/test is: " + shopVersion)	0.004s	PASSED
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.853s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.495s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.270s	PASSED
11	click(findTestObject("LoginPage/buttonRegisterNewAccount")) Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on	3.462s	PASSED
12	setText(findTestObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName'	1.060s	PASSED
13	setText(findTestObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName'	1.105s	PASSED
14	randomEmail = Script1680713356350.generateRandomEmail(10)	0.003s	PASSED
15	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.001s	PASSED
16	email = new java.lang.StringBuilder()	0.045s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
17	random = new java.util.Random()	0.012s	PASSED
18	for ([i = 0, i < length, (i++)])	0.022s	PASSED
19	email.append("@gmail.com")	0.003s	PASSED
20	return email.toString()	0.003s	PASSED
21	println(randomEmail)	0.004s	PASSED
22	setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail) Text 'b12gs1nncz@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister'	1.154s	PASSED
23	password = "SmokeTest123@"	0.002s	PASSED
24	newPassword = "Test123@"	0.001s	PASSED
25	setText(findTestObject("LoginPage/inputPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister'	1.117s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
26	setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister'	1.347s	PASSED
27	click(findTestObject("LoginPage/inputEmailRegister")) Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on	0.742s	PASSED
28	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.747s	PASSED
29	click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on	0.557s	PASSED
30	click(findTestObject("LoginPage/buttonCreateAnAccount")) Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on	2.770s	PASSED
31	randomEmail2 = Script1680713356350.generateRandomEmail(10)	0.000s	PASSED
32	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.002s	PASSED
33	email = new java.lang.StringBuilder()	0.000s	PASSED
34	random = new java.util.Random()	0.002s	PASSED
35	for ([i = 0, i < length, (i++)])	0.009s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
36	email.append("@gmail.com")	0.001s	PASSED
37	return email.toString()	0.000s	PASSED
38	println("Generated new mail: " + randomEmail2)	0.002s	PASSED
39	isPresentAlertWindowRegistration = waitForAlert(5) No alert found after 5 second(s).	5.884s	PASSED
40	if (isPresentAlertWindowRegistration == true)	0.000s	PASSED
41	else	0.002s	PASSED
42	delay(3) Delayed 3 second(s)	3.026s	PASSED
43	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.504s	PASSED
44	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.334s	PASSED
45	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	0.939s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/divViewPaymentsPage")) Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	2.052s	PASSED
47	click(findTestObject("BackOffice/divAutoshipPage")) Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	1.063s	PASSED
48	click(findTestObject("BackOffice/divPrivacyCommunicationPage")) Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.899s	PASSED
49	click(findTestObject("BackOffice/divAccountInformationPage")) Object: 'Object Repository/BackOffice/divAccountInformationPage' is clicked on	1.090s	PASSED
50	click(findTestObject("BackOffice/AccountInformation/pAddressInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAddressInformationLabel' is clicked on	0.865s	PASSED
51	click(findTestObject("BackOffice/AccountInformation/AddressInformation/pAddNewAddress")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/pAddNewAddress' is clicked on	1.120s	PASSED
52	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputAddressTitle"), "test address") Text 'test address' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputAddressTitle'	1.185s	PASSED
53	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputFirstName"), "smoke") Text 'smoke' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputFirstName'	1.043s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
54	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputLastName"), "test") Text 'test' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputLastName'	1.084s	PASSED
55	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputPhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputPhoneNumber'	1.467s	PASSED
56	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputStreetAddress"), "test1") Text 'test1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputStreetAddress'	1.281s	PASSED
57	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputApartment"), "1") Text '1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputApartment'	0.948s	PASSED
58	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divCountryDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divCountryDropdown' is clicked on	2.847s	PASSED
59	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry' is clicked on	0.735s	PASSED
60	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown' is clicked on	1.320s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
61	click(findTestObject("BackOffice/AccountInformation/AddressInformation/div1SelectState")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/div1SelectState' is clicked on	0.662s	PASSED
62	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputCity"), "Lisboa") Text 'Lisboa' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputCity'	1.253s	PASSED
63	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode"), "5000") Text '5000' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode'	1.018s	PASSED
64	click(findTestObject("BackOffice/AccountInformation/AddressInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/buttonSave' is clicked on	2.692s	PASSED
65	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertAddressTitle"), STOP_ON_FAILURE) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertAddressTitle' is visible	4.708s	PASSED
66	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	2.698s	PASSED
67	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	0.606s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
68	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.107s	PASSED
69	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	0.974s	PASSED
70	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.949s	PASSED
71	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.733s	PASSED
72	delay(3) Delayed 3 second(s)	3.005s	PASSED
73	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone' is clicked on	0.514s	PASSED
74	delay(3) Delayed 3 second(s)	3.015s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
75	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber'	0.973s	PASSED
76	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.732s	PASSED
77	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertPhoneNumber")) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertPhoneNumber' is visible	2.664s	PASSED
78	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber' is clicked on	0.501s	PASSED
79	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber' is clicked on	0.647s	PASSED
80	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.168s	PASSED
81	click(findTestObject("Header/pLogout")) Object: 'Object Repository/Header/pLogout' is clicked on	0.649s	PASSED
82	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	2.670s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
83	if (isPresentAlertWindowRegistration == true)	0.001s	PASSED
84	else Text 'b12gs1nncz@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.292s	PASSED
85	setText(findTestObject("LoginPage/inputPasswordLogin"), newPassword) Text 'Test123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.134s	PASSED
86	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.531s	PASSED
87	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.541s	PASSED
88	delay(5) Delayed 5 second(s)	5.015s	PASSED
89	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.500s	PASSED
90	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	0.793s	PASSED
91	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	0.769s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
92	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	2.731s	PASSED
93	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.091s	PASSED
94	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	0.979s	PASSED
95	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.954s	PASSED
96	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.747s	PASSED
97	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	5.193s	PASSED
98	click(findTestObject("Header/pLogout")) Object: 'Object Repository/Header/pLogout' is clicked on	0.620s	PASSED
99	verifyElementVisible(findTestObject("Header/iconGuestProfile"), STOP_ON_FAILURE) Object 'Object Repository/Header/iconGuestProfile' is visible	2.397s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
100	Start listener action : terminateRunningWebDrivers	0.822s	PASSED
101	Video	0.000s	PASSED
Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .			

II Test Case (View My Orders)

Information

ID	Test Cases/II Test Case (View My Orders)		
Description			
Tag			
Start	2023-05-24 12:59:56	End	2023-05-24 13:00:03
Elapsed	7.571s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

II Test Case (View My Orders)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at II Test Case (View My Orders).run(II Test Case (View My Orders):20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1684925856156.run(TempTestSuite1684925856156.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:12097</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'FINMX-L12', ip: '192.168.0.25', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: EventFiringWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.621s	FAILED

II Test Case (View My Orders)

#	Description	Elapsed	Status
452)	<pre>at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1682598283514.run(Script1682598283514.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:12097 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)</pre>		

II Test Case (View My Orders)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.484s	PASSED
3	Video Video recording for test case 'Test Cases/II Test Case (View My Orders)' .	0.000s	PASSED

III Test Case (View Payments)

Information

ID	Test Cases/III Test Case (View Payments)		
Description			
Tag			
Start	2023-05-24 13:00:03	End	2023-05-24 13:01:37
Elapsed	1m - 33.438s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.320s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	3.283s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.035s	PASSED
4	maximizeWindow() Current window maximized	0.210s	PASSED
5	refresh() Refresh successfully	0.647s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.121)'	4.298s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.001s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.784s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.744s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.204s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	2.041s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.048s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.532s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.579s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.702s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	0.940s	PASSED
17	click(findTestObject("BackOffice/divViewPaymentsPage")) Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	1.224s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
18	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod' is clicked on	1.242s	PASSED
19	click(findTestObject("Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod")) Object: 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' is clicked on	0.631s	PASSED
20	click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonContinue")) Object: 'Object Repository/BackOffice/ViewPayments/buttonContinue' is clicked on	0.546s	PASSED
21	delay(2) Delayed 2 second(s)	2.017s	PASSED
22	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardHolder"), "CL-BRW2") Text 'CL-BRW2' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardHolder'	1.115s	PASSED
23	delay(2) Delayed 2 second(s)	2.010s	PASSED
24	click(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), STOP_ON_FAILURE) Object: 'Object Repository/BackOffice/ViewPayments/inputCardNumber' is clicked on	0.511s	PASSED
25	delay(2) Delayed 2 second(s)	2.016s	PASSED

III Test Case (View Payments)

#	Description	Elapsed	Status
26	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCardNumber"), "1111-1111-1111-1111") Text '1111-1111-1111-1111' is set on object 'Object Repository/BackOffice/ViewPayments/inputCardNumber'	1.286s	PASSED
27	delay(2) Delayed 2 second(s)	2.004s	PASSED
28	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanMonthDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanMonthDropdown' is clicked on	0.547s	PASSED
29	click(findTestObject("Object Repository/BackOffice/ViewPayments/li4SelectMonth")) Object: 'Object Repository/BackOffice/ViewPayments/li4SelectMonth' is clicked on	0.692s	PASSED
30	click(findTestObject("Object Repository/BackOffice/ViewPayments/spanYearDropdown")) Object: 'Object Repository/BackOffice/ViewPayments/spanYearDropdown' is clicked on	0.784s	PASSED
31	click(findTestObject("Object Repository/BackOffice/ViewPayments/li2027SelectYear")) Object: 'Object Repository/BackOffice/ViewPayments/li2027SelectYear' is clicked on	1.507s	PASSED
32	delay(2) Delayed 2 second(s)	2.010s	PASSED
33	setText(findTestObject("Object Repository/BackOffice/ViewPayments/inputCVV"), "252") Text '252' is set on object 'Object Repository/BackOffice/ViewPayments/inputCVV'	4.030s	PASSED
34	delay(2) Delayed 2 second(s)	2.017s	PASSED


III Test Case (View Payments)

#	Description	Elapsed	Status
35	<p>click(findTestObject("Object Repository/BackOffice/ViewPayments/spanAddressDropdown"))</p> <p>Unable to click on object 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/BackOffice/ViewPayments/spanAddressDropdown' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$5.call (Unknown Source) at III Test Case (View Payments).run (III Test Case (View Payments):88) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1684925856156.run (TempTestSuite1684925856156.groovy:36) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (575, 690) (Session info: chrome=113.0.5672.127) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.25', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.selenium.driver.CCChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\WIN10\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:61272}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</p>	38.567s	FAILED

III Test Case (View Payments)

#	Description	Elapsed	Status
	<pre>Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9d3fca0daac84a16161da02b512f5171 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at com.sun.proxy.\$Proxy13.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$5.call (Unknown Source) at Script1683121456443.run(Script1683121456443.groovy:88) ... 13 more)</pre>		

III Test Case (View Payments)

#	Description	Elapsed	Status
			
36	Start listener action : terminateRunningWebDrivers	0.907s	PASSED
37	Video	0.001s	PASSED
Video recording for test case 'Test Cases/III Test Case (View Payments)' .			

IV Test Case (Privacy Communication)

Information

ID	Test Cases/IV Test Case (Privacy Communication)		
Description			
Tag			
Start	2023-05-24 13:01:37	End	2023-05-24 13:01:45
Elapsed	7.655s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at IV Test Case (Privacy Communication).run(IV Test Case (Privacy Communication):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684925856156.run(TempTestSuite1684925856156.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:24645 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.25', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p>	4.616s	FAILED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683200246433.run(Script1683200246433.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:24645 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
147)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:		
121)	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:		
103)	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.638s	PASSED
3	Video	0.000s	PASSED
	Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .		

V Test Case (Autoship)

Information

ID	Test Cases/V Test Case (Autoship)		
Description			
Tag			
Start	2023-05-24 13:01:45	End	2023-05-24 13:03:33
Elapsed	1m - 48.877s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.274s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.216s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.019s	PASSED
4	maximizeWindow() Current window maximized	0.157s	PASSED
5	refresh() Refresh successfully	0.631s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.121)'	4.665s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.001s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	5.063s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	3.850s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.149s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.505s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	0.992s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.528s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.556s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	5.433s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	2.092s	PASSED
17	click(findTestObject("BackOffice/divAutoshipPage")) Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	1.458s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
18	delay(3) Delayed 3 second(s)	3.008s	PASSED
19	StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100022044'	0.350s	PASSED
20	println(StringlastAutoshipNumber)	0.001s	PASSED
21	lastAutoshipNumber = StringlastAutoshipNumber.toInteger()	0.002s	PASSED
22	println(lastAutoshipNumber)	0.001s	PASSED
23	click(findTestObject("BackOffice/Autoship/buttonNewAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on	0.562s	PASSED
24	click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on	4.486s	PASSED
25	click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag")) Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on	2.092s	PASSED
26	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	0.620s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingDate")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingDate' is clicked on	4.410s	PASSED
28	click(findTestObject("BackOffice/Autoship/buttonSelectTodayDate")) Object: 'Object Repository/BackOffice/Autoship/buttonSelectTodayDate' is clicked on	2.958s	PASSED
29	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingAddress")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingAddress' is clicked on	2.904s	PASSED
30	click(findTestObject("BackOffice/Autoship/buttonCheckFirstShippingAddress")) Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstShippingAddress' is clicked on	0.684s	PASSED
31	click(findTestObject("BackOffice/Autoship/buttonProceedToPaymentInfo")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToPaymentInfo' is clicked on	2.914s	PASSED
32	click(findTestObject("BackOffice/Autoship/buttonCheckFirstPaymentMethod")) Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstPaymentMethod' is clicked on	0.639s	PASSED
33	delay(2) Delayed 2 second(s)	2.018s	PASSED
34	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.535s	PASSED
35	delay(2) Delayed 2 second(s)	2.014s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
36	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.964s	PASSED
37	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.538s	PASSED
38	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	3.232s	PASSED
39	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	4.376s	PASSED
40	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	4.697s	PASSED
41	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	3.057s	PASSED
42	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	2.893s	PASSED
43	delay(2) Delayed 2 second(s)	2.009s	PASSED
44	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.497s	PASSED
45	delay(2) Delayed 2 second(s)	2.017s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
46	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.932s	PASSED
47	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.533s	PASSED
48	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	3.247s	PASSED
49	click(findTestObject("BackOffice/Autoship/buttonSwitchAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSwitchAutoship' is clicked on	3.044s	PASSED
50	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	3.843s	PASSED
51	delay(3) Delayed 3 second(s)	3.011s	PASSED
52	StringlastNewAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100022046'	0.489s	PASSED
53	lastNewAutoshipNumber = StringlastNewAutoshipNumber.toInteger()	0.001s	PASSED
54	println("Last New Autoship Number: " + lastNewAutoshipNumber)	0.001s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
55	assert lastAutoshipNumber != lastNewAutoshipNumber	0.004s	PASSED
56	if (lastAutoshipNumber != lastNewAutoshipNumber)	0.002s	PASSED
57	click(findTestObject("BackOffice/Autoship/buttonFirstRemoveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstRemoveAutoship' is clicked on	0.581s	PASSED
58	delay(4) Delayed 4 second(s)	4.011s	PASSED
59	Start listener action : terminateRunningWebDrivers	0.687s	PASSED
60	Video Video recording for test case 'Test Cases/V Test Case (Autoship)' .	0.000s	PASSED