

BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	3		
Passed	2	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-12 13:20:40	End	2023-05-12 13:24:42
Elapsed	4m - 1.647s		

#	ID	Description	Status
1	Test Cases/I Test Case (AccountInformation)	starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products	PASSED
2	Test Cases/III Test Case (View Payments)		FAILED
3	Test Cases/V Test Case (Autoship)		PASSED

I Test Case (AccountInformation)

Information

ID	Test Cases/I Test Case (AccountInformation)		
Description	starting smoke test with this test case		
Tag	-change country -registration -login -BO		
Start	-change password -change language and check categories and products		
Elapsed	smoketest		
Status			
	2023-05-12 13:20:41	End	2023-05-12 13:22:48
	2m - 6.977s		
	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.646s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	3.685s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.047s	PASSED
4	maximizeWindow() Current window maximized	0.163s	PASSED
5	refresh() Refresh successfully	0.693s	PASSED
6	delay(3) Delayed 3 second(s)	3.048s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
7	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.951s	PASSED
8	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.422s	PASSED
9	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.315s	PASSED
10	click(findTestObject("LoginPage/buttonRegisterNewAccount")) Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on	3.158s	PASSED
11	setText(findTestObject("LoginPage/inputFirstName"), "Smoke") Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName'	1.128s	PASSED
12	setText(findTestObject("LoginPage/inputLastName"), "Test") Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName'	1.427s	PASSED
13	randomEmail = Script1680713356350.generateRandomEmail(10)	0.002s	PASSED
14	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.002s	PASSED
15	email = new java.lang.StringBuilder()	0.026s	PASSED
16	random = new java.util.Random()	0.010s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
17	for ([i = 0, i < length, (i++)])	0.032s	PASSED
18	email.append("@gmail.com")	0.002s	PASSED
19	return email.toString()	0.002s	PASSED
20	println(randomEmail)	0.009s	PASSED
21	setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail) Text 'qc0d618sna@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister'	1.141s	PASSED
22	password = "SmokeTest123@"	0.003s	PASSED
23	newPassword = "Test123@"	0.002s	PASSED
24	setText(findTestObject("LoginPage/inputPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister'	1.142s	PASSED
25	setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister'	1.272s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
26	click(findTestObject("LoginPage/inputEmailRegister")) Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on	0.680s	PASSED
27	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.792s	PASSED
28	click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on	0.518s	PASSED
29	click(findTestObject("LoginPage/buttonCreateAnAccount")) Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on	2.708s	PASSED
30	randomEmail2 = Script1680713356350.generateRandomEmail(10)	0.001s	PASSED
31	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.000s	PASSED
32	email = new java.lang.StringBuilder()	0.002s	PASSED
33	random = new java.util.Random()	0.000s	PASSED
34	for ([i = 0, i < length, (i++)])	0.011s	PASSED
35	email.append("@gmail.com")	0.001s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
36	return email.toString()	0.001s	PASSED
37	println("Generated new mail: " + randomEmail2)	0.003s	PASSED
38	isPresentAlertWindowRegistration = waitForAlert(5) No alert found after 5 second(s).	5.858s	PASSED
39	if (isPresentAlertWindowRegistration == true)	0.001s	PASSED
40	else	0.002s	PASSED
41	delay(3) Delayed 3 second(s)	3.019s	PASSED
42	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.520s	PASSED
43	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.086s	PASSED
44	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	0.917s	PASSED
45	click(findTestObject("BackOffice/divViewPaymentsPage")) Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	1.152s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/divAutoshipPage")) Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	1.123s	PASSED
47	click(findTestObject("BackOffice/divPrivacyCommunicationPage")) Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.871s	PASSED
48	click(findTestObject("BackOffice/divAccountInformationPage")) Object: 'Object Repository/BackOffice/divAccountInformationPage' is clicked on	0.990s	PASSED
49	click(findTestObject("BackOffice/AccountInformation/pAddressInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAddressInformationLabel' is clicked on	0.856s	PASSED
50	click(findTestObject("BackOffice/AccountInformation/AddressInformation/pAddNewAddress")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/pAddNewAddress' is clicked on	0.758s	PASSED
51	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputAddressTitle"), "test address") Text 'test address' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputAddressTitle'	1.180s	PASSED
52	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputFirstName"), "smoke") Text 'smoke' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputFirstName'	0.978s	PASSED
53	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputLastName"), "test") Text 'test' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputLastName'	1.006s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
54	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputPhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputPhoneNumber'	1.028s	PASSED
55	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputStreetAddress"), "test1") Text 'test1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputStreetAddress'	0.984s	PASSED
56	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputApartment"), "1") Text '1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputApartment'	0.982s	PASSED
57	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divCountryDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divCountryDropdown' is clicked on	2.895s	PASSED
58	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry' is clicked on	0.661s	PASSED
59	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown' is clicked on	1.197s	PASSED
60	click(findTestObject("BackOffice/AccountInformation/AddressInformation/div1SelectState")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/div1SelectState' is clicked on	0.656s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
61	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputCity"), "Lisboa") Text 'Lisboa' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputCity'	1.259s	PASSED
62	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode"), "5000") Text '5000' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode'	0.961s	PASSED
63	click(findTestObject("BackOffice/AccountInformation/AddressInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/buttonSave' is clicked on	2.738s	PASSED
64	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertAddressTitle"), STOP_ON_FAILURE) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertAddressTitle' is visible	4.751s	PASSED
65	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	2.741s	PASSED
66	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	0.622s	PASSED
67	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.130s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
68	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	0.948s	PASSED
69	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.982s	PASSED
70	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.704s	PASSED
71	delay(2) Delayed 2 second(s)	2.020s	PASSED
72	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone' is clicked on	1.306s	PASSED
73	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber'	1.120s	PASSED
74	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.709s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
75	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertPhoneNumber")) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertPhoneNumber' is visible	2.471s	PASSED
76	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber' is clicked on	0.499s	PASSED
77	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber' is clicked on	0.643s	PASSED
78	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.421s	PASSED
79	click(findTestObject("Header/pLogout")) Object: 'Object Repository/Header/pLogout' is clicked on	0.615s	PASSED
80	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	2.672s	PASSED
81	if (isPresentAlertWindowRegistration == true)	0.001s	PASSED
82	else Text 'qc0d618sna@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.180s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
83	setText(findTestObject("LoginPage/inputPasswordLogin"), newPassword) Text 'Test123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.200s	PASSED
84	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.498s	PASSED
85	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.546s	PASSED
86	delay(5) Delayed 5 second(s)	5.009s	PASSED
87	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.497s	PASSED
88	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	0.781s	PASSED
89	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	0.749s	PASSED
90	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	2.692s	PASSED
91	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.111s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
92	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	1.003s	PASSED
93	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.981s	PASSED
94	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.764s	PASSED
95	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	5.657s	PASSED
96	click(findTestObject("Header/pLogOut")) Object: 'Object Repository/Header/pLogOut' is clicked on	0.620s	PASSED
97	verifyElementVisible(findTestObject("Header/iconGuestProfile"), STOP_ON_FAILURE) Object 'Object Repository/Header/iconGuestProfile' is visible	2.186s	PASSED
98	Start listener action : terminateRunningWebDrivers	0.673s	PASSED
99	Video Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .	0.000s	PASSED

III Test Case (View Payments)

Information

ID	Test Cases/III Test Case (View Payments)		
Description			
Tag			
Start	2023-05-12 13:22:48	End	2023-05-12 13:22:55
Elapsed	7.412s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

III Test Case (View Payments)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at III Test Case (View Payments).run(III Test Case (View Payments):20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1683890433759.run(TempTestSuite1683890433759.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:22639 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: EventFiringWebDriver at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.596s	FAILED

III Test Case (View Payments)

#	Description	Elapsed	Status
452)	<pre>at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683121456443.run(Script1683121456443.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:1:22639 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)</pre>		

III Test Case (View Payments)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.483s	PASSED
3	Video Video recording for test case 'Test Cases/III Test Case (View Payments)' .	0.001s	PASSED

V Test Case (Autoship)

Information

ID	Test Cases/V Test Case (Autoship)		
Description			
Tag			
Start	2023-05-12 13:22:55	End	2023-05-12 13:24:42
Elapsed	1m - 46.876s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.245s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.886s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.022s	PASSED
4	maximizeWindow() Current window maximized	0.151s	PASSED
5	refresh() Refresh successfully	0.562s	PASSED
6	delay(3) Delayed 3 second(s)	3.017s	PASSED
7	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	5.042s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
8	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.486s	PASSED
9	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.142s	PASSED
10	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.535s	PASSED
11	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.006s	PASSED
12	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.527s	PASSED
13	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.529s	PASSED
14	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.166s	PASSED
15	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	2.501s	PASSED
16	click(findTestObject("BackOffice/divAutoshipPage")) Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	0.906s	PASSED
17	delay(3) Delayed 3 second(s)	3.004s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
18	StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021971'	0.356s	PASSED
19	println(StringlastAutoshipNumber)	0.001s	PASSED
20	lastAutoshipNumber = StringlastAutoshipNumber.toInteger()	0.008s	PASSED
21	println(lastAutoshipNumber)	0.001s	PASSED
22	click(findTestObject("BackOffice/Autoship/buttonNewAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on	0.553s	PASSED
23	click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on	3.655s	PASSED
24	click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag")) Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on	2.383s	PASSED
25	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	0.652s	PASSED
26	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingDate")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingDate' is clicked on	4.645s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/Autoship/buttonSelectTodayDate")) Object: 'Object Repository/BackOffice/Autoship/buttonSelectTodayDate' is clicked on	2.954s	PASSED
28	click(findTestObject("BackOffice/Autoship/buttonProceedToShippingAddress")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToShippingAddress' is clicked on	2.824s	PASSED
29	click(findTestObject("BackOffice/Autoship/buttonCheckFirstShippingAddress")) Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstShippingAddress' is clicked on	0.651s	PASSED
30	click(findTestObject("BackOffice/Autoship/buttonProceedToPaymentInfo")) Object: 'Object Repository/BackOffice/Autoship/buttonProceedToPaymentInfo' is clicked on	2.885s	PASSED
31	click(findTestObject("BackOffice/Autoship/buttonCheckFirstPaymentMethod")) Object: 'Object Repository/BackOffice/Autoship/buttonCheckFirstPaymentMethod' is clicked on	0.638s	PASSED
32	delay(2) Delayed 2 second(s)	2.018s	PASSED
33	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.533s	PASSED
34	delay(2) Delayed 2 second(s)	2.010s	PASSED
35	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.931s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
36	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.523s	PASSED
37	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	3.169s	PASSED
38	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	4.298s	PASSED
39	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	6.011s	PASSED
40	click(findTestObject("BackOffice/Autoship/buttonUpQuantity")) Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on	1.247s	PASSED
41	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	3.364s	PASSED
42	delay(2) Delayed 2 second(s)	2.014s	PASSED
43	click(findTestObject("BackOffice/Autoship/inputCVV")) Object: 'Object Repository/BackOffice/Autoship/inputCVV' is clicked on	0.513s	PASSED
44	delay(2) Delayed 2 second(s)	2.015s	PASSED
45	setText(findTestObject("BackOffice/Autoship/inputCVV"), "333") Text '333' is set on object 'Object Repository/BackOffice/Autoship/inputCVV'	0.899s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/Autoship/buttonConfirmCvv")) Object: 'Object Repository/BackOffice/Autoship/buttonConfirmCvv' is clicked on	0.511s	PASSED
47	click(findTestObject("BackOffice/Autoship/buttonFirstEditAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstEditAutoship' is clicked on	3.577s	PASSED
48	click(findTestObject("BackOffice/Autoship/buttonSwitchAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSwitchAutoship' is clicked on	6.253s	PASSED
49	click(findTestObject("BackOffice/Autoship/buttonSaveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonSaveAutoship' is clicked on	3.998s	PASSED
50	delay(3) Delayed 3 second(s)	3.010s	PASSED
51	assertNewAutoshipNumber = lastAutoshipNumber + 1	0.002s	PASSED
52	println("Last Autoship Number" + lastAutoshipNumber)	0.001s	PASSED
53	StringlastNewAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber")) Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021972'	0.359s	PASSED
54	lastNewAutoshipNumber = StringlastNewAutoshipNumber.toInteger()	0.001s	PASSED

V Test Case (Autoship)

#	Description	Elapsed	Status
55	println("Last New Autoship Number: " + lastNewAutoshipNumber)	0.000s	PASSED
56	assert lastAutoshipNumber != lastNewAutoshipNumber	0.002s	PASSED
57	if (lastAutoshipNumber != lastNewAutoshipNumber)	0.002s	PASSED
58	click(findTestObject("BackOffice/Autoship/buttonFirstRemoveAutoship")) Object: 'Object Repository/BackOffice/Autoship/buttonFirstRemoveAutoship' is clicked on	0.528s	PASSED
59	delay(4) Delayed 4 second(s)	4.011s	PASSED
60	Start listener action : terminateRunningWebDrivers	0.639s	PASSED
61	Video Video recording for test case 'Test Cases/V Test Case (Autoship)' .	0.000s	PASSED