BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	3		
Passed	2	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-16 12:46:01	End	2023-05-16 12:49:02
Elapsed	3m - 1.520s		

#	ID	Description	Status
1	Test Cases/I Test Case (AccountInformation)	starting smoke test with this test case -change country -registration -login -BO -change password -change language and check categories and products	PASSED
2	Test Cases/II Test Case (View My Orders)		FAILED
3	Test Cases/IV Test Case (Privacy Communication)		PASSED

I Test Case (AccountInformation)

Information

ID	Test Cases/I Test Case (AccountInformation)			
Description	starting smoke test with this test case			
Tag	-change country -registration -login -BO			
Start	-change password -change language and check categories and products			
Elapsed	smoketest			
Status				
	2023-05-16 12:46:01	End	2023-05-16 12:48:10	
	2m - 8.721s			
	PASSED			

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	2.581s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.257s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.043s	PASSED
4	maximizeWindow() Current window maximized	0.151s	PASSED
5	refresh() Refresh successfully	0.574s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'	4.159s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
7	println("Version of origin/test is: " + shopVersion)	0.005s	PASSED
8	click(findTestObject("Footer/divCountryLanguage"))	2.886s	PASSED
	Object: 'Object Repository/Footer/divCountryLanguage' is clicked on		
9	click(findTestObject("CountryLanguage/select_en-PT"))	1.324s	PASSED
	Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on		
10	click(findTestObject("Header/iconGuestProfile"))	1.336s	PASSED
	Object: 'Object Repository/Header/iconGuestProfile' is clicked on		
11	click(findTestObject("LoginPage/buttonRegisterNewAccount"))	3.213s	PASSED
	Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on		
12	setText(findTestObject("LoginPage/inputFirstName"), "Smoke")	1.047s	PASSED
	Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName'		
13	setText(findTestObject("LoginPage/inputLastName"), "Test")	0.954s	PASSED
	Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName'		
14	randomEmail = Script1680713356350.generateRandomEmail(10)	0.004s	PASSED
15	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.002s	PASSED
16	email = new java.lang.StringBuilder()	0.017s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
17	random = new java.util.Random()	0.007s	PASSED
18	for ([i = 0, i < length, (i++)])	0.018s	PASSED
19	email.append("@gmail.com")	0.004s	PASSED
20	return email.toString()	0.003s	PASSED
21	println(randomEmail)	0.001s	PASSED
22	setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail) Text '2ka14r81yd@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister'	1.115s	PASSED
23	password = "SmokeTest123@"	0.001s	PASSED
24	newPassword = "Test123@"	0.002s	PASSED
25	setText(findTestObject("LoginPage/inputPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister'	1.057s	PASSED

#	Description	Elapsed	Status
26	setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password) Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister'	1.228s	PASSED
27	click(findTestObject("LoginPage/inputEmailRegister")) Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on	0.632s	PASSED
28	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.751s	PASSED
29	click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on	0.543s	PASSED
30	click(findTestObject("LoginPage/buttonCreateAnAccount")) Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on	2.791s	PASSED
31	randomEmail2 = Script1680713356350.generateRandomEmail(10)	0.001s	PASSED
32	allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789"	0.001s	PASSED
33	email = new java.lang.StringBuilder()	0.000s	PASSED
34	random = new java.util.Random()	0.000s	PASSED
35	for ([i = 0, i < length, (i++)])	0.010s	PASSED

#	Description	Elapsed	Status
36	email.append("@gmail.com")	0.001s	PASSED
37	return email.toString()	0.001s	PASSED
38	println("Generated new mail: " + randomEmail2)	0.002s	PASSED
39	isPresentAllertWindowRegistration = waitForAlert(5) No alert found after 5 second(s).	5.772s	PASSED
40	if (isPresentAllertWindowRegistration == true)	0.001s	PASSED
41	else	0.003s	PASSED
42	delay(3) Delayed 3 second(s)	3.045s	PASSED
43	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.491s	PASSED
44	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.429s	PASSED
45	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	0.867s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
46	click(findTestObject("BackOffice/divViewPaymentsPage")) Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on	2.145s	PASSED
47	click(findTestObject("BackOffice/divAutoshipPage")) Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on	1.068s	PASSED
48	click(findTestObject("BackOffice/divPrivacyCommunicationPage")) Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.874s	PASSED
49	click(findTestObject("BackOffice/divAccountInformationPage")) Object: 'Object Repository/BackOffice/divAccountInformationPage' is clicked on	0.970s	PASSED
50	click(findTestObject("BackOffice/AccountInformation/pAddressInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAddressInformationLabel' is clicked on	0.969s	PASSED
51	click(findTestObject("BackOffice/AccountInformation/AddressInformation/pAddNewAddress")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/pAddNewAddress' is clicked on	0.637s	PASSED
52	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputAddressTitle"), "test address") Text 'test address' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputAddressTitle'	1.158s	PASSED
53	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputFirstName"), "smoke") Text 'smoke' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputFirstName'	0.992s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
54	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputLastName"), "test") Text 'test' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputLastName'	0.963s	PASSED
55	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputPhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputPhoneNumber'	1.029s	PASSED
56	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputStreetAddress"), "test1") Text 'test1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputStreetAddress'	0.953s	PASSED
57	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputApartment"), "1") Text '1' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputApartment'	0.971s	PASSED
58	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divCountryDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divCountryDropdown' is clicked on	2.783s	PASSED
59	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divPortugalSelectCountry' is clicked on	0.674s	PASSED
60	click(findTestObject("BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/divSelectStateDropdown' is clicked on	1.230s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
61	click(findTestObject("BackOffice/AccountInformation/AddressInformation/div1SelectState")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/div1SelectState' is clicked on	0.633s	PASSED
62	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputCity"), "Lisboa") Text 'Lisboa' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputCity'	1.216s	PASSED
63	setText(findTestObject("BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode"), "5000") Text '5000' is set on object 'Object Repository/BackOffice/AccountInformation/AddressInformation/inputZipOrPostalCode'	0.989s	PASSED
64	click(findTestObject("BackOffice/AccountInformation/AddressInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AddressInformation/buttonSave' is clicked on	2.773s	PASSED
65	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertAddressTitle"), STOP_ON_FAILURE) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertAddressTitle' is visible	4.717s	PASSED
66	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	2.684s	PASSED
67	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	0.623s	PASSED

#	Description	Elapsed	Status
68	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.067s	PASSED
69	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	0.974s	PASSED
70	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.964s	PASSED
71	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.684s	PASSED
72	delay(3) Delayed 3 second(s)	3.015s	PASSED
73	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAddMobilePhone' is clicked on	0.509s	PASSED
74	delay(3) Delayed 3 second(s)	3.016s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
75	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber"), "305 345 345") Text '305 345 345' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputMobilePhoneNumber'	0.984s	PASSED
76	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.690s	PASSED
77	verifyElementVisible(findTestObject("BackOffice/AccountInformation/AddressInformation/assertPhoneNumber")) Object 'Object Repository/BackOffice/AccountInformation/AddressInformation/assertPhoneNumber' is visible	2.682s	PASSED
78	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonRemoveMobilePhoneNumber' is clicked on	0.509s	PASSED
79	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonAcceptRemovePhoneNumber' is clicked on	0.638s	PASSED
80	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.283s	PASSED
81	click(findTestObject("Header/pLogOut")) Object: 'Object Repository/Header/pLogOut' is clicked on	0.612s	PASSED
82	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	2.532s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
83	if (isPresentAllertWindowRegistration == true)	0.000s	PASSED
84	else Text '2ka14r81yd@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.252s	PASSED
85	setText(findTestObject("LoginPage/inputPasswordLogin"), newPassword) Text 'Test123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.109s	PASSED
86	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.492s	PASSED
87	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.513s	PASSED
88	delay(5) Delayed 5 second(s)	5.009s	PASSED
89	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	0.499s	PASSED
90	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	0.751s	PASSED
91	click(findTestObject("BackOffice/AccountInformation/pAccountInformationLabel")) Object: 'Object Repository/BackOffice/AccountInformation/pAccountInformationLabel' is clicked on	0.734s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
92	click(findTestObject("BackOffice/AccountInformation/AccountInformation/pUpdatePassword")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/pUpdatePassword' is clicked on	2.742s	PASSED
93	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword"), newPassword) Text 'Test123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterOldPassword'	1.033s	PASSED
94	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputEnterNewPassword'	1.010s	PASSED
95	setText(findTestObject("BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword"), password) Text 'SmokeTest123@' is set on object 'Object Repository/BackOffice/AccountInformation/AccountInformation/inputReEnterNewPassword'	0.969s	PASSED
96	click(findTestObject("BackOffice/AccountInformation/AccountInformation/buttonSave")) Object: 'Object Repository/BackOffice/AccountInformation/AccountInformation/buttonSave' is clicked on	2.670s	PASSED
97	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	5.254s	PASSED
98	click(findTestObject("Header/pLogOut")) Object: 'Object Repository/Header/pLogOut' is clicked on	0.617s	PASSED
99	verifyElementVisible(findTestObject("Header/iconGuestProfile"), STOP_ON_FAILURE) Object 'Object Repository/Header/iconGuestProfile' is visible	2.338s	PASSED

I Test Case (AccountInformation)

#	Description	Elapsed	Status
100	Start listener action : terminateRunningWebDrivers	0.570s	PASSED
101	Video	0.000s	PASSED

Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .

II Test Case (View My Orders)

Information

ID	Test Cases/II Test Case (View My Orders)
Description	
Tag	

Start	2023-05-16 12:48:10	End	2023-05-16 12:48:17
Elapsed	7.569s		
Status	FAILED		

Details

#	Description	Elapsed	Status

II Test Case (View My Orders)

#	Description	Elapsed	Status
1	openBrowser("")	4.634s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
       at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
       at II Test Case (View My Orders).run(II Test Case (View My Orders):20)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
       at TempTestSuite1684233954363.run(TempTestSuite1684233954363.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed
to connect to localhost/0:0:0:0:0:0:0:1:48982
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: EventFiringWebDriver
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:92)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
       at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
       at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:

#	Description	Elapsed	Status

452)
     at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1 (EventFiringWebDriver.java:105)
     at com.sun.proxy.$Proxy12.quit(Unknown Source)
     at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211)
     at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501)
     at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343)
     at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254)
     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
     at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call (Unknown Source)
     at Script1682598283514.run(Script1682598283514.groovy:20)
     ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:48982
     at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247)
     at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
     at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257)
     at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135)
     at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114)
     at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42)
     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)
     at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)
     at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)
     at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126)
     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)

#	Description	Elapsed	Status

at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)

at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
at okhttp3.RealCall.execute(RealCall.java:77)
at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)

at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:155)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
... 32 more
Caused by: java.net.ConnectException: Connection refused: connect
at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)
at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:245)
... 52 more
)

#	Description	Elapsed	Status
2	Start listener action : terminateRunningWebDrivers	0.427s	PASSED
3	Video	0.001s	PASSED

Video recording for test case 'Test Cases/II Test Case (View My Orders)' .

IV Test Case (Privacy Communication)

Information

ID   Test Cases/IV Test Case (Privacy Communication)

Description

Tag

Start	2023-05-16 12:48:17	End	2023-05-16 12:49:02
Elapsed	44.899s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.287s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/")	2.018s	PASSED
	Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully		
3	deleteAllCookies()	0.030s	PASSED
	Delete all cookies successfully		
4	maximizeWindow()	0.150s	PASSED
	Current window maximized		
5	refresh()	0.536s	PASSED
	Refresh successfully		
6	shopVersion = getText(findTestObject("Footer/shopVersion"))	3.872s	PASSED
	Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'		
7	println("Version of origin/test is: " + shopVersion)	0.002s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.814s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.342s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.230s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.506s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.002s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.521s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.529s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	4.592s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.495s	PASSED
17	click(findTestObject("BackOffice/divPrivacyCommunicationPage")) Object: 'Object Repository/BackOffice/divPrivacyCommunicationPage' is clicked on	0.974s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonUpdate")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonUpdate' is clicked on	1.600s	PASSED
19	click(findTestObject("BackOffice/PrivacyAndCommunication/divLanguageDropdown")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divLanguageDropdown' is clicked on	0.651s	PASSED
20	click(findTestObject("BackOffice/PrivacyAndCommunication/divFirstLanguageSelect")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divFirstLanguageSelect' is clicked on	0.643s	PASSED
21	click(findTestObject("BackOffice/PrivacyAndCommunication/divTimeZoneDropdown")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/divTimeZoneDropdown' is clicked on	0.659s	PASSED
22	click(findTestObject("BackOffice/PrivacyAndCommunication/div2SelectTimeZone")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/div2SelectTimeZone' is clicked on	2.867s	PASSED
23	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch1")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch1' is clicked on	2.836s	PASSED
24	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSwitch2")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSwitch2' is clicked on	2.855s	PASSED
25	click(findTestObject("BackOffice/PrivacyAndCommunication/buttonSaveChanges")) Object: 'Object Repository/BackOffice/PrivacyAndCommunication/buttonSaveChanges' is clicked on	2.865s	PASSED

IV Test Case (Privacy Communication)

#	Description	Elapsed	Status
26	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertLanguageEnglish")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertLanguageEnglish' is visible	2.819s	PASSED
27	verifyElementVisible(findTestObject("BackOffice/PrivacyAndCommunication/assertTimeZoneTitle")) Object 'Object Repository/BackOffice/PrivacyAndCommunication/assertTimeZoneTitle' is visible	0.358s	PASSED
28	Start listener action : terminateRunningWebDrivers	0.528s	PASSED
29	Video Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .	0.000s	PASSED