# BO - Smoke Test

## Execution Environment

| | |
|---|---|
| Host name | WIN10 - FINMX-L12 |
| Local OS | Windows 10 64bit |
| Katalon version | 8.5.5.208 |
| Browser | Chrome 112.0.0.0 |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/BO - Smoke Test | | |
| Description | | | |
| Total | 5 | | |
| Passed | 0 | Failed | 4 |
| Error | 1 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2023-05-11 12:32:24 | End | 2023-05-11 12:35:45 |
| Elapsed | 3m - 21.025s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/I Test Case (AccountInformation) | starting smoke test with this test case <br> -change country <br> -registration <br> -login <br> -BO <br> -change password <br> -change language and check categories and products | ERROR |
| 2 | Test Cases/II Test Case (View My Orders) | | FAILED |
| 3 | Test Cases/III Test Case (View Payments) | | FAILED |
| 4 | Test Cases/IV Test Case (Privacy Communication) | | FAILED |
| 5 | Test Cases/V Test Case (Autoship) | | FAILED |

# I Test Case (AccountInformation)

## Information

| | |
|---|---|
| ID | Test Cases/I Test Case (AccountInformation) |
| Description | starting smoke test with this test case |
| | -change country |
| Tag | -registration |
| | -login |
| | -BO |
| Start | -change password |
| | -change language and check categories and products |
| Elapsed | smoketest |
| Status | |

| | | | |
|---|---|---|---|
| | 2023-05-11 12:32:24 | End | 2023-05-11 12:33:07 |
| | 42.324s | | |
| | ERROR | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 2.682s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") | 2.233s | PASSED |
| | Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | | |
| 3 | deleteAllCookies() | 0.036s | PASSED |
| | Delete all cookies successfully | | |
| 4 | maximizeWindow() | 0.154s | PASSED |
| | Current window maximized | | |
| 5 | refresh() | 0.578s | PASSED |
| | Refresh successfully | | |
| 6 | delay(3) | 3.035s | PASSED |
| | Delayed 3 second(s) | | |

# I Test Case (AccountInformation)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | click(findTestObject("Footer/divCountryLanguage"))<br><br>Object: 'Object Repository/Footer/divCountryLanguage' is clicked on | 5.040s | PASSED |
| 8 | click(findTestObject("CountryLanguage/select_en-PT"))<br><br>Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | 1.461s | PASSED |
| 9 | click(findTestObject("Header/iconGuestProfile"))<br><br>Object: 'Object Repository/Header/iconGuestProfile' is clicked on | 1.093s | PASSED |
| 10 | click(findTestObject("LoginPage/buttonRegisterNewAccount"))<br><br>Object: 'Object Repository/LoginPage/buttonRegisterNewAccount' is clicked on | 3.194s | PASSED |
| 11 | setText(findTestObject("LoginPage/inputFirstName"), "Smoke")<br><br>Text 'Smoke' is set on object 'Object Repository/LoginPage/inputFirstName' | 1.087s | PASSED |
| 12 | setText(findTestObject("LoginPage/inputLastName"), "Test")<br><br>Text 'Test' is set on object 'Object Repository/LoginPage/inputLastName' | 0.961s | PASSED |
| 13 | randomEmail = Script1680713356350.generateRandomEmail(10) | 0.001s | PASSED |
| 14 | allowedChars = "abcdefghijklmnopqrstuvwxyz0123456789" | 0.002s | PASSED |
| 15 | email = new java.lang.StringBuilder() | 0.022s | PASSED |
| 16 | random = new java.util.Random() | 0.006s | PASSED |

# I Test Case (AccountInformation)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 17 | for ([i = 0, i < length, (i++)]) | 0.019s | PASSED |
| 18 | email.append("@gmail.com") | 0.001s | PASSED |
| 19 | return email.toString() | 0.002s | PASSED |
| 20 | println(randomEmail) | 0.007s | PASSED |
| 21 | setText(findTestObject("LoginPage/inputEmailRegister"), randomEmail)<br><br>Text 'sjmzr5nwq8@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailRegister' | 1.098s | PASSED |
| 22 | password = "SmokeTest123@" | 0.003s | PASSED |
| 23 | newPassword = "Test123@" | 0.002s | PASSED |
| 24 | setText(findTestObject("LoginPage/inputPasswordRegister"), password)<br><br>Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordRegister' | 1.082s | PASSED |
| 25 | setText(findTestObject("LoginPage/inputConfirmPasswordRegister"), password)<br><br>Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputConfirmPasswordRegister' | 1.134s | PASSED |

# I Test Case (AccountInformation)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 26 | click(findTestObject("LoginPage/inputEmailRegister")) <br><br> Object: 'Object Repository/LoginPage/inputEmailRegister' is clicked on | 0.620s | PASSED |
| 27 | click(findTestObject("LoginPage/svgShowPasswordLogin")) <br><br> Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | 0.718s | PASSED |
| 28 | click(findTestObject("LoginPage/svgShowConfirmPasswordRegister")) <br><br> Object: 'Object Repository/LoginPage/svgShowConfirmPasswordRegister' is clicked on | 0.509s | PASSED |
| 29 | click(findTestObject("LoginPage/buttonCreateAnAccount")) <br><br> Object: 'Object Repository/LoginPage/buttonCreateAnAccount' is clicked on | 2.719s | PASSED |
| 30 | delay(5) <br><br> Delayed 5 second(s) | 5.016s | PASSED |
| 31 | click(findTestObject("Header/iconUserProfile")) <br><br> Object: 'Object Repository/Header/iconUserProfile' is clicked on | 0.590s | PASSED |
| 32 | click(findTestObject("Header/divAccountInformationBO")) <br><br> Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | 1.169s | PASSED |
| 33 | click(findTestObject("BackOffice/divViewMyOrdersPage")) <br><br> Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on | 0.868s | PASSED |
| 34 | click(findTestObject("BackOffice/divViewPaymentsPage")) <br><br> Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on | 1.129s | PASSED |

# I Test Case (AccountInformation)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 35 | _ | 0.873s | ERROR |

Test Cases/I Test Case (AccountInformation) FAILED.
Reason:
java.lang.NullPointerException: Cannot get property '_' on null object
       at I Test Case (AccountInformation).run(I Test Case (AccountInformation):149)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
       at TempTestSuite1683801137604.run(TempTestSuite1683801137604.groovy:36)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 36 | Start listener action : terminateRunningWebDrivers | 0.595s | PASSED |
| 37 | Video | 0.001s | PASSED |

Video recording for test case 'Test Cases/I Test Case (AccountInformation)' .

# II Test Case (View My Orders)

## Information

ID      Test Cases/II Test Case (View My Orders)

Description

Tag

Start      2023-05-11 12:33:07      End      2023-05-11 12:33:14

Elapsed      7.535s

Status      FAILED

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

# II Test Case (View My Orders)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | openBrowser("") | 4.629s | FAILED |

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
    at II Test Case (View My Orders).run(II Test Case (View My Orders):20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
    at TempTestSuite1683801137604.run(TempTestSuite1683801137604.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed
to connect to localhost/0:0:0:0:0:0:0:1:5636
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: EventFiringWebDriver
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:92)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:

| # | Description | Elapsed | Status |
|---|---|---|---|

452)
  at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
  at com.sun.proxy.$Proxy12.quit(Unknown Source)
  at org.openqa.selenium.support.events.EventFiringWebDriver.quit
(EventFiringWebDriver.java:211)
  at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1501)
  at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:343)
  at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
  at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
  at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
  at Script1682598283514.run(Script1682598283514.groovy:20)
  ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:5636
  at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
  at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
  at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
  at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
  at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
  at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
  at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
  at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
  at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)

| # | Description | Elapsed | Status |
|---|---|---|---|
| |        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121)<br><br>       at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)<br>       at okhttp3.RealCall.execute(RealCall.java:77)<br>       at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103)<br>       at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155)<br>       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)<br>       ... 32 more<br>Caused by: java.net.ConnectException: Connection refused: connect<br>       at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)<br>       at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245)<br>       ... 52 more<br>) | | |
| 2 | Start listener action : terminateRunningWebDrivers | 0.470s | PASSED |
| 3 | Video | 0.001s | PASSED |

Video recording for test case 'Test Cases/II Test Case (View My Orders)' .

# III Test Case (View Payments)

## Information

ID    Test Cases/III Test Case (View Payments)

Description

Tag

| | | | |
|---|---|---|---|
| Start | 2023-05-11 12:33:14 | End | 2023-05-11 12:34:18 |
| Elapsed | 1m - 3.734s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 1.237s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") | 2.639s | PASSED |
| | Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | | |
| 3 | deleteAllCookies() | 0.026s | PASSED |
| | Delete all cookies successfully | | |
| 4 | maximizeWindow() | 0.169s | PASSED |
| | Current window maximized | | |
| 5 | refresh() | 0.530s | PASSED |
| | Refresh successfully | | |
| 6 | delay(3) | 3.017s | PASSED |
| | Delayed 3 second(s) | | |
| 7 | click(findTestObject("Footer/divCountryLanguage")) | 2.877s | PASSED |
| | Object: 'Object Repository/Footer/divCountryLanguage' is clicked on | | |

# III Test Case (View Payments)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 8 | click(findTestObject("CountryLanguage/select_en-PT")) <br><br> Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | 1.299s | PASSED |
| 9 | click(findTestObject("Header/iconGuestProfile")) <br><br> Object: 'Object Repository/Header/iconGuestProfile' is clicked on | 1.316s | PASSED |
| 10 | setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") <br><br> Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin' | 1.485s | PASSED |
| 11 | setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") <br><br> Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin' | 0.982s | PASSED |
| 12 | click(findTestObject("LoginPage/svgShowPasswordLogin")) <br><br> Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | 0.532s | PASSED |
| 13 | click(findTestObject("LoginPage/buttonSignIn")) <br><br> Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on | 0.526s | PASSED |
| 14 | click(findTestObject("Header/iconUserProfile")) <br><br> Object: 'Object Repository/Header/iconUserProfile' is clicked on | 4.388s | PASSED |
| 15 | click(findTestObject("Header/divAccountInformationBO")) <br><br> Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | 1.158s | PASSED |
| 16 | click(findTestObject("BackOffice/divViewPaymentsPage")) <br><br> Object: 'Object Repository/BackOffice/divViewPaymentsPage' is clicked on | 0.875s | PASSED |

# III Test Case (View Payments)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 17 | click(findTestObject("Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod")) | 1.264s | PASSED |
| | Object: 'Object Repository/BackOffice/ViewPayments/buttonAddNewPaymentMethod' is clicked on | | |

| # | Description | Elapsed | Status |
|---|---|---|---|
| 18 | click(findTestObject("Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod")) | 36.382s | FAILED |

Unable to click on object 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' (Root cause: com. kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$4.call (Unknown Source)
    at III Test Case (View Payments).run(III Test Case (View Payments):54)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
    at TempTestSuite1683801137604.run(TempTestSuite1683801137604.groovy:36)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/ViewPayments/divFirstSelectPaymentMethod' located by '(//span [@class = 'radio '])[1]' not found
    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:65)
    at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)

| # | Description | Elapsed | Status |
|---|---|---|---|
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$4.call (Unknown Source) | | |
| | at Script1683121456443.run(Script1683121456443.groovy:54) | | |
| | ... 13 more | | |
| | ) | | |
| | **Your Payment Methods** — ORGANO™ — Account Information, View My Orders, View Payments, Autoship, Privacy & Communication — Select Payment Method — ● Credit / Debit Card — Continue  Cancel — Smoke Test Preferred Customer | | |
| 19 | Start listener action : terminateRunningWebDrivers | 0.577s | PASSED |
| 20 | Video | 0.000s | PASSED |
| | Video recording for test case 'Test Cases/III Test Case (View Payments)' . | | |

# IV Test Case (Privacy Communication)

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/IV Test Case (Privacy Communication) | | |
| Description | | | |
| Tag | | | |
| Start | 2023-05-11 12:34:18 | End | 2023-05-11 12:34:25 |
| Elapsed | 7.381s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# IV Test Case (Privacy Communication)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 1 | openBrowser("") | 4.613s | FAILED |

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
    at IV Test Case (Privacy Communication).run(IV Test Case (Privacy
Communication):20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
    at TempTestSuite1683801137604.run(TempTestSuite1683801137604.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed
to connect to localhost/0:0:0:0:0:0:0:1:41862
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64',
os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: EventFiringWebDriver
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:92)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:452) | | |
| | at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1 (EventFiringWebDriver.java:105) | | |
| | at com.sun.proxy.$Proxy12.quit(Unknown Source) | | |
| | at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) | | |
| | at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call (Unknown Source) | | |
| | at Script1683200246433.run(Script1683200246433.groovy:20) | | |
| | ... 13 more | | |
| | Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:41862 | | |
| | at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) | | |
| | at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) | | |
| | at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) | | |
| | at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) | | |
| | at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) | | |
| | at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) | | |
| | at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) | | |
| | at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147) | | |
| | at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) | | |
| | at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: | | |

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

147)
     at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
     at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
     at okhttp3.RealCall.execute(RealCall.java:77)
     at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)
     at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:155)
     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
     ... 32 more
Caused by: java.net.ConnectException: Connection refused: connect
     at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)
     at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:245)
     ... 52 more
)

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 2 | Start listener action : terminateRunningWebDrivers | 0.453s | PASSED |
| 3 | Video | 0.000s | PASSED |

Video recording for test case 'Test Cases/IV Test Case (Privacy Communication)' .

# V Test Case (Autoship)

## Information

| | | | |
|---|---|---|---|
| ID | Test Cases/V Test Case (Autoship) | | |
| Description | | | |
| Tag | | | |
| Start | 2023-05-11 12:34:25 | End | 2023-05-11 12:35:45 |
| Elapsed | 1m - 19.710s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 1.272s | PASSED |
| | Browser is opened with url: '' | | |
| 2 | navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") | 2.945s | PASSED |
| | Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully | | |
| 3 | deleteAllCookies() | 0.021s | PASSED |
| | Delete all cookies successfully | | |
| 4 | maximizeWindow() | 0.133s | PASSED |
| | Current window maximized | | |
| 5 | refresh() | 0.587s | PASSED |
| | Refresh successfully | | |
| 6 | delay(3) | 3.017s | PASSED |
| | Delayed 3 second(s) | | |
| 7 | click(findTestObject("Footer/divCountryLanguage")) | 5.287s | PASSED |
| | Object: 'Object Repository/Footer/divCountryLanguage' is clicked on | | |

# V Test Case (Autoship)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 8 | click(findTestObject("CountryLanguage/select_en-PT"))<br><br>Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on | 1.419s | PASSED |
| 9 | click(findTestObject("Header/iconGuestProfile"))<br><br>Object: 'Object Repository/Header/iconGuestProfile' is clicked on | 1.650s | PASSED |
| 10 | setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com")<br><br>Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin' | 1.459s | PASSED |
| 11 | setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@")<br><br>Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin' | 0.952s | PASSED |
| 12 | click(findTestObject("LoginPage/svgShowPasswordLogin"))<br><br>Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on | 0.487s | PASSED |
| 13 | click(findTestObject("LoginPage/buttonSignIn"))<br><br>Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on | 0.508s | PASSED |
| 14 | click(findTestObject("Header/iconUserProfile"))<br><br>Object: 'Object Repository/Header/iconUserProfile' is clicked on | 3.921s | PASSED |
| 15 | click(findTestObject("Header/divAccountInformationBO"))<br><br>Object: 'Object Repository/Header/divAccountInformationBO' is clicked on | 0.611s | PASSED |
| 16 | click(findTestObject("BackOffice/divAutoshipPage"))<br><br>Object: 'Object Repository/BackOffice/divAutoshipPage' is clicked on | 3.258s | PASSED |
| 17 | delay(3)<br><br>Delayed 3 second(s) | 3.003s | PASSED |

# V Test Case (Autoship)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 18 | StringlastAutoshipNumber = getText(findTestObject("BackOffice/Autoship/divLastAutosahipNumber"))<br><br>Text of object 'Object Repository/BackOffice/Autoship/divLastAutosahipNumber' is: '100021960' | 0.345s | PASSED |
| 19 | println(StringlastAutoshipNumber) | 0.001s | PASSED |
| 20 | lastAutoshipNumber = StringlastAutoshipNumber.toInteger() | 0.000s | PASSED |
| 21 | println(lastAutoshipNumber) | 0.000s | PASSED |
| 22 | click(findTestObject("BackOffice/Autoship/buttonNewAutoship"))<br><br>Object: 'Object Repository/BackOffice/Autoship/buttonNewAutoship' is clicked on | 0.528s | PASSED |
| 23 | click(findTestObject("BackOffice/Autoship/buttonFirstAddProduct"))<br><br>Object: 'Object Repository/BackOffice/Autoship/buttonFirstAddProduct' is clicked on | 4.462s | PASSED |
| 24 | click(findTestObject("BackOffice/Autoship/divHeaderAutoshipBag"))<br><br>Object: 'Object Repository/BackOffice/Autoship/divHeaderAutoshipBag' is clicked on | 3.542s | PASSED |
| 25 | click(findTestObject("BackOffice/Autoship/buttonUpQuantity"))<br><br>Object: 'Object Repository/BackOffice/Autoship/buttonUpQuantity' is clicked on | 0.911s | PASSED |

# V Test Case (Autoship)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 26 | click(findTestObject("BackOffice/Autoship/buttonContinue")) | 36.415s | FAILED |

Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/BackOffice/Autoship/buttonContinue'
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$4.call (Unknown Source)
 at V Test Case (Autoship).run(V Test Case (Autoship):70)
 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
 at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
 at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
 at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
 at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)
 at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
 at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
 at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
 at TempTestSuite1683801137604.run(TempTestSuite1683801137604.groovy:36)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/BackOffice/Autoship/buttonContinue' located by '//button [@class= 'btnSave']' not found
 at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370)
 at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:65)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)
 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

| # | Description | Elapsed | Status |
|---|---|---|---|

groovy:74)
      at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$4.call (Unknown Source)
      at Script1683275531328.run(Script1683275531328.groovy:70)
      ... 13 more
)

**Shop by Category:**
- ☑ All
- ☐ Specialty Teas

| | Choose Products | Shipping Date | Shipping Address | Payment Information | Confirm Order |
|---|---|---|---|---|---|

**❹ Products added to your Autoship | Close Autoship Details -      TOTAL: € 32.00**

| Item | Quantity | Price | PQV | CV | Item Subtotal |
|---|---|---|---|---|---|
| Organo™ Organic Green Test | − 4 + | € 8.00 | 12 | 16 | € 32.00 ✕ |

| | | |
|---|---|---|
| Subtotal | | € 32.00 |
| Tax | | € 0.00 |
| Shipping & Handling | | Calculated in Checkout |

Add a Coupon Code

| # | Description | Elapsed | Status |
|---|---|---|---|
| 27 | Start listener action : terminateRunningWebDrivers | 0.577s | PASSED |
| 28 | Video | 0.001s | PASSED |

Video recording for test case 'Test Cases/V Test Case (Autoship)' .