

BO - Smoke Test

Execution Environment

Host name	WIN10 - FINMX-L12
Local OS	Windows 10 64bit
Katalon version	8.5.5.208
Browser	Chrome 113.0.0.0

Summary

ID	Test Suites/BO - Smoke Test		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-16 11:31:06	End	2023-05-16 11:33:39
Elapsed	2m - 33.534s		

#	ID	Description	Status
1	Test Cases/II Test Case (View My Orders)		FAILED
2	Test Cases/III Test Case (View Payments)		FAILED

II Test Case (View My Orders)

Information

ID	Test Cases/II Test Case (View My Orders)		
Description			
Tag			
Start	2023-05-16 11:31:06	End	2023-05-16 11:33:32
Elapsed	2m - 25.771s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.565s	PASSED
2	navigateToUrl("https://ecommerce-test.softmetrixgroup.com/") Navigate to 'https://ecommerce-test.softmetrixgroup.com/' successfully	2.309s	PASSED
3	deleteAllCookies() Delete all cookies successfully	0.039s	PASSED
4	maximizeWindow() Current window maximized	0.181s	PASSED
5	refresh() Refresh successfully	0.556s	PASSED
6	shopVersion = getText(findTestObject("Footer/shopVersion")) Text of object 'Object Repository/Footer/shopVersion' is: '(1.0.0.110)'	3.335s	PASSED
7	println("Version of origin/test is: " + shopVersion)	0.004s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
8	click(findTestObject("Footer/divCountryLanguage")) Object: 'Object Repository/Footer/divCountryLanguage' is clicked on	2.828s	PASSED
9	click(findTestObject("CountryLanguage/select_en-PT")) Object: 'Object Repository/CountryLanguage/select_en-PT' is clicked on	1.304s	PASSED
10	click(findTestObject("Header/iconGuestProfile")) Object: 'Object Repository/Header/iconGuestProfile' is clicked on	1.423s	PASSED
11	setText(findTestObject("LoginPage/inputEmailLogin"), "smoketest@gmail.com") Text 'smoketest@gmail.com' is set on object 'Object Repository/LoginPage/inputEmailLogin'	1.530s	PASSED
12	setText(findTestObject("LoginPage/inputPasswordLogin"), "SmokeTest123@") Text 'SmokeTest123@' is set on object 'Object Repository/LoginPage/inputPasswordLogin'	1.014s	PASSED
13	click(findTestObject("LoginPage/svgShowPasswordLogin")) Object: 'Object Repository/LoginPage/svgShowPasswordLogin' is clicked on	0.515s	PASSED
14	click(findTestObject("LoginPage/buttonSignIn")) Object: 'Object Repository/LoginPage/buttonSignIn' is clicked on	0.536s	PASSED
15	click(findTestObject("Header/iconUserProfile")) Object: 'Object Repository/Header/iconUserProfile' is clicked on	3.943s	PASSED
16	click(findTestObject("Header/divAccountInformationBO")) Object: 'Object Repository/Header/divAccountInformationBO' is clicked on	1.194s	PASSED
17	click(findTestObject("BackOffice/divViewMyOrdersPage")) Object: 'Object Repository/BackOffice/divViewMyOrdersPage' is clicked on	0.925s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
18	click(findTestObject("BackOffice/ViewMyOrders/svg1ViewDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/svg1ViewDetailOrder' is clicked on	1.243s	PASSED
19	delay(3) Delayed 3 second(s)	3.029s	PASSED
20	verifyElementVisible(findTestObject("BackOffice/ViewMyOrders/assertViewOrder")) Object 'Object Repository/BackOffice/ViewMyOrders/assertViewOrder' is visible	0.372s	PASSED
21	click(findTestObject("BackOffice/ViewMyOrders/buttonGoBackDetailOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/buttonGoBackDetailOrder' is clicked on	0.511s	PASSED
22	invoice_number = executeJavaScript("return JSON.parse(JSON.parse(localStorage.getItem('persist:og')).orderHistory).orders.content[0].invoice_number;", null) Execute JavaScript 'return	0.045s	PASSED
23	println(invoice_number)	0.001s	PASSED
24	click(findTestObject("BackOffice/ViewMyOrders/button1RepeatOrder")) Object: 'Object Repository/BackOffice/ViewMyOrders/button1RepeatOrder' is clicked on	0.608s	PASSED
25	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/iconUpQuantity' is clicked on	2.167s	PASSED
26	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	0.618s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
27	click(findTestObject("BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout")) Object: 'Object Repository/BackOffice/ViewMyOrders/RepeatOrder/buttonCheckout' is clicked on	2.943s	PASSED
28	delay(5) Delayed 5 second(s)	5.018s	PASSED
29	urlCheckout = getUrl() Current window's url is: 'https://ecommerce-test.softmetrixgroup.com/en-ZA/backoffice/view-orders/'	0.027s	PASSED
30	println(urlCheckout)	0.001s	PASSED
31	if (urlCheckout.contains("checkout"))	0.001s	PASSED
32	else Delayed 3 second(s)	11.818s	PASSED
33	if (invoice_number.contains("US"))	0.001s	PASSED
34	else if (invoice_number.contains("AU"))	0.000s	PASSED
35	else if (invoice_number.contains("ZA")) Delayed 10 second(s)	43.301s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
36	script = null	0.000s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
37	try Unable to execute JavaScript. (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to execute JavaScript. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.executeJavascript(ExecuteJavascriptKeyword.groovy:42) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword.execute(ExecuteJavascriptKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.executeJavaScript(WebUiBuiltInKeywords.groovy:4873) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$executeJavaScript\$8.call(Unknown Source) at II Test Case (View My Orders).run(II Test Case (View My Orders):296) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684229459289.run(TempTestSuite1684229459289.groovy:36) Caused by: org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'status_code') (Session info: chrome=113.0.5672.93) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: com.kms.katalon.selenium.driver.CCChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\WIN10\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:53482}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,	0.240s	FAILED

#	Description	Elapsed	Status
	<pre> webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bcd36606f0665c4cbf12d078e1aef18f at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.executeScript (RemoteWebDriver.java:489) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.executeScript(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.executeScript (EventFiringWebDriver.java:229) at com.kms.katalon.core.webui.keyword.builtin. ExecuteJavaScriptKeyword\$_executeJavascript_closure1.doCall (ExecuteJavaScriptKeyword.groovy:48) at com.kms.katalon.core.webui.keyword.builtin. ExecuteJavaScriptKeyword\$_executeJavascript_closure1.call(ExecuteJavaScriptKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword. executeJavascript(ExecuteJavaScriptKeyword.groovy:42) at com.kms.katalon.core.webui.keyword.builtin.ExecuteJavaScriptKeyword. execute(ExecuteJavaScriptKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. executeJavaScript(WebUiBuiltInKeywords.groovy:4873) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$executeJavaScript\$8.call(Unknown Source) at Script1682598283514.run(Script1682598283514.groovy:296) ... 13 more </pre>		

Address line 1


Address line 2

City

State

Postal Code

Country

 South Africa

Shipping & Handling: Free

Discount: - R0.00

Tax: 0.00

Total: R460.00

☐ Get the latest Organo news and Deals

By clicking "Pay Now" I agree that I have read and accepted the [Terms & Conditions of Sale](#)

PAY NOW

II Test Case (View My Orders)

#	Description	Elapsed	Status
38	catch (Exception e) Error while loading script: Unable to execute JavaScript.	0.065s	PASSED
39	if (script == null script.equals(""))	0.004s	PASSED
40	statusCode = Integer.parseInt(script)	0.002s	PASSED

II Test Case (View My Orders)

#	Description	Elapsed	Status
41	if (statusCode == 0) Unable to click on object 'Object Repository/Page ThreeDS ACS Emulator (SafeCharge) /button3dsSuccessAuthentication' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page ThreeDS ACS Emulator (SafeCharge)/button3dsSuccessAuthentication' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$5.call (Unknown Source) at II Test Case (View My Orders).run(II Test Case (View My Orders):314) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1684229459289.run (TempTestSuite1684229459289.groovy:36) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page ThreeDS ACS Emulator (SafeCharge) /button3dsSuccessAuthentication' located by '//button[@id = 'btn1']' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1370) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall (ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)	46.270s	FAILED

II Test Case (View My Orders)

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$5.call(Unknown Source) at Script1682598283514.run(Script1682598283514.groovy:314) ... 13 more)</pre> <p>ORGANO™ Some button</p> <p>Q S South Africa EN ▾</p>		

CONGRATULATIONS



DEAR CUSTOMER THANK YOU FOR YOUR ORDER ⓘ

42	Start listener action : terminateRunningWebDrivers	0.571s	PASSED
43	Video	0.000s	PASSED
Video recording for test case 'Test Cases/II Test Case (View My Orders)' .			

III Test Case (View Payments)

Information

ID	Test Cases/III Test Case (View Payments)		
Description			
Tag			
Start	2023-05-16 11:33:32	End	2023-05-16 11:33:39
Elapsed	7.415s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

III Test Case (View Payments)

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at III Test Case (View Payments).run(III Test Case (View Payments):20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1684229459289.run(TempTestSuite1684229459289.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:8601</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'FINMX-L12', ip: '192.168.0.32', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: EventFiringWebDriver</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:</p>	4.626s	FAILED

III Test Case (View Payments)

#	Description	Elapsed	Status
452)	at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy12.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:343) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1683121456443.run(Script1683121456443.groovy:20) ... 13 more Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:1:8601 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept (RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147)		

III Test Case (View Payments)

#	Description	Elapsed	Status
121)	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java: 103) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:155) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) ... 32 more Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) ... 52 more)		
2	Start listener action : terminateRunningWebDrivers	0.406s	PASSED
3	Video Video recording for test case 'Test Cases/III Test Case (View Payments)' .	0.000s	PASSED