

Common Name: GODFREY'S WILD PRIVET

Scientific Name: Forestiera godfreyi L. C. Anderson

Other Commonly Used Names: none

Previously Used Scientific Names: none

Family: Oleaceae (olive)

Rarity Ranks: G2/S1

State Legal Status: Endangered

Federal Legal Status: none

Federal Wetland Status: none

Description: Deciduous **shrub or small tree**, 8 - 16 feet (2.5 - 5 meters) tall, main **stems** arching or leaning. **Leaves** 2 - 3 inches (5 - 8 cm) long, 1 - 1½ inches (2.3 - 4 cm) wide, oval, opposite, margins finely toothed above the middle, hairy on the lower surface. **Leaf stalks and twigs** hairy. **Female and male flowers** on separate plants. **Female flowers** in clusters of 5 - 10, each flower with 1 pistil, 2 - 4 non-functional stamens, and 6 small bracts. **Male flowers** (see photo) in clusters of 12 - 15 flowers, each flower with 3 - 5 showy, white stamens, 4 - 5 tiny sepals, and no petals; each male flower cluster surrounded by 4 small and 2 tiny, pale yellow bracts. Both female and male flower clusters are held close to the stem and appear to be single flowers. **Fruit** is up to ½ inch (0.8 - 1.2 cm) long, oval, waxy, dark blue.

Similar Species: Swamp privet (*Forestiera acuminata*) occurs in wetlands, and has long-pointed leaf tips and small teeth all along the leaf margins. Upland privet (*F. ligustrina*) has two lines of hairs on the twigs, small teeth all along the leaf margins, and nearly hairless leaf stalks; it flowers mid—late summer.

Related Rare Species: See Florida wild privet (*Forestiera segregata*) on this website.

Habitat: Coastal maritime forests over shell mounds on barrier islands.

Life History: Godfrey's privet is dioecious, meaning that female and male flowers are on different plants. The female-flowering plants of Godfrey's privet often grow in patches somewhat separated from patches of male-flowering plants. Typically, late winter-flowering plants are wind-pollinated, but the clustered arrangement of Godfrey's privet flowers mimics a single, showy flower and suggests that the plant has evolved to attract insect pollinators, although none have been documented. The fruits are probably dispersed by small animals.

Survey Recommendations: Surveys are best conducted during flowering (late January–late February) and fruiting (February–May). Leaves may be recognized through the summer.

Range: Georgia, Florida, and South Carolina

Threats: Destruction of habitat by clearing and development, and by unauthorized excavation of shell mounds. Invasion by exotic pest plants.

Georgia Conservation Status: Only one population of Godfrey's wild privet is known; it occurs in a state park.

Conservation and Management Recommendations: Protect coastal forests from clearing and development. Protect shell mounds from digging and disturbance. Eradicate exotic pest plants. Direct trails and recreation activity away from plants.

Selected References:

Anderson, L.C. 1985. *Forestiera godfreyi* (Oleaceae), a new species from Florida and South Carolina. Sida 11(1): 1-5.

Chafin, L.G. 2007. Field guide to the rare plants of Georgia. State Botanical Garden of Georgia and University of Georgia Press, Athens.

Chafin, L.G. 2000. Field guide to the rare plants of Florida. Florida Natural Areas Inventory, Tallahassee.

Foote, L.E. and S.B. Jones, Jr. 1989. Native shrubs and woody vines of the southeast. Timber Press, Portland, Oregon.

Godfrey, R.K. 1988. Trees, shrubs, and woody vines of northern Florida and adjacent Georgia and Alabama. University of Georgia Press, Athens.

NatureServe. 2007. NatureServe Explorer. Arlington, Virginia. http://www.natureserve.org/explorer

Nelson, G. 1996. Shrubs and woody vines of Florida. Pineapple Press, Sarasota, Florida.

Weakley, A.S. 2007. Flora of the Carolinas, Virginia, Georgia, and surrounding areas. University of North Carolina Herbarium, Chapel Hill. http://www.herbarium.unc.edu/flora.htm

Author of species account: Linda G. Chafin

Date Compiled or Updated:

L. Chafin, Feb. 2008: original account K. Owers, Jan. 2010: added pictures



Male flowers



