

Product Specification: Admin Panel – QA & Error Testing Plan

```
> **Product**: Galata Greek School CMS
> **Module**: Admin Panel QA Strategy
> **Target Audience**: Non-technical Administrators
> **Date**: 2026-03-08
> **Status**: Ready for Execution
```

1. Executive Summary

Since the Galata CMS is operated by non-technical administrators with limited web management experience, our testing and validation strategy must prioritize **user empathy and clear guidance**. If an admin makes a mistake (e.g., forgetting a required image or category, entering an invalid URL), the system must **never fail silently** or display raw technical database errors. Instead, it must intervene with explicit, actionable alerts in Turkish.

This document outlines the testing templates required to ensure robust error handling across all CMS modules.

2. Problem Statement & Assumption

The Galata CMS manages complex trilingual content involving file uploads, specific formatting, and foreign key relationships.

Core Assumption: The admin user is *not* capable of diagnosing web issues*. They do not know what a "UUID", "Foreign Key Constraint", or "Internal Server Error" is. They will assume the system is broken if a form silently resets or stays open without a success message.

Problem: We must intercept all common failure points (missing required fields, duplicate keys, orphaned children) and guide the user out of them.

3. Empathy-Focused QA Goals

#	Goal	Description
G1	No Silent Failures	If a save/update action does not succeed, the user must receive a pop-up alert explaining why.
G2	Actionable Guidance	Error messages like "Database Error" are forbidden. Use "Kategori anahtarı kullanılıyor, lütfen farklı bir kelime yazın."
G3	Required Field Safeguards	The top 2-3 most critical fields per module (e.g., Title, Category, Image) must have strict front-end <code>if (!field) alert()</code> checks before dispatching to the DB.

| G4 | ****Orphan Protection**** | Deleting a main category with linked subcategories/artifacts must be physically blocked with a clear warning.
|

4. Pre-Built Error Testing Templates (Test Plan)

To ensure validation is working, execute the following "Error Insertion" test scenarios for every module. ****The expected result in all cases is an alert appearing with friendly, helpful Turkish guidance.****

4.1. Arşiv Eserleri & İstanbul Rumları (`artifacts`)

* ****Test Case 1 (No Image):**** Click "Yeni Eser Ekle", fill out the title, select a category, but DO NOT upload an image. Click Save.

* ***Expected:** "HATA: Lütfen bir eser görseli yükleyin veya seçin (Zorunlu)." alert appears.

* ****Test Case 2 (No Category):**** Fill out title and add an image, but leave Kategori empty. Click Save.

* ***Expected:** Backend/frontend catches it and shows "Lütfen bir Kategori seçiniz."

* ****Test Case 3 (Missing TR Title):**** Omit the Turkish title but fill in English.

* ***Expected:** Title validation guides the user back to the TR tab.

4.2. Kategoriler ve Alt Kategoriler (`archive\_categories` / `archive\_subcategories`)

* ****Test Case 4 (Empty Category Key):**** Click "Yeni Kategori", leave the `type\_key` blank, and click Save.

* ***Expected:** "HATA: Kategori anahtarı (type_key) boş bırakılamaz." alert.

* ****Test Case 5 (No Parent Category):**** Click "Yeni Alt Kategori", fill out names, but DO NOT select an "Üst Kategori" from the dropdown.

* ***Expected:** "HATA: Üst kategori seçilmedi! Her alt kategori mutlaka bir ana kategoriye ait olmalıdır." alert.

4.3. Geçmiş Etkinlikler (`past\_events`)

* ****Test Case 6 (No Date):**** Add an Event Title, add an image, but leave the date picker blank. Click Save.

* ***Expected:** "HATA: Lütfen etkinlik tarihini seçiniz (Zorunlu)." alert.

* ****Test Case 7 (No Cover Image):**** Add a Date, Title, etc. but skip the cover image upload.

* ***Expected:** "HATA: Lütfen bir kapak görseli yükleyin (Zorunlu)." alert.

4.4. Mekan Kiralama (`venue\_events`)

* ****Test Case 8 (No Title):**** Add an area and capacities, but leave the Turkish Title blank.

* ***Expected:** "HATA: Lütfen mekan alanı için Türkçe ad giriniz." alert.

* ****Test Case 9 (Type Mismatch):**** Type text instead of numbers in the capacity fields.

* ***Expected:** Form numeric casting `Number(...)` gracefully falls back to `null` or `0`, saving successfully without breaking the DB.

```
### 4.5. Sayfa İçerikleri (`page_content`)  
* **Test Case 10 (Empty Keys):** Leave `page_key` or `section_key` blank.  
  * *Expected:* "HATA: Lütfen bir Sayfa Anahtarı (page_key) giriniz. Bu  
alan zorunludur." alert.
```

5. Standard Operating Procedure for DB Errors

If a `try/catch` block reaches the backend database and the DB throws a 400 or 500 error (e.g. timeout, RLS policy failure), the standard fallback message displayed to the admin will be:

```
> *[Module Name] kaydedilemedi: [Supabase Error Message].*  
> *Lütfen internet bağlantınızı ve girdiğiniz değerleri kontrol edip  
tekrar deneyin.*
```

This ensures they know *where* the error happened, *what* the system thinks went wrong, and gives them an actionable next step (check connection/values).