

Product Specification: Admin Panel – Test Plan Creator

```
> **Product**: Galata Greek School CMS
> **Module**: Admin Panel → Test Plan Management
> **Version**: 1.2
> **Date**: 2026-03-08
> **Status**: Draft – Pending Review
```

1. Executive Summary

A new **"Test Planları"** module for the Galata CMS Admin Panel that enables administrators to create, manage, and execute structured QA test plans for all CMS-managed content. No external tools required, fully integrated with Supabase and the trilingual content architecture.

2. Problem Statement

The Galata CMS has **8 content modules** but no built-in way to: define test cases, track reviews after changes, create repeatable QA checklists, or record pass/fail results.

3. Goals & Non-Goals

Goals

#	Goal
G1	Create test plans with title, description, target module, and status
G2	Add test cases with steps, expected results, and target language
G3	Execute test cases, record pass/fail/blocked with notes
G4	Dashboard progress summary
G5	Full CRUD for plans and cases (Create, Read, Update, Delete, Duplicate)
G6	Match existing admin panel design patterns

Non-Goals

#	Non-Goal
NG1	Automated test execution
NG2	External tool integrations
NG3	Public-facing display

4. Admin Panel Menu Overview

#	Tab ID	Label	Icon	Table	Component
1	`dashboard`	Gösterge Paneli		`LayoutDashboard`	- *(inline)*
2	`artifacts`	Arşiv Eserleri		`Package`	`artifacts` [AdminArtifacts](file:///c:/Users/1/Desktop/GalataGreekSchool- Page/GalataSchool/src/pages/AdminPage/components/AdminArtifacts.tsx#5- 260)
3	`events`	Geçmiş Etkinlikler		`Calendar`	`past_events` [AdminEvents](file:///c:/Users/1/Desktop/GalataGreekSchool- Page/GalataSchool/src/pages/AdminPage/components/AdminEvents.tsx#5-252)
4	`venue`	Mekan Kiralama		`Building2`	`venue_events` [AdminVenue](file:///c:/Users/1/Desktop/GalataGreekSchool- Page/GalataSchool/src/pages/AdminPage/components/AdminVenue.tsx#5-364)
5	`history`	Tarihçe		`BookOpen`	`history_timeline` [AdminHistory](file:///c:/Users/1/Desktop/GalataGreekSchool- Page/GalataSchool/src/pages/AdminPage/components/AdminHistory.tsx#4-218)
6	`istanbul_rum`	İstanbul Rumları		`Users`	`artifacts` (filtered) [AdminIstanbulRum](file:///c:/Users/1/Desktop/GalataGreekSchool- Page/GalataSchool/src/pages/AdminPage/components/AdminIstanbulRum.tsx#5- 260)
7	`categories`	Kategoriler		`FolderOpen`	`archive_categories` + `archive_subcategories` [AdminCategories](file:///c:/Users/1/Desktop/GalataGreekSchool- Page/GalataSchool/src/pages/AdminPage/components/AdminCategories.tsx#4- 312)
8	`content`	Sayfa İçerikleri		`FileText`	`page_content` [AdminContent](file:///c:/Users/1/Desktop/GalataGreekSchool- Page/GalataSchool/src/pages/AdminPage/components/AdminContent.tsx#4-188)
9	**`test_plans`**	**Test Planları**		**`ClipboardList`**	**`test_cases`** **`AdminTestPlans` (NEW)**

5. Existing Module Reference (Detailed)

5.1 Dashboard (Gösterge Paneli)

****Description****: Overview page with stat cards and quick actions.

****Stat Cards**** (existing):

Card	Color	Source
Arşiv Eseri	Gold	`artifacts` count
Etkinlik	Blue	`past_events` count
Mekan	Emerald	`venue_events` count
Tarihçe	Purple	`history_timeline` count
İçerik	Slate	`page_content` count
Kategori	Amber	`archive_categories` count

```
| İstanbul Rum | Rose | `artifacts` count (filtered  
`archive_type='istanbul_rum'`) |
```

****Quick Actions****: "Yeni Eser Ekle", "Yeni Etkinlik", "Yeni Mekan", "Yeni İstanbul Rum Eseri"

****NEW additions for Test Plans****:

- Stat card: ****"Test Planı"**-** color: `indigo`
- Quick action: ****"Yeni Test Planı"**-**

5.2 Arşiv Eserleri (Artifacts)

****Table****: `artifacts` (excludes `archive\_type='istanbul\_rum'`)

****Component****:

[AdminArtifacts.tsx] (file:///c:/Users/1/Desktop/GalataGreekSchool-
Page/GalataSchool/src/pages/AdminPage/components/AdminArtifacts.tsx)

****Form Fields****:

Field	Type	Required	Description
`category_id`	Dropdown (FK)	☒	Links to `archive_categories`
`sub_category_id`	Dropdown (FK)	☒	Links to `archive_subcategories`
`image_url`	ImageUploader	☒	Artifact photo (via Supabase Storage)
`title_tr`	Text	☒	Turkish title
`title_en`	Text	☒	English title
`title_el`	Text	☒	Greek title
`description_tr`	Textarea	☒	Turkish description
`description_en`	Textarea	☒	English description
`description_el`	Textarea	☒	Greek description
`provenance_tr`	Textarea	☒	Provenance/Künye (TR)
`provenance_en`	Textarea	☒	Provenance/Künye (EN)
`provenance_el`	Textarea	☒	Provenance/Künye (EL)
`status`	Dropdown	☒	`draft` / `published`

****List Table Columns****: Görsel | Başlık (TR) | Kategori | Durum | İşlemler

****CRUD Operations****:

Operation	Supabase Call
Create	`supabase.from('artifacts').insert([payload])`
Read	`supabase.from('artifacts').select('*', archive_categories(name_tr),

```
archive_subcategories(name_tr)').neq('archive_type','istanbul_rum').order
('created_at', {ascending:false})` |
| **Update** | `supabase.from('artifacts').update(payload).eq('id', id)`
|
| **Delete** | `supabase.from('artifacts').delete().eq('id', id)` - with
`window.confirm()`` |
```

5.3 Geçmiş Etkinlikler (Events)

****Table****: `past\_events`

****Component****:

[AdminEvents.tsx](file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminEvents.tsx)

****Form Fields****:

Field	Type	Required	Description
`cover_image_url`	ImageUploader	☒	Cover image (1920×1080 recommended)
`thumbnail_images`	ImageUploader[]	☒	Gallery thumbnails (multi-add/remove)
`title_tr` / `title_en` / `title_el`	Text	☒	(TR) Trilingual event title
`type_tr` / `type_en` / `type_el`	Text	☒	Event type/subtitle (e.g., "Sergi")
`event_date`	Date input	☒	Event date
`status`	Dropdown	☒	`draft` / `published`

****List Table Columns****: Kapak | Başlık (TR) | Tarih | Durum | İşlemler

****CRUD Operations****:

Operation	Supabase Call
Create	`supabase.from('past_events').insert([formData])`
Read	`supabase.from('past_events').select('*').order('event_date', {ascending:false})`
Update	`supabase.from('past_events').update(formData).eq('id', id)`
Delete	`supabase.from('past_events').delete().eq('id', id)`

****Extra Actions****:

[addThumbnail(url)](file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminEvents.tsx#86-91),
[removeThumbnail(index)](file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminEvents.tsx#92-99)

5.4 Mekan Kiralama (Venue)

****Table**:** `venue\_events`

****Component**:**

[AdminVenue.tsx] (file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminVenue.tsx)

****Form Fields**:**

Field	Type	Required	Description
`image_url`	ImageUploader	☒	Main venue photo
`thumbnail_images`	ImageUploader[]	☒	Gallery thumbnails
`title_tr` / `title_en` / `title_el`	Text	☒	Trilingual venue name
`description_tr` / `description_en` / `description_el`	Textarea	☒	Trilingual description
`level`	Number	☒	Floor level (1, 2, 3...)
`area`	Text	☒	Area (e.g., "250m ² ")
`features_tr` / `features_en` / `features_el`	String[]	☒	Per-language feature lists (add/remove)
`gala_capacity`	Number	☒	Gala seating capacity
`theater_capacity`	Number	☒	Theater seating capacity
`cocktail_capacity`	Number	☒	Cocktail standing capacity
`floor_plan_svg_url`	Text	☒	Floor plan SVG URL
`order_index`	Number	☒	Display sort order
`status`	Dropdown	☒	`draft` / `published`

****List Table Columns**:** Görsel | Mekan Adı (TR) | Kat | Kapasite | Durum | İşlemler

****CRUD Operations**:**

Operation	Supabase Call
Create	`supabase.from('venue_events').insert([payload])`
Read	`supabase.from('venue_events').select('*').order('order_index', {ascending:true})`
Update	`supabase.from('venue_events').update(payload).eq('id', id)`
Delete	`supabase.from('venue_events').delete().eq('id', id)`

****Extra Actions**:**

[addFeature()](file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminVenue.tsx#108-117),
[removeFeature(lang, index)](file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminVenue.tsx#118-126),
[addThumbnail(url)](file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminEvents.tsx#86-91),

```
[removeThumbnail(index)](file:///c:/Users/1/Desktop/GalataGreekSchool-
Page/GalataSchool/src/pages/AdminPage/components/AdminEvents.tsx#92-99)
```

5.5 Tarihçe (History Timeline)

****Table**:** `history\_timeline`

****Component**:**

[AdminHistory.tsx](file:///c:/Users/1/Desktop/GalataGreekSchool-
Page/GalataSchool/src/pages/AdminPage/components/AdminHistory.tsx)

****Form Fields**:**

Field	Type	Required	Description
`year`	Text	☒	Year or era (e.g., "1885", "19. Yüzyıl")
`title_tr` / `title_en` / `title_el`	Text	☒	Trilingual milestone title
`description_tr` / `description_en` / `description_el`	Textarea	☒	Trilingual description
`order_index`	Number	☒	Sort order (low = first)
`status`	Dropdown	☒	`draft` / `published`

****List Table Columns**:** Yıl | Başlık (TR) | Sıra | Durum | İşlemler

****CRUD Operations**:**

Operation	Supabase Call
Create	`supabase.from('history_timeline').insert([payload])`
Read	`supabase.from('history_timeline').select('*').order('order_index').order('year')`
Update	`supabase.from('history_timeline').update(payload).eq('id', id)`
Delete	`supabase.from('history_timeline').delete().eq('id', id)`

5.6 İstanbul Rumları (Istanbul Greeks Archive)

****Table**:** `artifacts` (filtered by `archive\_type='istanbul\_rum'`)

****Component**:**

[AdminIstanbulRum.tsx](file:///c:/Users/1/Desktop/GalataGreekSchool-
Page/GalataSchool/src/pages/AdminPage/components/AdminIstanbulRum.tsx)

****Form Fields**:** Identical to Artifacts (§5.2) – same fields:

`category\_id`, `sub\_category\_id`, `image\_url`, trilingual titles/descriptions/provenance, `status`.

****Key Difference**:** On insert, automatically sets `archive\_type: 'istanbul\_rum'`. Read query filters by `.eq('archive\_type', 'istanbul\_rum')`.

****CRUD Operations**:**

Operation	Supabase Call
Create	<code>`supabase.from('artifacts').insert([({...payload, archive_type:'istanbul_rum'}))`</code>
Read	<code>`supabase.from('artifacts').select('*',...).eq('archive_type','istanbul_rum').order('created_at',{ascending:false})`</code>
Update	<code>`supabase.from('artifacts').update(payload).eq('id', id)`</code>
Delete	<code>`supabase.from('artifacts').delete().eq('id', id)`</code>

5.7 Kategoriler (Categories)

****Tables**:** `archive\_categories` + `archive\_subcategories`

****Component**:**

[AdminCategories.tsx] (file:///c:/Users/1/Desktop/GalataGreekSchool-Page/GalataSchool/src/pages/AdminPage/components/AdminCategories.tsx)

****Has two sub-sections**** toggled via tabs: ****Ana Kategoriler**** and ****Alt Kategoriler****

****Archive Type Filter**:** `Tümü` / `Okul` / `İstanbul Rum`

5.7.1 Main Categories (Ana Kategoriler)

****Form Fields**:**

Field	Type	Required	Description
`type_key`	Text	☒	Unique key (e.g., `trophies`, `manuscripts`)
`label_tr`	Text	☒	Turkish label
`label_en`	Text	☒	English label
`label_el`	Text	☒	Greek label
`tab`	Dropdown	☒	`documents` / `objects`
`archive_type`	Dropdown	☒	`school` / `istanbul_rum`

****List Table Columns**:** type_key | Label (TR) | Tab | Archive Type | İşlemler

****CRUD Operations**:**

Operation	Supabase Call
Create	<code>`supabase.from('archive_categories').insert([catForm])`</code>

```
| **Read** |
`supabase.from('archive_categories').select('*').order('type_key')` |
| **Update** |
`supabase.from('archive_categories').update(catForm).eq('id', catId)` |
| **Delete** | **Orphan protection**: Before deleting, check if any
artifacts reference this category via
`supabase.from('artifacts').select('id').eq('category_id', id)`. If
results exist → **block deletion** and show: _"Bu kategoriye bağlı X eser
var. Silmeden önce bu eserlerin kategorisini değiştirin."_ Only allow
delete when artifact count = 0. |
```

5.7.2 Subcategories (Alt Kategoriler)

****Form Fields****:

Field	Type	Required	Description
`key_name`	Text	☒	Unique key (e.g., `atletik_kupalar`)
`label_tr`	Text	☒	Turkish label
`label_en`	Text	☒	English label
`label_el`	Text	☒	Greek label
`parent_category_id`	Dropdown (FK)	☒	Parent category selection

****List Table Columns****: key_name | Label (TR) | Parent Category | İşlemler

****CRUD Operations****:

Operation	Supabase Call
Create	`supabase.from('archive_subcategories').insert([subForm])`
Read	`supabase.from('archive_subcategories').select('*', category:archive_categories(type_key)').order('key_name')`
Update	`supabase.from('archive_subcategories').update(subForm).eq('id', subId)`
Delete	**Orphan protection** : Before deleting, check if any artifacts reference this subcategory via `supabase.from('artifacts').select('id').eq('sub_category_id', id)`. If results exist → **block deletion** and show: <code>_</code> "Bu alt kategoriye bağlı X eser var. Silmeden önce bu eserlerin alt kategorisini değiştirin." <code>_</code> Only allow delete when artifact count = 0.

5.8 Sayfa İçerikleri (Page Content)

****Table****: `page\_content`

****Component****:

[AdminContent.tsx] (file:///c:/Users/1/Desktop/GalataGreekSchool-
Page/GalataSchool/src/pages/AdminPage/components/AdminContent.tsx)

****Form Fields**:**

Field	Type	Required	Description
`page_key`	Text	☒	Page identifier (e.g., `home`, `about`)
`section_key`	Text	☒	Section identifier (e.g., `hero_title`, `footer_contact`)
`content_tr`	Textarea	☒	Turkish content block
`content_en`	Textarea	☒	English content block
`content_el`	Textarea	☒	Greek content block

> [!WARNING]
> Changing `page\_key` or `section\_key` on published records will break frontend page mappings.

****List Table Columns**:** Sayfa | Bölüm | İçerik (TR kısa) | İşlemler

****CRUD Operations**:**

Operation	Supabase Call
Create	`supabase.from('page_content').insert([formData])`
Read	`supabase.from('page_content').select('*').order('page_key').order('section_key')`
Update	`supabase.from('page_content').update(formData).eq('id', id)`
Delete	`supabase.from('page_content').delete().eq('id', id)` – with warning about frontend breakage

6. New Module: Test Plans – Screen Details

6.1 List View

...

Test Planları						[+ Yeni Plan]
Test planlarını oluşturun ve izleyin						
Arama: [] Modül: [▼ Tümü] Durum: [▼ Tümü]						
#	Plan Adı	Modül	Durum	İlerleme	İşlem	
1	Batch 5 QA	Eserleri	☒ Devam	6/10	:	
2	Trilingual Audit	Tümü	☒ Bitti	12/12	:	
3	Event Images	Etkinlik	☐ Taslak	0/5	:	

...

****Context Menu (:)**:** Düzenle | Kopyala | Sil

6.2 Create/Edit Form

...

Yeni Test Planı / Test Planını Düzenle	
Plan Adı *:	[_____]
Açıklama:	[_____]
Hedef Modül *:	[▼ Arşiv Eserleri]
Durum:	[▼ Taslak]
— Şablon Seçin (opsiyonel) —	
() Artifact QA	() Event QA
() Trilingual Audit	() Archive Batch
[İptal] [Kaydet]	

...

6.3 Detail View (Plan + Test Cases)

...

← Listeye Dön		[Düzenle] [Sil]		
Batch 5 Artifact Yayını				
Modül: Arşiv Eserleri		Durum: ☒ Devam Ediyor		
İlerleme:		6/10 (%60)		
[+ Yeni Test Ekle]				
#	Test Adı	Dil	Sonuç	İşlemler
1	Görsel yükleniyor mu?	ALL	☒ Geçti	Görüntüle Sil
2	Başlık TR doğru mu?	TR	☒ Kaldı	Yeniden Sil
3	Künye bilgisi var mı?	ALL	Bekle	Çalıştır Sil
Özet: ☒ 3 Geçti ☒ 1 Kaldı 6 Beklemede				

...

6.4 Test Case Add/Edit Form

Field	Type	Required	Description
`title`	Text	☒	Short test description
`steps`	Textarea	☒	Step-by-step instructions

```
| `expected_result` | Textarea | ☒ | What passes the test |
| `target_language` | Dropdown | ☒ |
`tr`/[en](file:///c:/Users/1/Desktop/GalataGreekSchool-
Page/GalataSchool/src/pages/AdminPage/components/AdminVenue.tsx#5-
364)/[el](file:///c:/Users/1/Desktop/GalataGreekSchool-
Page/GalataSchool/src/pages/AdminPage/components/AdminCategories.tsx#47-
53)/`all` |
```

6.5 Execution Panel

...

Test Çalıştır: "Başlık EL doğru mu?" Adımlar: 1. Sayfayı aç 2. Dili EL yap 3. Bak Beklenen: Başlık Yunanca doğru görüntülenmeli		
(o) ☒ Geçti	(o) ☒ Kaldı	(o) ☐ Engelli
Notlar: [_____]		
[İptal] [Sonucu Kaydet]		

...

****Auto-set on save**:** `executed\_at` → `NOW()`, `executed\_by` → current admin email

6.6 Delete Confirmation

...

 Silme Onayı "[Plan/Test adı]" silmek istediğinize emin misiniz? Bu işlem geri alınamaz.
[Vazgeç] [Evet, Sil]

...

7. Complete CRUD Operations – Test Plans

7.1 Test Plan CRUD

```
| Operation | Steps | Supabase Call |
|-----|-----|-----|
| **CREATE** | Click "+ Yeni Plan" → fill form → "Kaydet" |
`supabase.from('test_cases').insert([ {...payload, is_plan:true} ])` |
```

```
| **READ (list)** | Load tab |
`supabase.from('test_cases').select('*').eq('is_plan',true).order('create
d_at',{ascending:false})` |
| **READ (detail)** | Click plan row |
`supabase.from('test_cases').select('*').eq('id',planId).single()` +
child cases |
| **UPDATE** | Click "Düzenle" → modify → "Kaydet" |
`supabase.from('test_cases').update(payload).eq('id',planId)` |
| **DELETE** | Click "Sil" → confirm | Delete children:
`.delete().eq('plan_id',id)` then plan: `.delete().eq('id',id)` |
| **DUPLICATE** | Click "Kopyala" | Insert new plan (title + " (Kopya)",
copy all cases with `result:'pending'` |
```

7.2 Test Case CRUD

```
| Operation | Steps | Supabase Call |
|-----|-----|-----|
| **CREATE** | "+ Yeni Test Ekle" → fill → "Kaydet" |
`supabase.from('test_cases').insert([{'plan_id', title, steps,
expected_result, target_language, result:'pending'}])` |
| **READ** | Auto-loaded in Detail View |
`supabase.from('test_cases').select('*').eq('plan_id',planId).eq('is_plan
',false).order('sort_order')` |
| **UPDATE (edit)** | "Düzenle" → modify → "Kaydet" |
`supabase.from('test_cases').update({title,steps,expected_result,target_l
anguage}).eq('id',caseId)` |
| **UPDATE (execute)** | "Çalıştır" → select result → "Sonucu Kaydet" |
`supabase.from('test_cases').update({result,notes,executed_at:NOW(),execu
ted_by:session}).eq('id',caseId)` |
| **UPDATE (reorder)** | Drag-and-drop rows | Batch
`.update({sort_order:newIndex}).eq('id',caseId)` |
| **DELETE** | "Sil" → confirm |
`supabase.from('test_cases').delete().eq('id',caseId)` |
```

8. Database Schema

`test\_cases` Table (Single Table Design)

```
> [!IMPORTANT]
> Uses `is_plan` flag: rows with `is_plan=true` are plan headers,
`is_plan=false` are test cases referencing a plan via `plan_id`.
```

```
`sql
```

```
CREATE TABLE public.test_cases (
  id UUID DEFAULT gen_random_uuid() PRIMARY KEY,
  is_plan BOOLEAN NOT NULL DEFAULT false,
  title VARCHAR(255) NOT NULL,
  description TEXT,
  target_module VARCHAR(50) DEFAULT 'all'
  CHECK (target_module IN ('artifacts','events','venue','history',
    'istanbul_rum','categories','content','all')),
  status VARCHAR(20) DEFAULT 'draft'
```

```

        CHECK (status IN ('draft','in_progress','completed')),
plan_id UUID REFERENCES public.test_cases(id) ON DELETE CASCADE,
steps TEXT,
expected_result TEXT,
target_language VARCHAR(5) DEFAULT 'all'
        CHECK (target_language IN ('tr','en','el','all')),
result VARCHAR(20) DEFAULT 'pending'
        CHECK (result IN ('pending','pass','fail','blocked')),
notes TEXT,
executed_at TIMESTAMPTZ,
executed_by VARCHAR(100),
sort_order INTEGER DEFAULT 0,
created_by VARCHAR(100),
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()
);

ALTER TABLE public.test_cases ENABLE ROW LEVEL SECURITY;
CREATE POLICY "Allow all for anon" ON public.test_cases FOR ALL USING
(true);
```

```

---

## ## 9. Component Architecture

```

...
AdminTestPlans
├─ State: view, plans[], selectedPlanId, testCases[], formData,
 executingCaseId
├─ Views: ListView | CreateForm | EditForm | DetailView (with cases)
├─ Functions: fetchPlans, savePlan, deletePlan, duplicatePlan,
 fetchTestCases, saveTestCase, deleteTestCase,
 executeTestCase, reorderTestCases
...

```

**\*\*Modified File\*\*:**  
[AdminPage.tsx] (file:///c:/Users/1/Desktop/GalataGreekSchool-  
Page/GalataSchool/src/pages/AdminPage/AdminPage.tsx) – add tab, stat  
card, quick action

---

## ## 10. UI Status Colors

| Result    | Color | Badge                                                                               | Plan Status   | Color | Badge                                                                                |
|-----------|-------|-------------------------------------------------------------------------------------|---------------|-------|--------------------------------------------------------------------------------------|
| `pending` | Amber |  | `draft`       | Slate | <input type="checkbox"/>                                                             |
| `pass`    | Green | <input checked="" type="checkbox"/>                                                 | `in_progress` | Blue  |  |
| `fail`    | Red   |  | `completed`   | Green |   |
| `blocked` | Gray  |  |               |       |                                                                                      |

---

## ## 11. Pre-Built Templates

| Template         | Module      | Auto-Generated Cases                                      |
|------------------|-------------|-----------------------------------------------------------|
| Artifact QA      | `artifacts` | Image loads, TR/EN/EL titles, Category, Künye, Status     |
| Event QA         | `events`    | Cover image, Date, TR/EN/EL titles, Gallery, Detail page  |
| Trilingual Audit | `all`       | TR populated, EN populated, EL populated, No placeholders |
| Archive Batch    | `artifacts` | L1 grid visible, L2 detail, Breadcrumbs, Prev/Next nav    |

---

## ## 12. Success Metrics & Risks

| Metric                    | Target                              | Risk                | Mitigation               |
|---------------------------|-------------------------------------|---------------------|--------------------------|
| Plan creation             | < 2 min                             | RLS too permissive  | Matches existing pattern |
| Single-session execution  | <input checked="" type="checkbox"/> | Templates outdated  | Editable after creation  |
| Real-time progress bar    | <input checked="" type="checkbox"/> | No file attachments | Notes field; v2 feature  |
| Template pre-populates 5+ | <input checked="" type="checkbox"/> |                     |                          |

---

## ## 13. Future Enhancements (v2)

- [ ] Screenshot/file attachment for evidence
- [ ] Export to PDF/Markdown report
- [ ] Recurring plan scheduling
- [ ] Notification on completion
- [ ] Auto-generate cases from content diffs