

Bauhinia Tree (Butterfly flower tree)

Scientific Classification:

- Kingdom: Plantae
- Division: Tracheophyta
- Class: Magnoliopsida
- Order: Fabales
- Family: Fabaceae
- Genus: *Bauhinia*
- Species: *Bauhinia purpurea* L.

Butterfly Flower is what this flowering plant is often called in Indonesia. This plant, from the Fabaceae family, is frequently found in Indonesia as a shade tree and a hedge plant. “Butterfly flower” is actually a common name for various plants of the genus *Bauhinia* sp., which has up to 300 or so species. However, the best known is the species *Bauhinia purpurea*.

The Latin name of this plant is *Bauhinia purpurea* L., which has several synonyms such as *Bauhinia castrata* Blanco, *Bauhinia coromandeliana* DC., *Bauhinia platyphylla* Span., *Bauhinia purpurea* var. *corneri* de Wit, *Bauhinia rosea* Corner, *Bauhinia triandra* Roxb., *Bauhinia violacea* Corner, *Caspareopsis purpurea* (L.) Pittier, and *Phanera purpurea* (L.) Benth.

It is called the butterfly flower because, at a glance, the leaves of this plant resemble a butterfly. Meanwhile, the shape of its flowers looks almost like an orchid. In English, this plant is called Butterfly Tree, Orchid Tree, Purple Bauhinia, and Purple Camel’s Foot.

https://flona.jakarta.go.id/v140/t602/3c6b11d4a1648d2627a04e4f03a02ec9
https://droensolobaru.com/garden/bunga-kupu-kupu-bauhinia-purpurea-l/



Dieffenbachia

Classification

Family: Araceae (the same family as Alocasia and Aglaonema)
Genus: Dieffenbachia, with about 60 species native to tropical Central and South America and the Caribbean
Common types: D. seguine, D. amoena, and cultivars such as ‘Camille’ and ‘Tropic Snow’

Native to Central and South America and a relative of our skunk cabbage, Dieffenbachia (Symplocarpus foetidus) is a broad-leaved foliage plant with thick succulent stems. A popular house plant because of its ease of culture, it is available in a variety of leaf patterns.

Large leaves with creamy white centers and bright green edges

Dieffenbachia’s common name, Dumbcane, comes from the fact that all plant parts contain raphides; crystalline, needle-like structures which are ejected when cell walls are damaged. Raphides are

believed to be a defense mechanism against browsing by animals, since ingestion of the plant will cause stinging and burning to the mouth and throat with symptoms persisting for up to two weeks. This reaction can disable speech, hence its common name. Exposure to the eyes is particularly painful. Handle the plant with care when trimming or making cuttings for propagation. Small children and pets should be kept away from dieffenbachia plants.

https://homegarden.cahnr.uconn.edu/factsheets/dieffenbachia/



