



retell + twilio實現電話客服

Retell 建立 voice conversation flow(需要服務)



Retell 建立 voice conversation flow(不需要服務)



KB(讓retell STT更準確便是專有名詞)

宮廟解籤相關KB

ID: know...b7d  •  Uploaded by: 06/16/2026 16:37

 Edit



宮廟名稱

0 K



籤詩名稱

0 K



Agent setting

voice & language : chinese, May(Minmax)

Global Prompt : Gpt 5 nano (挑便宜的就行)

Knowledge base : 把剛剛建立好的kb關聯進Agent裡

Post-call Data Extraction : 以解籤為例: 需要把宮廟名稱、籤詩名稱、語系、受訪者姓名、電話號碼都分類

≡Text

×

Name

宮廟名稱

Description

受訪者的宮廟名稱

Format Example (Optional)

艋舺龍山寺, 行天宮, 大龍峒保安宮, 台北霞海城隍廟, 枋

+ Add

≡Text

×

Name

籤詩名稱

Description

使用的籤詩名稱

Format Example (Optional)

六十甲子籤, 雷雨師一百籤, 觀音菩薩一百籤, 呂祖六十籤

+ Add

≡Text

×

Name

語系

Description

受訪者的籤詩需要的語系

Format Example (Optional)

中文, 台語, 英文, 日文, 越南文

+ Add

≡Text

×

Name

受訪者姓名

Description

聯絡對象姓名

Format Example (Optional)

黃先生, 陳小姐

+ Add

9Number

×

Name

電話號碼

Description

受訪者聯絡電話

模型Gpt-5.4-Nano(挑一個免費的就可以了)

Demo

在Call history 可以看到完整錄音、然後完整的逐字稿對話，以及剛剛模型幫我們萃取出的有用資訊

The screenshot displays the Retell AI interface, which is divided into several sections:

- Left Sidebar:** Contains navigation links for BUILD (Agents, Knowledge Base), DEPLOY (Phone Numbers, Batch Call), DATA (Call History, Chat History, Contacts), and MONITOR (Analytics, Live Monitoring, AI Quality Assurance). At the bottom, there is a 'Free Trial' button and a user selection dropdown showing 'galenhuang@aigo...'.
- Call History Table:** A table with columns for 'Time' and 'Call ID'. It lists several calls, with the most recent one highlighted: 'Jun 17, 2026 · 2:04:32 PM' with Call ID 'cal_3bcb5bfcab8e3744bb3...a31'.
- Call Details Panel:** Provides information for the selected call, including the title '06/17/2026 14:04 web_call', agent 'Testing0616', call ID, duration, cost, and LLM token usage. It includes a play button for audio playback and a download icon.
- Conversation Analysis:** A section showing analysis results for the call. It includes a 'Preset Analysis' table with columns for 'Analysis' and 'Status'. The results are: 'Call Successful' (Successful), 'Call Status' (Ended), 'User Sentiment' (Neutral), 'Disconnection Reason' (User_hangup), and 'End to End Latency' (1933ms). Below this is a 'Custom Analysis' table with columns for 'Analysis' and 'Status'. The results are: '電話號碼' (912111112), '受訪者姓名' (黃先生), '籤詩名稱' (好生大地60千), '語系' (中文、台語、英文), and '宮廟名稱' (擎天宮).
- Summary:** A text block summarizing the call, mentioning a customer inquiry about installing a service and the user's response.
- Transcription:** A section with tabs for 'Transcription', 'Data', and 'Detail Logs'. The 'Transcription' tab is active, showing the full transcript of the call.

Twilio 申請電話

1. 創建帳號
2. 開始一個free trail number
3. 在上方搜尋欄打SIP, 找到Elastic SIP Trunks
4. 然後Create new SIP Trunk

Create new SIP Trunk - General

1. 建立 Friendly name (隨便打)
2. Call Transfer 勾選 Enabled
3. Enable PSTN Transfer也要勾選
4. 按 save

Create new SIP Trunk - Termination

1. 設定Termination SIP URI(隨便取)
2. Authentication section -> Crednetial Lists 加一個(記得把帳號密碼抄下來)
3. 然後save

Create new SIP Trunk - Origination

1. 新增 Origination URIs
2. 點第一個藍色加號
3. 到 <https://docs.retellai.com/deploy/custom-telephony> 這個網址
4. 複製反白的網址
5. 貼到Origination SIP URI欄位
6. 按Add
7. 然後save

Overview

In this guide, we will show how to integrate Retell agents with your telephony providers and use your numbers. Please note that this is independent of the agent type you are using.

We will provide two ways to integrate with your telephony provider:

1. **Elastic SIP trunking:** This is the **recommended** way to integrate with your telephony provider that supports elastic SIP trunking. You will need to set up a SIP trunking and configure your number to point to it, and then import that number to Retell.
2. **Dial to SIP URI:** If your telephony provider does not support elastic SIP trunking, or you have more complicated telephony setup that cannot use elastic SIP trunking, you can dial the call to a specific SIP uri.



- Retell SIP server uri: `sip:sip.retellai.com`
- IP block for traffic: `18.98.16.120/30` (All regions), `143.223.88.0/21` (certain United States traffic), `161.115.160.0/19` (certain United States traffic)

You can use the IP block to whitelist the traffic to Retell's SIP server. It's commonly needed in a bunch of telephony providers.

Create new SIP Trunk - Number

1. 按右上角Add a number (Add an Existing Number)
2. 然後會自動帶出最初申請那隻免費電話
3. Add Selected

如何串接？

1. 回到retell, 左欄Deploy > Phone number
2. Outbound Call Agent > Call Agent 選之前製作好的機器人
3. 機器人要記得Publish
4. 然後中間欄加號選Connect to your number via SIP trunking
5. Phone number填 twilio拿到的電話(要填加號)
6. Termination URI填termination 那個自己打的網址, 要連同後面[.pstn.twilio.com](https://pstn.twilio.com)一起打
7. SIP Trunk User Name / Password 也一起打
8. 按下save

如何Outbound

1. 然後按下右側欄最上方 Make an outbound call
2. 應該會跳出需要證件驗證
3. 驗證完用自己的電話號碼+886測試
4. 按call

結果 & 結論

1. 電話不通
2. 到retell 看 Call history
3. Error原因: Telephony provider permission denied
4. 截圖附詳細原因
5. twilio 目前無法測試outbound效果, 但是以目前retell電話機器人功能來說, 可以完成大部分想要的功能

2026-06-17 07:46:38.703 call_e8096f7fab844889fb5a4530f43 info: Starting call: call_e8096f7fab844889fb5a4530f43

2026-06-17 07:46:39.577 call_e8096f7fab844889fb5a4530f43 error: Error dialing to user, SIP status code: 403 SIP error category: telephony_provider_permission_denied
Error: twirp error unknown: unexpected status from INVITE response: sip status: 403: Forbidden

To troubleshoot, check out: <https://docs.retellai.com/reliability/debug-outbound-call#steps-to-troubleshoot>

2026-06-17 07:46:39.577 call_e8096f7fab844889fb5a4530f43 info: Ending call: call_e8096f7fab844889fb5a4530f43