

# **Deploy and publish content**

Catalina Maruri-Ramos

Exported on 04/05/2024

## Table of Contents


Deploy and publish content.....	3
Pipelines stages.....	3
Steps.....	4
Contact and Support.....	7

# Deploy and publish content

In this guide, you can learn how to deploy and publish your content in System A.

## Pipelines stages

**Pipeline stages** define content staging workflows in a System A space. This allows to edit content in a space and push it safely from one space to the other. All brand spaces have these stages on their titles. (ex. Brand –TEST/ACCEPT/PROD).




1 Pipeline stages

1. **Test (Preview):** Where content edits can be made. ([https://test.\[brand\].company.cloud](https://test.[brand].company.cloud))
2. **Accept (Staging):** Where edits for go live can be checked. ([https://accept.\[brand\].company.cloud](https://accept.[brand].company.cloud))
3. **Production (Live):** Where content will show on the live website. ([https://prod.\[brand\].company.cloud](https://prod.[brand].company.cloud))

## Steps


Before you publish live, you can check your content in the **acceptance environment**.

1. Once you published your pages, go to the **Pipelines** tab in the **Content** section.




2 The pipelines tab

2. Switch from your **current Preview stage** to **Accept**.





3 Selecting the accept stage

3. Click on **“Deploy from source”** to deploy from preview to accept. A panel window will open.




4 Deploying from source

4. Check that you're deploying from the correct source (**Preview**).



5 The pipeline stage is correct


5. Click on **Deploy**. The process will take some minutes to finish.



6 Deploying from source


6. Once the deploy is finished, you need to ask development for a frontend build.

Post a message on the [support channel](#). The build will take some minutes.




7 Asking for a build in the support channel

7. Once the build is finished, check that your content is correct in the [acceptance environment](#).

 ([https://accept.\[brand\].company.cloud](https://accept.[brand].company.cloud)) → replace **[brand]** with your brand name to get the correct link.

8. If the content is correct, you can now deploy to [production](#).

Follow the same steps as before.

 Make sure you're deploying from [acceptance](#) to [production](#) instead.

## Contact and Support

Are you stuck with a step? Do you need more technical help? Check out [how to get digital support](#) or who to [contact for different topics](#).