CSC 310 Project 1

Michael Galliers October 26, 2018 In this project we were tasked with creating Python programs to perform the following operations: sorting a list using the Radix Sort algorithm and evaluating a postfix (RPN) mathematical expression. Both of these algorithms were to be implemented using data structures recently learned in our class: queues and stacks.

1 Radix Sort

Figure 1: Radix Sort Class

The Radix Sort algorithm is a counting based sorting algorithm. (Include something about positive integers) The algorithm works by sorting positive integers one digit at a time, starting from the least significant digit and moving on to the most significant digit. It does this by extracting the current digit being sorted by from each number and then placing the number in one of ten queues (indexed from 0 to 9) based on the value of that digit. After this is complete, the numbers in each queue (processed from queue 0 to queue 9) are sorted in the same way based on the next more significant digit. This process continues until the digit being processed exceeds the number(s) with the most digits. At this time, the queue of index 0 will have all the numbers sorted in non-decreasing order, such that the least number will be the first to be dequeued.

The algorithm uses a modified queue ADT with an increased default capacity and an extra attribute for monitoring the remaining numbers in the queue that need to be processed. The sorting method itself is contained in the RadixSort class. Upon instantiation, the class creates a list of 10 queues to be used for sorting.

The sorting algorithm is contained in a method called "sort". The method starts out by creating counter-like variables for tracking when the sum of all digits being analyzed is zero (i.e. the sorting is complete) and the specific digit being analyzed. Initially, all numbers are loaded into the first queue (index 0) and its remaining numbers variable is set to its size. Next, a loop is run until the sum of all digits being analyzed is zero (i.e. sorting is complete). The sum variable just mentioned is reset to 0 here before the digits are processed. Then, it processes numbers in each of the ten queues, from indices 0 to 9. While there are remaining numbers that need to be processed, the method decreases the remaining number by 1, dequeues a number, extracts the current digits being analyzed, increments the sum variable by this digit and places the number in the queue having an index matching this digit. Since the remaining variable of each queue tracks how many digits are in a queue from the previous sorting, the numbers being enqueued during this sorting do not interfere with the previous ones. After this sorting is complete, the remaining variable of each queue is reset to its size and the digit being analyzed is "incremented" to one digit more significant. After each sorting is complete, each number is dequeued from the first queue and placed back into the list from beginning to end. Then, the list object is returned. A simple user menu is included for testing purposes. It takes a comma separated list of positive integers, converts it to a list and returns the sorted result, asking if the user would like to enter another list.

Figure 2: Radix Sort Testing

2 Postfix

Figure 3: Postfix Class

The postfix evaluator program is based on postfix notation (aka RPN). In this notation, the operator is placed after the two numbers to be evaluated. Entire mathematical expressions can be written this way making them much more unambiguous than if traditional infix notation is used (e.g. (7+2)*(4/2)). As a result, a simple stack-based algorithm can be implemented to evaluate these expressions.

In the postfix program, a class is once again used to organize the components of the algorithm. A dictionary of the valid operators as keys ('*', '/', '+', '-') and imported "operator" functions that can evaluate each operator as values is given to aid in the evaluation of these operators. Upon instantiation, the class creates a stack to be used for evaluation throughout the life of the object. The evaluate method is what does the actual calculation. It takes a postfix expression as input. It then iterates through each character of the expression. If it encounters a space, it is ignored. If it finds a digit, it is type-casted to int datatype and pushed to the stack. If an operator is encountered, the last two numbers are popped off the stack in the order number1, number2 (due to design of stack) and saved to variables. Then, using the aforementioned operator dictionary, the method for the operator found is obtained and used to evaluate the numbers. Then, the result is pushed back on the stack. After all the characters have

been processed, the remaining single number on the stack is the result, which is popped off and returned. A simple user menu is included for testing purposes. It asks the user for a postfix expression containing only valid operators and single-digit numbers and prints the result. It then asks if the user would like to enter another number or quit.

Figure 4: Postfix Testing

3 Conclusion

In conclusion, this project encouraged the students to apply concepts learned in class to real life programming problems. I personally learned a lot from writing these programs and am looking forward to our next project.