

# 中国慈溪市鑫科电子科技有限公司

**Cixi Xinke Electronic Technology Co., Ltd.**

地址: 中国浙江省慈溪市逍林北工业区联振路 188 号

ADD: No. 188, Lianzhen Road, Xiaolin North Ind. Zone, Cixi, P.R.CHINA

TEL: (+86) 574 63512872 FAX:(+86) 574 63512871


P.C.:315321

Model: **XK15EDGRKM+KDM+WC-3.81**


## Product Description

Pitch:3.81m;Poles:2P-24P;Rated Voltage/Current:300V/8A



male:



Female:



fixed bracket:



manufactured by Cixi XinKe Electronic Technology Co., Ltd. ,who is a high-quality, fast-delivery factory,there are many customers all over the world. The product shell is made of insulating and flame-retardant material, which has a long service life and is safe and reliable. The terminal contacts are made of brass, which has good conductivity and high hardness.Plug-in structure, simple operation, and convenient wiring, our terminals are deeply loved by customers.We have 2pin -24pin position contacts for this type,do not hesitate to contact us!Otherwise,you can also choose other kind of pluggable terminal blocks, [Din Rail Terminal Block](#),spring terminal blocks, [PCB screw terminal block](#) and [Barrier terminal block](#).

Plastic material:	PA66.UL94V-0
Terminal material:	brass
Screw:	M2 Steel
Rated voltage:	300V
Rated current:	8A
Wire range:	28-16 AWG 1.5mm <sup>2</sup>
Withstanding voltage:	AC2000V/1Min
Temp.:	-40°C~+105°C
Strip length:	7-8mm
Pitch:	3.81mm